

**3.1 Chairs**

- 3.1.1 Lounge Chairs
- 3.1.2 Task Chairs
- 3.1.3 Executive Chairs
- 3.1.4 Guest Chairs
- 3.1.5 Executive Guest Chairs
- 3.1.6 Training and Classroom Chairs
- 3.1.7 Dining Chairs
- 3.1.8 Procedure Stools
- 3.1.9 Lab Stools
- 3.1.10 Children's Chairs

**3.2 Tables**

- 3.2.1 Training and Classroom Tables
- 3.2.2 Dining Tables
- 3.2.3 Conference Tables
- 3.2.4 Occasional Tables
- 3.2.5 Children's Tables

**3.3 Furniture**

- 3.3.1 Systems Product
- 3.3.2 Conventional Office
- 3.3.3 Executive Office
- 3.3.4 Lateral Files

**3.4 Specification Sheets****3.5 Manufacturer's Summary**



Chairs- Lounge



Wood: Wieland, Rustic on Maple



Fantagraph Crypton, "Pinehurst" #CW554001, Color- Navy



Momentum Crypton, "Memento" #09029557, Color- Night



Wood: Softcare, Medium Cherry on Maple



Maharam Crypton, "Bop" #460002, Color- #008 Park



Fantagraph Crypton, "Pinehurst" #CW554001, Color- Navy



Wood: Carolina, Light Cherry on Maple



Momentum Crypton, "Wishes" #09028039, Color- Cherry



Fantagraph Crypton, "Jazz" #CC543506, Color- Cobalt

3.1.1 Specification Guidelines for Lounge Chairs

**Manufacturer:** Wieland  
**JSN#:** F0305  
**GSA#:** GS-28F-2138D  
**Style:** Arris Modular Wood Arm  
**Size:** 23.5”w x 26”d x 31.25”h  
**Warranty:** 10 years  
**Recommendations:** Slim, transitional design, works well in modular configurations. For use in Lounges and Waiting Areas with high use and constant change.

*UNICOR waiver required.*

**Manufacturer:** Softcare  
**JSN#:** F0305  
**GSA#:** GS-27F-3017D  
**Style:** Ritz Arm Chair  
**Size:** 24”w x 27”d x 32.5”h  
**Warranty:** 5 years  
**Recommendations:** Residential design with larger scale. Works well in freestanding or modular configurations. For use in high-end Lounges and Waiting Areas.


*UNICOR waiver required.*

**Manufacturer:** Carolina  
**JSN#:** F0305  
**GSA#:** GS-28F-2069D  
**Style:** Whitney Chair Modular  
**Size:** 24”w x 24.5”d x 32.5”h  
**Warranty:** 10 years  
**Recommendations:** Slim, transitional design, works well in modular configurations. For use in Lounges and Waiting Areas with high use and constant change.

*UNICOR waiver required.*

- Arms** • Open with wood cap arm.
  - All parts to be removable for ease of maintenance.
- Base** • Fixed straight legs, sled base not recommended.
  - Glides are recommended to prevent permanent marks on flooring.
- Seat** • Seat width should be a minimum width of 23” to a maximum of 30”, seat depth should be a minimum depth of 24” to a maximum of 30”.
  - Recommended seat height should be 17.5”-18” from the floor.
  - Fixed cushion recommended.
  - Easily disassembled for repairs and recovery kits available for fabric replacement.
  - “Clean Out Space” between seat and back.
- Back** • Overall back height should be at least 30” from the floor.
- Fabric** • Select from the manufacturer’s standard fabrics; these healthcare textiles should consist of heavy-duty stain-resistant fabric (such as Crypton) and needs to comply with applicable fire tests and the following performance criteria:
  - ASTM D-5034 Grab Strength
  - ASTM D-4034 Resistance to Yarn Slippage
  - ASTM D-2262 Tongue Tearing Strength
  - ASTM D-3597 Shrinkage or Growth
  - ASTM D-4157 Wyzenbeek Abrasion Resistance
  - California Technical Bulletin #117 or #133 for Flammability
  - Fabrics with moisture barriers are highly recommended.
- Finish** • Select from manufacturer’s standard wood or metal finishes which coordinate with surrounding finishes and are resistant to scuffing.

Chairs- Task



Mayer, "Foundation"  
#3501, Color- Ebony



Herman Miller, "Pellicle"  
#3D01, Color- Carbon



Herman Miller, "Crepe"  
#9203, Color- Smoke

**3.1.2 Specification Guidelines for Task Chairs**

**Manufacturer:** UNICOR  
**JSN#:** F0275  
**GSA#:** Not Applicable  
**Style:** Freedom Mid Back Chair  
**Size:** 26.5”w x 26.5”d x 41.5”h  
**Warranty:** Lifetime  
**Recommendations:** Appropriate for Management and Executive Offices.

**Manufacturer:** Herman Miller  
**JSN#:** F0275  
**GSA#:** GS-28F-8049H  
**Style:** Aeron  
**Size:** 20.25”w x 20.25”d x 44”h  
**Warranty:** 12 years  
**Recommendations:** Appropriate for Management and Executive Offices.

*UNICOR waiver required.*

**Manufacturer:** Herman Miller  
**JSN#:** F0275  
**GSA#:** GS-28F-8049H  
**Style:** Equa Chair  
**Size:** 25.5”w x 31”d x 49”h  
**Warranty:** 12 years  
**Recommendations:** Appropriate for Management and Executive Offices.

*UNICOR waiver required.*

- Arms** • Padded adjustable arm.
- Base** • Five star base recommended.
  - Darker finish colors are recommended for bases.
  - Carpet casters recommended.
- Seat** • Seat width should be a minimum width of 20” to a maximum of 30”, seat depth should be a minimum depth of 20” to a maximum of 30”.
  - Adjustable seat height with a minimum of 18”-20” from the floor.
- Back** • Overall back height should be at least 40” from the floor.
- Fabric** • Select from the manufacturer’s standard fabrics; should consist of heavy-duty stain-resistant fabric and needs to comply with applicable fire tests and the following performance criteria:
  - ASTM D-5034 Grab Strength
  - ASTM D-4034 Resistance to Yarn Slippage
  - ASTM D-2262 Tongue Tearing Strength
  - ASTM D-3597 Shrinkage or Growth
  - ASTM D-4157 Wyzenbeek Abrasion Resistance
  - California Technical Bulletin #117 or #133 for Flammability
- Finish** • Select from manufacturer’s standard finishes which coordinate with surrounding finishes and are resistant to scuffing.


Chairs- Executive



Wood: UNICOR,  
Cherry



Mayer, "Foundation"  
#3525, Color- Navy



OFS, Black Polyure-  
thane base



Maharam, "Timberline"  
#008, Color- Graphite



Wood: Krug, Natural  
Cherry



Tandem, "Chenille"  
#7030, Color- Smoke

**3.1.3 Specification Guidelines for Executive Chairs**

**Manufacturer:** UNICOR  
**JSN#:** F0245  
**GSA#:** Not Applicable  
**Style:** Acapella High Back with arms  
**Size:** 21”w x 20”d x 44”h  
**Warranty:** Lifetime  
**Recommendations:** Appropriate for Management and Executive Offices.

**Manufacturer:** OFS  
**JSN#:** F0245  
**GSA#:** GS-29F-0304H  
**Style:** Milano High Back  
**Size:** 26”w x 28.5”d x 39”h  
**Warranty:** Lifetime  
**Options:** Optional solid wood base caps available as an upgrade.  
**Recommendations:** Appropriate for Management and Executive Offices.

*UNICOR waiver required.*

**Manufacturer:** Krug  
**JSN#:** F0245  
**GSA#:** GS-28F-2100D  
**Style:** Sierra High Back  
**Size:** 23”w x 28”d x 45”h  
**Warranty:** 10 years  
**Recommendations:** Appropriate for Management and Executive Offices.

*UNICOR waiver required.*

- Arms** • Wood or padded adjustable arm.
- Base** • Five star base recommended.
  - Darker finish colors are recommended for bases.
  - Carpet casters recommended.
- Seat** • Seat width should be a minimum width of 20” to a maximum of 30”, seat depth should be a minimum depth of 20” to a maximum of 30”.
  - Adjustable seat height with a minimum of 18”-20” from the floor.
- Back** • Overall back height should be approximately 40” from the floor.
- Fabric** • Select from the manufacturer’s standard fabrics, should consist of heavy-duty stain-resistant fabric and needs to comply with applicable fire tests and the following performance criteria:
  - ASTM D-5034 Grab Strength
  - ASTM D-4034 Resistance to Yarn Slippage
  - ASTM D-2262 Tongue Tearing Strength
  - ASTM D-3597 Shrinkage or Growth
  - ASTM D-4157 Wyzenbeek Abrasion Resistance
  - California Technical Bulletin #117 or #133 for Flammability
- Finish** • Select from manufacturer’s standard finishes which coordinate with surrounding finishes and are resistant to scuffing.

Chairs- Guest



Mayer Crypton, "Metro"  
#7599-C, Color- Marina



Mayer, "Labyrinth"  
#2292, Color- Earth  
Tone



Mayer Crypton, "Metro"  
#7599-C, Color- Marina



Mayer, "Labyrinth"  
#2287, Color- Deep Sea



Mayer Vinyl, "Athens"  
#AT16, Color- Steel  
Blue



Maharam Crypton,  
"Bop" #460002, Color-  
Park #008

**3.1.4 Specification Guidelines for Guest Chairs**

**Manufacturer:** UNICOR  
**JSN#:** F0205  
**GSA#:** Not Applicable  
**Style:** Concert Guest Chair  
**Size:** 23”w x 23”d x 34”h  
**Warranty:** Lifetime  
**Recommendations:** Appropriate for guest seating in Office Spaces and Patient Rooms.

**Manufacturer:** UNICOR  
**JSN#:** F0205  
**GSA#:** Not Applicable  
**Style:** Chorale Tubular Arm Chair  
**Size:** 16.5”w x 16”d x 34.5”h  
**Warranty:** Lifetime  
**Recommendations:** Appropriate for guest seating in Office Spaces and Patient Rooms.

**Manufacturer:** Falcon  
**JSN#:** F0205  
**GSA#:** GS-29F-0289H  
**Style:** Twist Chair  
**Size:** 21.5”w x 24”d x 31.75”h  
**Warranty:** 5 years  
**Recommendations:** Appropriate for guest seating in Office Spaces and Patient Rooms.


*UNICOR waiver required.*

- Arms** • Open arm.
  - Manufacturer’s standard finish.
- Base** • Fixed straight legs.
  - Glides are recommended to prevent permanent marks on flooring.
- Seat** • Seat width should be a minimum width of 16” to a maximum of 30”, seat depth should be a minimum depth of 16” to a maximum of 24”.
  - Recommended seat height should be 17.5” to 18” from the floor.
  - Fixed cushion recommended.
- Back** • Overall back height should be at least 30” from the floor.
- Fabric** • Select from the manufacturer’s standard fabrics; these healthcare textiles should consist of heavy-duty stain-resistant fabric (such as Crypton), or vinyl, and needs to comply with applicable fire tests and the following performance criteria:
  - ASTM D-5034 Grab Strength
  - ASTM D-4034 Resistance to Yarn Slippage
  - ASTM D-2262 Tongue Tearing Strength
  - ASTM D-3597 Shrinkage or Growth
  - ASTM D-4157 Wyzenbeek Abrasion Resistance
  - California Technical Bulletin #117 or #133 for Flammability
- Finish** • Select from manufacturer’s standard finishes which coordinate with surrounding finishes and are resistant to scuffing.

Chairs- Executive Guest



Wood: UNICOR, Cherry Mayer, "Myth" #3250, Color- Copper



Wood: OFS, Natural Cherry on Cherry Maharam, "Single File" #406002, Color- #001 Pineneedle



Wood: Krug, Natural Cherry Tandem, "Backgammon" #49, Color- Persian

**3.1.5 Specification Guidelines for Executive Guest Chairs**

**Manufacturer:** UNICOR  
**JSN#:** F0235  
**GSA#:** Not Applicable  
**Style:** Acapella Open Arm Guest Chair  
**Size:** 18”w x 19.5”d x 35”h  
**Warranty:** Lifetime  
**Recommendations:** Appropriate for guest seating in Executive Offices.

**Manufacturer:** OFS  
**JSN#:** F0235  
**GSA#:** GS-29F-0304H  
**Style:** Prelude Open Arm Guest Chair  
**Size:** 23”w x 26”d x 33.5”h  
**Warranty:** Lifetime  
**Recommendations:** Appropriate for guest seating in Executive Offices.

*UNICOR waiver required.*

**Manufacturer:** Krug  
**JSN#:** F0235  
**GSA#:** GS-28F-2100D  
**Style:** Sierra Guest Chair  
**Size:** 23”w x 24”d x 35”h  
**Warranty:** 10 years  
**Recommendations:** Appropriate for guest seating in Executive Offices.

*UNICOR waiver required.*

- Arms** • Open arm.  
 • Manufacturer’s standard finish.
- Base** • Fixed straight legs.
- Seat** • Seat width should be a minimum width of 16” to a maximum of 30”, seat depth should be a minimum depth of 16” to a maximum of 24”.  
 • Recommended seat height should be 17.5” to 18” from the floor.  
 • Fixed cushion recommended.
- Back** • Overall back height should be at least 30” from the floor.
- Fabric** • Select from the manufacturer’s standard fabrics; these healthcare textiles should consist of heavy-duty stain-resistant fabric (such as Crypton), or vinyl, and needs to comply with applicable fire tests and the following performance criteria:  
  
 ASTM D-5034 Grab Strength  
 ASTM D-4034 Resistance to Yarn Slippage  
 ASTM D-2262 Tongue Tearing Strength  
 ASTM D-3597 Shrinkage or Growth  
 ASTM D-4157 Wyzenbeek Abrasion Resistance  
 California Technical Bulletin #117 or #133 for Flammability
- Finish** • Select from manufacturer’s standard finishes which coordinate with surrounding finishes and are resistant to scuffing.

Chairs- Training and Classroom



Mayer Crypton, "Metro"  
#7599-C Color- Marina



Mayer, "Labyrinth"  
#2287, Color- Deep Sea



Momentum, "Crete"  
#CRE-54, Color- Steel  
Blue



Momentum Crypton,  
"Wishes" #09028039,  
Color- Cherry



Vinyl, "Vogue" #V0-  
106, Color- Navy



Maharam Crypton,  
"Bop" #460002, Color-  
#008 Park

**3.1.6 Specification Guidelines for Training and Classroom Chairs**

**Manufacturer:** UNICOR  
**JSN#:** F0200  
**GSA#:** Not Applicable  
**Style:** Chorale Right Tablet Arm Chair  
**Size:** 21.5”w x 21.75”d x 31.5”h  
**Warranty:** Lifetime  
**Recommendations:** Appropriate for Classroom seating with recommended training tables.

**Manufacturer:** Fixtures  
**JSN#:** F0200  
**GSA#:** GS-29F-5234A  
**Style:** Bola Flip-Up Tablet Chair  
**Size:** 25”-27”w x 28”d x 35”h  
**Warranty:** 10 years  
**Recommendations:** Appropriate for smaller Training Rooms or Multi-purpose Rooms that do not use training tables.


*UNICOR waiver required.*

**Manufacturer:** Falcon  
**JSN#:** F0200  
**GSA#:** GS-29F-0289H  
**Style:** GT102 with TA12 Tablet Arm  
**Size:** 23”w x 25.5”d x 30.25”-34.25”h  
**Warranty:** 1 year  
**Recommendations:** Appropriate for Classroom seating with recommended training tables.


*UNICOR waiver required.*

- Arms** • Open metal arm.
  - Optional laminate writing tablet arm.
- Base** • Fixed straight legs; sled base not recommended.
  - Glides are recommended to prevent permanent marks on flooring.
- Seat** • Seat width should be a minimum width of 19” to a maximum of 30”, seat depth should be a minimum depth of 20” to a maximum of 24”.
  - Recommended seat height should be 17.5”-18” from the floor.
  - Fixed cushion recommended.
  - Easily disassembled for repairs and recovery kits available for fabric replacement.
- Back** • Overall back height should be at least 30” from the floor.
- Fabric** • Select from the manufacturer’s standard fabrics; these healthcare textiles should consist of heavy-duty stain-resistant fabric (such as Crypton), or vinyl, and needs to comply with applicable fire tests and the following performance criteria:
  - ASTM D-5034 Grab Strength
  - ASTM D-4034 Resistance to Yarn Slippage
  - ASTM D-2262 Tongue Tearing Strength
  - ASTM D-3597 Shrinkage or Growth
  - ASTM D-4157 Wyzenbeek Abrasion Resistance
  - California Technical Bulletin #117 or #133 for Flammability
- Finish** • Select from manufacturer’s standard wood or metal finishes which coordinate with surrounding finishes and are resistant to scuffing.

Chairs- Dining



Mayer Crypton, "Metric" #WC702-004, Color- Navy Blue



Mayer Crypton, "Metric" #WC702-003, Color- Hunter



Vinyl, "Vogue" #V0-106, Color- Navy



Maharam Crypton, "Bop" #460002, Color- #008 Park



Vinyl, "Vogue" #V0-106, Color- Navy



Maharam Crypton, "Bop" #460002, Color- #008 Park

### 3.1.7 Specification Guidelines for Dining Chairs

**Manufacturer: UNICOR**

JSN#: F0225

GSA#: Not Applicable

Style: Chorale III Chair with Arms

Size: 22”w x 24”d x 34”h

Warranty: Lifetime

**Recommendations:** Appropriate for all dining applications.

**Manufacturer: Falcon**

JSN#: F0225

GSA#: GS-29F-0289H

Style: #4444

Size: 18”w x 22”d x 36.5”h

Warranty: 5 years

**Recommendations:** Appropriate for all dining applications.

*UNICOR waiver required.*

**Manufacturer: Falcon**

JSN#: F0225

GSA#: GS-29F-0289H

Style: Twist Chair

Size: 21.5”w x 24”d x 31.75”h

Warranty: 5 years

**Recommendations:** Appropriate for all dining applications.

*UNICOR waiver required.*

**Arms** • Open metal arm or armless.

**Base** • Fixed straight legs; sled base not recommended.

**Seat** • Seat width should be a minimum width of 16” to a maximum of 30”, seat depth should be a minimum depth of 16” to a maximum of 30”.

- Maximum seat height should be 18-20” from the floor.
- Fixed cushion recommended.
- Easily disassembled for repairs and recovery kits available for fabric replacement.

**Back** • Overall back height should be at least 30” from the floor.

**Fabric** • Select from the manufacturer’s standard fabrics; should consist of heavy-duty stain-resistant fabric such as Crypton, solution-dyed nylon, or polyester, and needs to comply with applicable fire tests and the following performance criteria:

ASTM D-5034 Grab Strength

ASTM D-4034 Resistance to Yarn Slippage

ASTM D-2262 Tongue Tearing Strength

ASTM D-3597 Shrinkage or Growth

ASTM D-4157 Wyzenbeek Abrasion Resistance

California Technical Bulletin #117 or #133 for Flammability

**Finish** • Select from manufacturer’s standard wood or metal finishes which coordinate with surrounding finishes and are resistant to scuffs and smudges.


Chairs- Procedure Stools



Vinyl, Color- Blue Vinyl



Vinyl, Color- Waterford Vinyl



Vinyl, Color- Iris Blue Vinyl

3.1.8 Specification Guidelines for Procedure Stools

**Manufacturer:** Cramer  
JSN#: F0340  
GSA#: GS-28F-7017G  
Style: SA52 Intermediate Height Stool  
Size: 24.25”d x 21”-28.5”h  
Warranty: 10 years  
**Recommendations:** Appropriate for Exam Rooms and Emergency Rooms.

**Manufacturer:** Midmark  
JSN#: F0340  
GSA#: V-797P4090A  
Style: 425 Air Lift Physician Stool  
Size: 17”d x 17.75”-23.75”h  
Warranty: 1 year  
**Recommendations:** Appropriate for Exam Rooms and Emergency Rooms.

**Manufacturer:** Midmark  
JSN#: F0340  
GSA#: V-797P4090A  
Style: Ritter 123 Physician Stool  
Size: 16”d x 16.5”-24.5”h  
Warranty: 1 year  
**Recommendations:** Appropriate for Exam Rooms and Emergency Rooms.

- Arms** • Not Applicable.
- Base** • Casters are recommended for hard surface flooring and ease of movement.
- Seat** • Seat diameter should be a minimum of 16” with a 30” maximum.
  - Maximum seat height should be 16.5”-24.5” from the floor.
  - Fixed cushion recommended.
- Back** • Not Applicable.
- Fabric** • Select from the manufacturer’s standard fabrics, should consist of heavy-duty stain-resistant vinyl. Needs to comply with applicable fire tests and the following performance criteria:
  - ASTM D-5034 Grab Strength
  - ASTM D-4034 Resistance to Yarn Slippage
  - ASTM D-2262 Tongue Tearing Strength
  - ASTM D-3597 Shrinkage or Growth
  - ASTM D-4157 Wyzenbeek Abrasion Resistance
  - California Technical Bulletin #117 or #133 for Flammability
- Finish** • Select from manufacturer’s finishes which coordinate with surrounding finishes and are resistant to scuffing.

Chairs- Lab Stools



Vinyl, "Cobblestone"  
#5M09, Color- Navy



Vinyl, Color- #W68  
Dark Blue

### 3.1.9 Specification Guidelines for Lab Stools

**Manufacturer: Herman Miller**

**JSN#:** F0230

**GSA#:** GS-28F-8049H

**Style:** Equa 2 Stool without Arms

**Size:** 25.5”w x 15.75”d x 36.5”h

**Warranty:** 12 years

**Recommendations:** Appropriate for Labs and Pharmacies.

*UNICOR waiver required*

**Manufacturer: Cramer**

**JSN#:** F0230

**GSA#:** GS-28F-7017G

**Style:** Triton Intermediate Height

**Size:** 28”w x 19.5”d x 46.5”h

**Warranty:** 15 years

**Recommendations:** Appropriate for Labs and Pharmacies.

*UNICOR waiver required.*

- Arms** • Not recommended.
- Base** • Casters are recommended for hard surface flooring.
  - Footrest to be 15.75”-28” in diameter.
- Seat** • Seat width should be minimum width of 23” to a maximum of 30”, seat depth should be a minimum depth of 15”.
  - Recommended seat height should be 24”-34” from the floor.
  - Fixed cushion recommended.
- Back** • Overall height of back should be at least 17”-19.5” from the seat.
- Fabric** • Select from the manufacturer’s standard vinyl. Needs to comply with following performance criteria:
  - ASTM D-5034 Grab Strength
  - ASTM D-4034 Resistance to Yarn Slippage
  - ASTM D-2262 Tongue Tearing Strength
  - ASTM D-3597 Shrinkage or Growth
  - ASTM D-4157 Wyzenbeek Abrasion Resistance
  - California Technical Bulletin #117 or #133 for Flammability
- Finish** • Select from manufacturer’s standard wood or metal finishes which coordinate with surrounding finishes and are resistant to scuffing.

Chairs- Children's



Laminate: Wilsonart, #4621, Color- White Nebula



Wood: Community Playthings, Maple



Metal #W42, Beige Epoxy



Vinyl, "Crete", Color-Steel Blue

**3.1.10 Specification Guidelines for Children’s Chairs**

**Manufacturer:** Playscapes  
JSN#: F0215  
GSA#: GS-07F-0286J  
Style: Circle of Friends  
Size: 14.5”w x 14.5”d x 23”h  
Warranty: 2 years  
**Recommendations:** Appropriate for Emergency, General Waiting Areas and Pediatric Waiting Areas.

- Arms** • Not Applicable.
- Base** • Stable, non-tipping base recommended.
- Seat** • Various options available or as described under Size/ Dimensions and dependent upon the age of the child.
- Back** • Various back heights available.
- Fabric** • Vinyl.
- Finish** • Select from manufacturer’s standard wood or metal finishes which coordinate with surrounding finishes and are resistant to scuffing.
- Note** • For children’s table options see pages 38-39.

**Manufacturer:** Community Playthings  
JSN#: F0215  
GSA#: GS-28F-7004G  
Style: Woodcrest Chair  
Size: Varies depending upon age group  
Warranty: 1 year  
**Recommendations:** Appropriate for Waiting Areas and Pediatric Waiting Areas.

**Manufacturer:** Fixtures  
JSN#: F0215  
GSA#: GS-29F-5234A  
Style: Baby Bola  
Size: 18”w x 19”d x 21.5”h  
Warranty: Lifetime  
**Recommendations:** Appropriate for Waiting Areas and Pediatric Waiting Areas.

Tables- Training and Classroom



Laminate: KI, #LWC,  
Color- Wild Cherry



Laminate: Wilsonart,  
#4590-60, Color- Grey  
Millstone



Laminate: Formica,  
#F05904, Color- Wild  
Cherry



Laminate: Formica,  
#F07267, Color-  
Concrete Stone



Laminate: Formica,  
#F05904, Color- Wild  
Cherry



Laminate: Formica,  
#F07267, Color-  
Concrete Stone

### 3.2.1 Specification Guidelines for Training and Classroom Tables

**Manufacturer:** KI  
**JSN#:** F0780  
**GSA#:** GS-28F-8022H  
**Style:** Barron Folding Leg and Flip-Top Table with Modesty Panel  
**Size:** 60"-96" w x 18"-30" d  
**Finishes:** Solid, patterned and wood laminate/ self-edge, PVC or vinyl bullnose edge styles  
**Warranty:** Lifetime  
**Options:** Folding modesty panel  
**Recommendations:** Inexpensive table used for training with or without computers.

*UNICOR waiver required.*

**Manufacturer:** Falcon  
**JSN#:** F0780  
**GSA#:** GS-29F-0289H  
**Style:** 24 Series Modular Table  
**Size:** 48"-72" w x 24"-36" d  
**Finishes:** Solid, patterned and wood laminate, wood veneer  
**Warranty:** 3 years  
**Options:** Multiple shaped tables, linking connectors, caster/glide option, flip-top  
**Recommendations:** Good for any type of set-up and configuration needed because of the variety of shapes and sizes.  
*UNICOR waiver required.*

**Manufacturer:** Fixtures  
**JSN#:** F0780  
**GSA#:** GS-29F-5234A  
**Style:** Encore  
**Size:** 60"-72" w x 18"-36" d  
**Finishes:** Solid, patterned and wood laminate, wood veneer  
**Warranty:** 14 months  
**Options:** Multiple shaped tables, linking connectors, caster/glide option, flip-top  
**Recommendations:** Good for any type of set-up and configuration needed because of the variety of shapes and sizes.  
*UNICOR waiver required.*

- Top**
- Table depth of 24"-30" is important for tables to accommodate computer monitors.
  - Table width of 60" is recommended for accommodating two people.
  - Rectangular tops have the most flexibility.
  - Grommets and wire management are recommended for computer-based training.
  - Provide kneespace of at least 30" wide x 19" deep x 28" high per person.

- Edge**
- Square edge recommended for tables used in modular configurations.
  - Edge color should coordinate with top color.
  - PVC vinyl edging is most durable.

- Base**
- Use leveling device on bottom of base to compensate for uneven flooring.
  - Folding bases may be necessary if storage and space management is needed.
  - Use dark finishes to hide scuff marks and dirt.

- Wire Management**
- Use surge protector power source. Accommodate wiring needs by providing floor outlets.
  - Consult table manufacturer on power capacities and requirements.

- General**
- Table dolly recommended for transport of tables.
  - Use "ganging" devices for multiple connections of tables.
  - Use neutral colors when trying to match existing tables.


Tables- Dining



Laminate: KI, #LWC,  
Color- Wild Cherry



Laminate: KI, #LAH,  
Color- Heathertone



Laminate: Formica,  
#F05904, Color- Wild  
Cherry



Laminate: Formica,  
#F07267, Color-  
Concrete Stone

3.2.2 Specification Guidelines for Dining Tables

**Manufacturer:** KI  
**JSN#:** F0785  
**GSA#:** GS-28F-8022H  
**Style:** Venue Series- F base  
**Warranty:** Lifetime  
**Options:** Accent strips, variety of table edges  
**Recommendations:** Appropriate for staff or public Dining Areas and for small Meeting Areas.

*UNICOR waiver required.*

**Manufacturer:** Falcon  
**JSN#:** F0785  
**GSA#:** GS-29F-0289H  
**Style:** 1900 Series Table Base, 13000 Series Tops  
**Finishes:** Solid, patterned and wood laminate, wood veneer  
**Warranty:** 1 year  
**Options:** Not Applicable  
**Recommendations:** Appropriate for staff or public Dining Areas and for small Meeting Areas.

*UNICOR waiver required.*

- Top**
- Tabletop height should be 30” from the tabletop to the floor.
  - The use of plastic laminate surface is highly resistant to burns, scratches and impact.
  - Square and rectangular tops have the most flexibility.

- Edge**
- Square edge recommended for tables used in modular configurations.
  - Edge color should coordinate with top color.
  - PVC vinyl edging is most durable.

- Base**
- Base support should not interfere with full capacity seating.
  - Folding bases may be necessary if storage and space management is needed.
  - Use dark finishes to hide scuff marks and dirt.

**Wire Management**

- Not Applicable.

- General**
- Table dolly recommended for transport of tables.
  - Use “ganging” devices for multiple connections of tables.
  - Use neutral colors when trying to match existing tables.

Tables- Conference



Wood: Nevers, Amber Cherry

Laminate: Wilsonart, #7919-38, Color- Amber Cherry



Wood: OFS, Natural Cherry on Cherry

Laminate: OFS, Light Cherry Plastic



Wood: Krug, Natural Cherry

Laminate: Wilsonart, #1077-307, Color- Legacy Cherry

**3.2.3 Specification Guidelines for Conference Tables**

**Manufacturer: Nevers**  
JSN#: F0755  
GSA#: GS-28F-2052D  
Style: Americana  
Size: Varies  
Warranty: 10 years  
**Recommendations:** Appropriate for Staff, Management and Executive Conference Rooms.

*UNICOR waiver required, depending upon size.*

**Manufacturer: OFS**  
JSN#: F0755  
GSA#: GS-29F-0304H  
Style: Conference Room Collection- top with panel base  
Size: Varies  
Warranty: 10 years  
**Recommendations:** Appropriate for Staff, Management and Executive Conference Rooms.

*UNICOR waiver required, depending upon size.*

**Manufacturer: Krug**  
JSN#: F0755  
GSA#: GS-28F-2100D  
Style: Millennium  
Size: Varies  
Warranty: 10 years  
**Recommendations:** Appropriate for Management and Executive Conference Rooms.

*UNICOR waiver required, depending upon size.*

- Top**
- Tabletop height of 30” from the floor is standard height.
  - Seating capacity is based on a 23” wide chair plus 4” allowance between chairs; when working with a wider chair, the space should be adjusted accordingly.
  - Rectangular tops have the most flexibility.

- Edge**
- Waterfall edge recommended for comfort.

- Base**
- Base supports should not interfere with full capacity seating around table.
  - Use dark finishes to hide scuff marks and dirt.

- Wire Management**
- Use surge protector power source. Accommodate wiring needs by providing floor outlets.
  - Consult table manufacturer on power capacities and requirements.
  - Optional voice/data modulars available.

- General**
- When very large tables are required, consider the route of delivery into the building (i.e. door opening and elevator size).
  - All finishes in the Conference Rooms should coordinate.

Tables- Occasional



Wood: Wieland, Rustic on Maple



Laminate Top: Formica, #F07215, Color-Earthen Terra



Wood: Krug, Medium Cherry on Maple



Laminate Top: Formica, #F07215, Color-Earthen Terra



Wood: Carolina, Light Cherry on Maple



Laminate Top: Nevamar, #WF-0001T

**3.2.4 Specification Guidelines for Occasional Tables**

**Manufacturer:** Wieland  
**JSN#:** F0725  
**GSA#:** GS-28F-2138D  
**Style:** Surface 1080 Series  
**Size:** Varies  
**Warranty:** 10 years  
**Recommendations:** Appropriate for Main Lobby and Executive Office Reception areas.

**Manufacturer:** Krug  
**JSN#:** F0725  
**GSA#:** GS-28F-2100D  
**Style:** Pacifica Collection- Tiburon  
**Size:** Varies  
**Warranty:** 10 years  
**Recommendations:** Appropriate for Waiting Areas, Lobbies and Reception areas.

**Manufacturer:** Carolina  
**JSN#:** F0725  
**GSA#:** GS-28F-2069D  
**Style:** 609 Table Series  
**Size:** Varies  
**Warranty:** 5 years  
**Recommendations:** Appropriate for larger Waiting Areas and Lobbies.

- Top**
- Occasional tables are to be used in larger public areas and should not interrupt traffic flow.
  - Laminate tops with wood frames are recommended.
  - Limit use of tables.
  - Coffee tables not recommended.

**Edge** • Varies.

- Base**
- Fixed straight legs.
  - Avoid using tables on glides for safety reasons.

**Wire Management** • Not Applicable.

- General**
- Select from manufacturer’s standard wood or laminate finishes which coordinate with surrounding finishes and are resistant to scuffing.
  - Finishes should be consistent throughout the space.

Tables- Children's



Laminate Top: Wilsonart #4621, Color- Nebula



Laminate Edge: Wilsonart #D341-60, Color- Marigold



Wood: Community Playthings, Maple



Laminate Top: Community Playthings, Color- woodgrain



Laminate Top: Wilsonart #2902-60, Color- Chargrey Suede



Laminate Edge: Color- Navy #Y28

### 3.2.5 Specification Guidelines for Children's Tables

**Manufacturer: Playscapes**

JSN#: F0760

GSA#: GS-07F-0286J

Style: Circle of Friends

Size: 30" w x 30" d x 19" h

Warranty: 2 years

**Recommendations:** Appropriate in Pediatrics Waiting, Waiting Areas and in Emergency Waiting Areas. When possible, small tables and chairs should be off to the side or in an alcove still visible from Main Waiting Area.

**Manufacturer: Community Playthings**

JSN#: F0760

GSA#: GS-28F-7004G

Style: Round Classroom Table with wooden legs

Size: Varies depending upon age group

Warranty: 1 year

**Recommendations:** Appropriate in Pediatrics Waiting, Waiting Areas and in Emergency Waiting Areas. When possible, small table and chairs should be off to the side or in an alcove still visible from Main Waiting Area.

**Manufacturer: Fixtures**

JSN#: F0760

GSA#: GS-29F-5234A

Style: Bola For Children

Size: Varies depending upon age group

Warranty: 3 years

**Recommendations:** Appropriate in Pediatrics Waiting, Waiting Areas and in Emergency Waiting Areas. When possible, small table and chairs should be off to the side or in an alcove still visible from Main Waiting Area.

**Top** • Laminate top.

**Edge** • Varies.

**Base** • Fixed wide straight legs are recommended to prevent tipping.  
• Height of table varies depending on the age group.

**Wire Management** • Not Applicable.

**General** • Select from manufacturer's standard wood or laminate finishes which coordinate with surrounding finishes and are resistant to scuffs and smudges.

**Systems Product- Action Office 2**




Fiber Laminate  
"Cardamom" #7X



Solid Laminate Inner  
Tone Light HF

**Worksurface Laminates**

*(choose one)*



Aggregate "Foxglove"  
#5E01



Resonance "Porcelain"  
#5T05

**Panel Fabrics**

*(may choose two)*



Woodgrain Laminate  
Mahogany LM

**Worksurface Laminate**

*(upgrade)*



Cobblestone Vinyl,  
"Bone" #5M04

**Flipper Door Fabrics**

*(may choose two)*



Infusion "Tint" #5B01



Medium Tone MT  
*(panel base Trim)*



Inner Tone Light HF  
*(general use Trim)*

**Trim**

*(choose both)*



Infusion "Tint" #5B01



Rapunzel "Castle"  
#6001

**Tackboard Fabrics**

*(choose one)*

### 3.3.1 Specification Guidelines for Systems Product- Action Office 2

**Manufacturer:** Herman Miller-  
Action Office 2 (IMMSS)

**GSA#:** IMMSS Contract

**Style:** Worksurface Laminates  
(**choose one**) and Workstation Free-  
standing Panels (**may choose two**).

**Recommendations:** Appropriate in  
Administrative/ Clerical Areas with  
larger staffing requirements and  
high levels of noise; filing and over-  
head storage should be added de-  
pending on user-task. Corner sur-  
faces better for computer intensive  
work, L-shaped surfaces better for  
all other types of work.

**Manufacturer:** Herman Miller-  
Action Office 2 (IMMSS)

**Style:** Worksurface Laminate (**up-  
grade**) and Flipper door fabrics  
(**may choose two**).

**Recommendations:** Appropriate in  
Administrative/ Clerical Areas for  
receptionist or assistant. Filing and  
overhead storage should be added  
depending on user-task. Corner sur-  
faces better for computer intensive  
work, L-shaped surfaces better for  
all other types of work.

**Manufacturer:** Herman Miller-  
Action Office 2 (IMMSS)

**Style:** Trim (**choose both**) and  
Tackboards (**choose one**).

**Recommendations:** Appropriate in  
Administrative/ Clerical Areas with  
private office with smaller staffing  
requirements. Filing and overhead  
storage should be added depending  
on user-task. Walls must meet struc-  
tural requirements before hanging  
product.

- Panels**
- Panel height to be a maximum of 70”.
  - Acoustical panels should be used in large spaces with multiple stations.
  - Varied panel heights and finishes enhance the appearance and provide visual interest while accommodating the need for privacy.
  - Panels available in hard surface, fabric, acoustical, and open frame.
  - Limit the number of sizes and finishes for greater flexibility.

- Connectors/  
Base**
- Dark finish recommended to hide scuffing.
  - Electrified base option recommended for clustered workstations.
  - Hinged base cover helps ease of maintenance.
  - Action Office base carries power and has 4-circuit receptacle componetry (1 dedicated circuit).
  - Data lines can be run through base and attached to outside of base.
  - Single workstations to have non-powered base.

- Overhead  
Storage**
- Flipper doors used for closed/ locked storage and can become shelf if door is removed.
  - Shelves come 15” wide and 8.5” high with side panels to allow for maximum vertical storage flexibility.
  - Shelves can be angled for display purposes.
  - Task lighting is available.
  - Limit the number of sizes and finishes for greater flexibility.

- Work Surfaces**
- Square and radius edge corner options.
  - Height adjustable integral keyboard tray option.
  - Freestanding and panel hung glare-free surfaces.
  - Grommets/ cable management/ power options.
  - Limit the number of sizes and finishes for greater flexibility.

- Accessories**
- Paper management options include: diagonal and vertical paper trays, mini-shelves, message and calendar holders, organizer trays, tape dispenser, telephone and paper stands, CPU holders, tasklights and mouse trays.
  - Coat hook and display clips.

**Systems Product- Ethospace**




Fiber Laminate  
"Cardamom" #7X



Solid Laminate Inner  
Tone Light HF

**Worksurface Laminates**

*(choose one)*



Aggregate "Foxglove"  
#5E01



Resonance "Porcelain"  
#5T05

**Panel Fabrics**

*(may choose two)*



Woodgrain Laminate  
Mahogany LM

**Worksurface Laminate**

*(upgrade)*



Cobblestone Vinyl  
"Bone" #5M04



Infusion "Tint" #5B01

**Flipper Door Fabrics**

*(may choose two)*



Medium Tone MT  
*(panel base Trim)*



Inner Tone Light HF  
*(general use Trim)*

**Trim**

*(choose both)*



Infusion "Tint" #5B01



Rapunzel  
"Castle" #6001

**Tackboard Fabrics**

*(choose one)*

### 3.3.1 Specification Guidelines for Systems Product- Ethospace

**Manufacturer:** Herman Miller-  
Ethospace (IMMSS)

**GSA#:** IMMSS Contract

**Style:** Worksurface Laminates  
(**choose one**) and Workstation Free-  
standing Panels (**may choose two**).

**Warranty:** 12 years

**Recommendations:** Appropriate  
in Administrative/ Clerical Areas  
with larger staffing requirements  
and high levels of noise; filing and  
overhead storage should be added  
depending on user-task. Corner sur-  
faces better for computer intensive  
work, L-shaped surfaces better for  
all other types of work.

**Manufacturer:** Herman Miller-  
Ethospace (IMMSS)

**Style:** Worksurface Laminate (**up-  
grade**) and Flipper door fabrics  
(**may choose two**).

**Recommendations:** Appropriate  
in Administrative/ Clerical Areas  
for receptionist or assistant. Filing  
and overhead storage should be  
added depending on user-task. Cor-  
ner surfaces better for computer in-  
tensive work, L-shaped surfaces  
better for all other types of work.

**Manufacturer:** Herman Miller-  
Ethospace (IMMSS)

**Style:** Trim (**choose both**) and  
Tackboards (**choose one**).

**Recommendations:** Appropriate  
in Administrative/ Clerical Areas  
with private office with smaller  
staffing requirements. Filing and  
overhead storage should be added  
depending on user-task. Walls must  
meet structural requirements before  
hanging product.

- Panels**
- Panel height to be a maximum of 70”.
  - Acoustical panels should be used in large spaces with multiple stations.
  - Varied panel heights and finishes enhance the appearance and provide visual interest while accommodating the need for privacy.
  - Panels available in hard surface, fabric, acoustical, and open frame.
  - Limit the number of sizes and finishes for greater flexibility.


- Connectors/  
Base**
- Dark finish recommended to hide scuffing.
  - Electrified base option recommended for clustered workstations.
  - Hinged base cover helps ease of maintenance.
  - Ethospace base carries power and has 4-circuit receptacle componentry (1 dedicated circuit).
  - Data lines can be run through base and attached to outside of base.
  - Single workstations to have non-powered base.

- Overhead  
Storage**
- Flipper doors used for closed/ locked storage and can become shelf if door is removed.
  - Shelves come 15” wide and 8.5” high with side panels to allow for maximum vertical storage flexibility.
  - Shelves can be angled for display purposes.
  - Task lighting is available.
  - Limit the number of sizes and finishes for greater flexibility.

- Work Surfaces**
- Square and radius edge corner options.
  - Height adjustable integral keyboard tray option.
  - Freestanding and panel hung glare-free surfaces.
  - Grommets/ cable management/ power options.
  - Limit the number of sizes and finishes for greater flexibility.

- Accessories**
- Paper management options include: diagonal and vertical paper trays, mini-shelves, message and calendar holders, organizer trays, tape dispenser, telephone and paper stands, CPU holders, tasklights and mouse trays.
  - Coat hook and display clips.

**Systems Product- Co/Struc**

	  <p>Inner Tone Light HF <i>(general use Trim)</i></p> <p><b>Frames/ Modules</b></p> <p>Solid Laminate Inner Tone Light HF</p> <p><b>Worksurface Laminate</b></p>
	  <p>Inner Tone Light HF <i>(also to be used as Trim)</i></p> <p><b>A/B/C Drawers</b></p> <p>LU Soft White</p>
	 <p>LU Soft White</p> <p><b>Accessories</b></p>

### 3.3.1 Specification Guidelines for Systems Product- Co/Struc

**Manufacturer:** Herman Miller-Co/Struc (IMMSS)

**GSA#:** IMMSS Contract

**Style:** Co/Struc Frames/ Modules and Co/Struc Worksurfaces

**Warranty:** 12 years

**Recommendations:** Appropriate in Administrative/ Clerical Areas with larger staffing requirements and high levels of noise; filing and overhead storage should be added depending on user-task. Corner surfaces better for computer intensive work, L-shaped surfaces better for all other types of work.

**Manufacturer:** Herman Miller-Co/Struc (IMMSS)

**Style:** A/B/C Drawer and Trim

**Recommendations:** Appropriate in Administrative/ Clerical Areas for receptionist or assistant. Filing and overhead storage should be added depending on user-task. Corner surfaces better for computer intensive work, L-shaped surfaces better for all other types of work.

**Manufacturer:** Herman Miller-Co/Struc (IMMSS)

**Style:** Accessories

**Recommendations:** Appropriate in Administrative/ Clerical Areas with private office with smaller staffing requirements. Filing and overhead storage should be added depending on user-task. Walls must meet structural requirements before hanging product.

- Panels**
- Panel height to be a maximum of 70”.
  - Acoustical panels should be used in large spaces with multiple stations.
  - Varied panel heights and finishes enhance the appearance and provide visual interest while accommodating the need for privacy.
  - Panels available in hard surface, fabric, acoustical, and open frame.
  - Limit the number of sizes and finishes for greater flexibility.

- Connectors/ Base**
- Dark finish recommended to hide scuffing.
  - Electrified base option recommended for clustered workstations.
  - Hinged base cover helps ease of maintenance.
  - Co Struc base carries power and has 4-circuit receptacle componentry (1 dedicated circuit).
  - Data lines can be run through base and attached to outside of base.
  - Single workstations to have non-powered base.

- Overhead Storage**
- Flipper doors used for closed/ locked storage and can become shelf if door is removed.
  - Shelves come 15” wide and 8.5” high with side panels to allow for maximum vertical storage flexibility.
  - Shelves can be angled for display purposes.
  - Task lighting is available.
  - Limit the number of sizes and finishes for greater flexibility.

- Work Surfaces**
- Square and radius edge corner options.
  - Height adjustable integral keyboard tray option.
  - Freestanding and panel hung glare-free surfaces.
  - Grommets/ cable management/ power options.
  - Limit the number of sizes and finishes for greater flexibility.

- Accessories**
- Paper management options include: diagonal and vertical paper trays, mini-shelves, message and calendar holders, organizer trays, tape dispenser, telephone and paper stands, CPU holders, tasklights and mouse trays.
  - Coat hook and display clips.

Casegoods- Conventional Office



Laminate: UNICOR,  
Cherry CH

**3.3.2 Specification Guidelines for Conventional Office**


**Manufacturer:** UNICOR  
**JSN#:** Varies depending on product  
**GSA#:** Not Applicable  
**Style:** Harmony  
**Warranty:** Lifetime  
**Recommendations:** Appropriate in Management or Private Office Space. Working surface to be equipped with power grommets for power/data/voice to ease power access.

- Office Furniture** • All furniture should be the same in finish and style.
  - The office size and function should be taken into consideration when selecting furnishings to assure that they are appropriate for the space.
  
- Typical Office** • The following furnishings are recommended for Conventional Offices:
  - Bookcase
  - Desk
  - Credenza with Hutch
  - Worksurface Return
  - Guest and Executive Chairs
  
- Finish** • Select from manufacturer’s standard laminate finishes which coordinate with surrounding finishes.


Casegoods- Executive Office



UNICOR, Cherry Veneer with Cherry Wood edge



Wood: OFS, Natural Cherry on Cherry



Wood: Krug, Natural Cherry

**3.3.3 Specification Guidelines for Executive Office**

**Manufacturer:** UNICOR  
JSN#: Varies depending on product  
GSA#: Not Applicable  
Style: Symphony  
Warranty: Lifetime  
**Recommendations:** Appropriate in Management and Executive Office Spaces. Working surface to be equipped with power grommets for power/data/voice to ease power access.

**Manufacturer:** OFS  
JSN#: Varies depending on product  
GSA#: GS-29F-0304H  
Style: Praxis  
Warranty: 10 years  
**Recommendations:** Appropriate in Management and Executive Office Spaces. Working surface to be equipped with power grommets for power/data/voice to ease power access.

*UNICOR waiver required.*

**Manufacturer:** Krug  
JSN#: Varies depending on product  
GSA#: GS-28F-2100D  
Style: Millennium  
Warranty: 10 years  
**Recommendations:** Appropriate in Management and Executive Office Spaces. Working surface to be equipped with power grommets for power/data/voice to ease power access.

*UNICOR waiver required.*

- Office Furniture**
- All furniture should be the same in finish and style.
  - The office size and function should be taken into consideration when selecting furnishings to assure that they are appropriate for the space.

- Typical Office**
- The following furnishings are recommended for Conventional Offices:
    - Bookcase
    - Desk
    - Credenza with Hutch
    - Worksurface Return
    - Guest and Executive Chairs

- Finish**
- Select from manufacturer’s standard wood finishes which coordinate with surrounding finishes.

Filing- Lateral Files



Gray



Inner Tone Light HF



E126 Medium Gray

### 3.3.4 Specification Guidelines for Lateral Files

**Manufacturer: UNICOR**

JSN#: F0415

GSA#: Not Applicable

Style: Opus

Size: 19.75”d x 35”w x 41.5”h

Warranty: Lifetime

**Recommendations:** Appropriate for Patient Records, Offices, Admissions and Laboratory environments.

**Manufacturer: Herman Miller**

JSN#: F0415

GSA#: GS-28F-8049H

Style: Meridian 2600 Series

Size: 18”d x 30”w x 55.25”h

Warranty: 12 years

**Recommendations:** Appropriate for Patient Records, Admissions, Offices and Laboratory environments.

*UNICOR waiver required.*

**Manufacturer: Office Specialty**

JSN#: F0415

GSA#: GS-28F-8048H

Style: 8900 Plus

Size: 18”d x 30”w x 61”h

Warranty: 10 years

**Recommendations:** Appropriate for Patient Records, Admissions, Offices and Laboratory environments.

*UNICOR waiver required.*

- Cabinet**
- Counterbalance weights are recommended for 3-drawer lateral files and up.
  - Cabinet depths range from 15” to 20”.
  - Lateral files typically have 2 to 5 drawers and hold either letter or legal size files and widths of 26.5”- 42”.
  - Overall height of a 5 drawer cabinet generally measures 57” to 61”.
- Testing**
- Lateral Files must be in accordance with the ANSI/BIFMA X 5.2-1980 Tests for Lateral Files evaluating the safety, durability, and structural qualities for freestanding lateral files.
- Finish**
- Select from manufacturer’s standard metal finishes which coordinate with surrounding finishes.

3.4 Specification Sheets

<b>JSN#:</b>	F0305 Chair, Waiting Room, Open Arm with Corner Table	
<b>GSA Contract Number:</b>	GS-27F-3017D	
<b>Expiration Date:</b>	04.30.01	
<b>FSC Group Number:</b>	71: Part 1 Office Furniture	
<b>FCS Class:</b>	N/A	
<b>MOL:</b>	\$200,000.00	
<b>Source:</b>	Bialek Healthcare Environments	
<b>Manufacturer:</b>	Softcare	<b>Dimensions:</b>
<b>Description:</b>	Ritz 2400 Series Multiple Seating Series, Corner Seating 2410-R Armchair, 2454-90 Table, 2423-L Two seat unit w/ center arm	W: 24" D: 27" H: 32.5"
<b>Product Number:</b>	2400 Series	SH: 18"
<b>Wood Finish:</b>	Medium Cherry on Maple	AH: 26"
<b>Upholstery:</b>	Fantagraph Woven Crypton	
<b>Style Name/ Number:</b>	Pinehurst	
<b>Color:</b>	Navy	
<b>Justification:</b>	Market research indicates that the Federal Prison Industry does not supply this type of upholstered/ wood framed ganged lounge chair.	
<b>Location:</b>	Floors 1, 2, 3 All Waiting Areas	
<b>Unit Price:</b>	\$1,535.00	

3.4 Specification Sheets

<p><b>JSN#:</b> F0305</p>		<p>Chair, Waiting Room, Open Arm with Corner Table</p>
<p><b><u>ILLUSTRATION:</u></b></p>		<p><b><u>FINISH MATERIAL:</u></b></p>
		 
<p><b><u>DIMENSIONS:</u></b></p>		<p>W: 24"  D: 27"  H: 32.5"  SH: 18"  AH: 26"</p>
	<p><b>Furniture Illustration Sheet</b></p> <p>Comprehensive Interior Design DACA 83-97-D-0020</p>	<p><b>Interior Design Master Plan Environment of Care-</b> U.S. Army Health Facility Planning Agency 50% Submittal March 2001</p>

### 3.5 Manufacturer's Summary

**Carolina Business Furniture L.L.C.**

*Chairs, Occasional Tables*  
P.O. Box 4398  
Archdale, NC 27263  
800-763-0212/ 336-431-9511 Fax  
#GS-28F-2069D  
<http://www.carolinabusinessfurn.com>

**Community Playthings**

*Children's Chairs, Children's Tables*  
359 Gibson Hill Road  
Chester, NY 10918-2321  
800-777-4244/ 800-336-5948 Fax  
#GS-28F-7004G  
<http://www.communityplaythings.com>

**Cramer, Inc.**

*Procedure Stools, Lab Stools*  
c/o Glotzbach & Co.  
625 Adams Street  
Kansas City, KS 66105  
703-753-2525/ 703-753-0676 Fax  
#GS-28F-7017G

**Falcon**

*Chairs, Tables*  
c/o Commercial Marketing Associates  
Contact: Chris Christakis  
P.O. Box 7946  
Gaithersburg, MD 20898  
301-975-9700/ 301-975-9721 Fax  
#GS-29F-0289H  
<http://www.falconproducts.com>

**Fixtures Furniture, Inc.**

*Chairs, Children's Chairs, Tables,  
Children's Tables*  
1642 Crystal Avenue  
Kansas City, MO 64126  
800-821-3500/ 816-245-5884 Fax  
#GS-29F-5234A  
<http://www.fixturesfurniture.com>

**Herman Miller, Inc.**

*Chairs, Lab Stools, Systems Product,  
Lateral Files*  
Government Customer Care 0161  
855 East Main Avenue  
Zeeland, MI 49464  
877-464-4681/ 616-654-5749 Fax  
#GS-28F-8049H  
<http://www.hermanmiller.com/>

**KI**

*Tables*  
1330 Bellevue Street  
P.O. Box 8100  
Green Bay, WI 54308-8100  
888-454-4727/ 800-765-2734 Fax  
#GS-28F-8022H  
<http://www.ki.com/>

**Krug Furniture, Inc.**

*Chairs, Conference Furniture,  
Occasional Tables, Casegoods*  
421 Manitou Drive  
Kitchener, Ontario  
Canada N2C 1L5  
888-578-5784/ 800-265-2798 Fax  
#GS-28F-2100D  
<http://www.krug.ca/>

**Midmark Corporation**

*Procedure Stools*  
60 Vista Drive  
P.O. Box 286  
Versailles, OH 45380-0286  
800-643-6275/ 800-365-8631 Fax  
#V-797P4090A  
<http://www.midmark.com>

**Nevers Industries, Inc.**

*Conference Furniture*  
14125 21st Avenue North  
Minneapolis, MN 55447  
800-242-2443/ 800-258-5591 Fax  
#GS-28F-2052D  
<http://www.nevers.com>

**Office Specialty***Lateral Files*

1865 Birchmount Road  
Scarborough, Ontario  
Canada M1P 2J5  
416-293-5666/ 877-870-0034 Fax  
#GS-28F-8048H  
<http://www.officespecialty.com>

**OFS***Chairs, Conference Furniture, Casegoods*

Contact: Sherry Allison  
P.O. Box 100  
431 Fourth Street  
Huntingburg, IN 47542  
800-521-5381 x7235/ 812-683-0256 Fax  
#GS-29F-0304H  
<http://www.ofs.com>

**Playscapes, Inc.***Children's Chairs, Children's Tables*

2600 Daniels Street  
Madison, WI 53718-6771  
800-248-7529/ 608-222-8100 Fax  
#GS-07F-0286J  
<http://www.playscapes.com>

**Softcare Innovations***Chairs*

859 Courtland Avenue East  
Kitchener, Ontario  
Canada N2C 1K4  
800-342-8562/ 519-745-8580 Fax  
#GS-27F-3017D  
<http://www.softcarein.com>

**Wieland Furniture, Inc.***Chairs, Occasional Tables*

13737 N. Main Street  
Grabill, IN 46741  
888-943-5263/ 219-627-6496 Fax  
#GS-28F-2138D  
<http://www.wielandfurniture.com/>

**UNICOR***Chairs, Casegoods, Lateral Files*

P.O. Box 11670  
Lexington, KY 40577-1670  
800-827-3168/ 859-254-9048 Fax  
<http://www.unicor.gov/>

