

APPENDIX C

Figures of Proposed BVP Study Flood Risk Management Elements

This Page Intentionally Left Blank.



Figure C-1
Detail of FRM Elements

- LEGEND**
Proposed Flood Risk Management (FRM) Elements
- Levee Flattening (4:1 Ratio) (local sponsor action)
 - Dallas Floodway Levee
 - Bridge











Figure C-2
Detail of FRM Elements

- LEGEND**
Proposed Flood Risk Management (FRM) Elements
- Levee Raise
 - Levee Flattening (4:1 Ratio) (local sponsor action)
 - Dallas Floodway Levee
 - Bridge








Figure C-3
Detail of FRM Elements

- LEGEND**
Proposed Flood Risk Management (FRM) Elements
- Levee Raise
 - Levee Flattening (4:1 Ratio) (local sponsor action)
 - Dallas Floodway Levee
 - Bridge



0 100 200
Meters

0 250 500
Feet




Sources: City of Dallas 2008a, NCTCOG 2008, USACE 2013a





Figure C-4
Detail of FRM Elements

- LEGEND**
Proposed Flood Risk Management (FRM) Elements
- Levee Raise
 - Levee Flattening (4:1 Ratio) (local sponsor action)
 - Dallas Floodway Levee
 - Bridge








Figure C-5
Detail of FRM Elements

- LEGEND**
Proposed Flood Risk Management (FRM) Elements
- Levee Raise
 - Levee Flattening (4:1 Ratio) (local sponsor action)
 - Dallas Floodway Levee
 - Bridge



0 100 200
Meters

0 250 500
Feet



Sources: City of Dallas 2008a, NCTCOG 2008, USACE 2013a





Figure C-6
Detail of FRM Elements

- LEGEND**
Proposed Flood Risk Management (FRM) Elements
- Levee Raise
 - Levee Flattening (4:1 Ratio) (local sponsor action)
 - Dallas Floodway Levee



0 100 200
Meters

0 250 500
Feet

Sources: City of Dallas 2008a, NCTCOG 2008, USACE 2013a









Figure C-8
Detail of FRM Elements

- LEGEND**
Proposed Flood Risk Management (FRM) Elements
- Levee Raise
 - Levee Flattening (4:1 Ratio) (local sponsor action)
 - Borrow Pit
 - Dallas Floodway Levee
 - Bridge








Figure C-9
Detail of FRM Elements

- LEGEND**
Proposed Flood Risk Management (FRM) Elements
- Levee Raise
 - Levee Flattening (4:1 Ratio) (local sponsor action)
 - Borrow Pit
 - Dallas Floodway Levee
 - Bridge



0 100 200 Meters
0 250 500 Feet
Sources: City of Dallas 2008a, NCTCOG 2008, USACE 2013a




Figure C-10
Detail of FRM Elements

- LEGEND**
Proposed Flood Risk Management (FRM) Elements
- Levee Raise
 - Levee Flattening (4:1 Ratio) (local sponsor action)
 - Dallas Floodway Levee
 - Bridge










Figure C-11
Detail of FRM Elements

- LEGEND**
Proposed Flood Risk Management (FRM) Elements
- Levee Raise
 - Levee Flattening (4:1 Ratio) (local sponsor action)
 - Dallas Floodway Levee
 - Bridge



0 100 200 Meters

0 250 500 Feet



Sources: City of Dallas 2008a, NCTCOG 2008, USACE 2013a





Figure C-12
Detail of FRM Elements

- LEGEND**
Proposed Flood Risk Management (FRM) Elements
- Levee Raise
 - Levee Flatten (4:1 Ratio) (local sponsor action)
 - Dallas Floodway Levee
 - Bridge



0 100 200 Meters
0 250 500 Feet
Sources: City of Dallas 2008a, NCTCOG 2008, USACE 2013a






Figure C-13
Detail of FRM Elements

- LEGEND**
Proposed Flood Risk Management (FRM) Elements
- Levee Raise
 - Levee Flattening (4:1 Ratio) (local sponsor action)
 - Dallas Floodway Levee
 - Bridge



0 100 200
Meters

0 250 500
Feet

Sources: City of Dallas 2008a, NCTCOG 2008, USACE 2013a





Figure C-14
Detail of FRM Elements

- LEGEND**
Proposed Flood Risk Management (FRM) Elements
- Levee Flattening (4:1 Ratio) (local sponsor action)
 - Embankment Removal
 - AT&SF Concrete Removal
 - AT&SF Wood Removal
 - Dallas Floodway Levee
 - Bridge
 - Santa Fe Trestle Trail
 - AT&SF Steel Not to be Removed

