

APPENDIX N
Air Quality Emissions Estimates

This Page Intentionally Left Blank.

Air Quality Appendix

Document	Page
Assumed Construction Schedule	1

Table	Page
1. Heavy Construction Equipment Emissions, 277K Levee Raise and AT&SF Bridge Removal and Partial 4:1 Side Slope	7
2. Worker Vehicle Emissions, 277K Levee Raise and AT&SF Bridge Removal and Partial 4:1 Side Slope	10
3. Construction Truck Emissions, 277K Levee Raise and AT&SF Bridge Removal and Partial 4:1 Side Slope	13
4. Heavy Construction Equipment Emissions, Remaining 4:1 Side Slope.....	16
5. Worker Vehicle Emissions, Remaining 4:1 Side Slope.....	17
6. Construction Truck Emissions, Remaining 4:1 Side Slope.....	18
7. Heavy Construction Equipment Emissions, River Relocation Top.....	19
8. Worker Vehicle Emissions, River Relocation Top.....	21
9. Construction Truck Emissions, River Relocation Top	23
10. Heavy Construction Equipment Emissions, River Relocation Middle.....	25
11. Worker Vehicle Emissions, River Relocation Middle.....	27
12. Construction Truck Emissions, River Relocation Middle	29
13. Heavy Construction Emissions, Hampton Pump Station	32
14. Worker Vehicle Emissions, Hampton Pump Station.....	33
15. Construction Truck Emissions, Hampton Pump Station	34
16. Heavy Construction Equipment Emissions, River Relocation Bottom	35
17. Worker Vehicle Emissions, River Relocation Bottom	37
18. Construction Truck Emissions, River Relocation Bottom.....	39
19. Heavy Construction Equipment Emissions, Lakes, Alternative 2.....	41
20. Worker Vehicle Emissions, Lakes, Alternative 2.....	45

21. Construction Truck Emissions, Lakes, Alternative 2	48
22. Heavy Construction Equipment Emissions, Interior Drainage Plan Phase II - West Levee	53
23. Worker Vehicle Emissions, Interior Drainage Plan Phase II - West Levee	55
24. Construction Truck Emissions, Interior Drainage Plan Phase II - West Levee	57
25. Heavy Construction Equipment Emissions, BVP Ecosystem and Recreation Improvements - Wetlands	58
26. Worker Vehicle Emissions, BVP Ecosystem and Recreation Improvements - Wetlands.....	59
27. Construction Truck Emissions, BVP Ecosystem and Recreation Improvements – Wetlands	60
28. Heavy Construction Equipment Emissions, BVP Ecosystem and Recreation Improvements - Recreational Facilities	61
29. Worker Vehicle Emissions, BVP Ecosystem and Recreation Improvements - Recreational Facilities	62
30. Construction Truck Emissions, BVP Ecosystem and Recreation Improvements - Recreational Facilities	63
31. Heavy Construction Equipment Emissions, BVP Ecosystem and Recreation Improvements - General Elements.....	64
32. Worker Vehicle Emissions, BVP Ecosystem and Recreation Improvements - General Elements	65
33. Construction Truck Emissions, BVP Ecosystem and Recreation Improvements - General Elements	66
34. Fugitive Dust Emissions	67
35. Dredge Emissions	70
36. Heavy Construction Equipment Emissions, Lakes, Alternative 3.....	71
37. Worker Vehicle Emissions, BVP Ecosystem and Recreation Improvements - Lakes, Alternative 3	75
38. Construction Truck Emissions, BVP Ecosystem and Recreation Improvements - Lakes, Alternative 3	79
39. Fugitive Dust Emissions, Alternative 3	84
40. Summary of Construction Emissions - By Year, Alternative 2.....	87
41. Summary of Construction Emissions - By Year, Alternative 3.....	94

Assumed Construction Schedule: Dallas Floodway Project

Assumptions:

- Construction planning and design commences in March 2015. Completion date, including Construction Management, is September 2029.
- Larger elements in the flood risk management and interior drainage plan will be constructed first to allow for flood management so that other elements can be constructed last.
- River modifications and wetlands/swales will be constructed following the flood risk management construction.
- Lakes will be constructed following river modifications.
- 277K levee raise and interior drainage plan pump stations may be constructed simultaneously.
- Ecosystem and recreational elements will be constructed following completion of all flood risk management projects and all interior drainage plan elements.

Assumed Schedule:

Contract 1: 277K Levee Raise and AT&SF Bridge Removal and Partial 4:1 Side Slope

Levee Raise 3:1

Mob/Demob and Contractor Staging Area	May 2017 – June 2017
West Levee – Levee Construction	June 2017 – October 2017
Turf Levee	July 2017 – September 2017
Remove and replace road	September 2017 – October 2017
West Fork Levee – Levee Construction	October 2017 – December 2017
Turf Levee	November 2017
Remove and replace road	November 2017 – December 2017
East Levee – Levee Construction	June 2017 – September 2017
Turf Levee	July 2017 – August 2017
Remove and replace road	August 2017 – September 2017
Elm Fork Levee – Levee Construction	September 2017 – October 2017
Turf Levee	October 2017
Remove and replace road	October 2017 – November 2017
Bridge Mod Subset	November 2017
Turf Levee	November 2017
Remove and replace road	November 2017
Bridge Seal Structure	November 2017 – December 2017

Partial Levee Raise 4:1 Side Slope

July 2017 – April 2018

Relocations

July 2017

West Levee – Levee Construction

Levee Construction
Turf Levee
Remove and Replace Road
Rep-Rap Removal and Replacement

June 2017 – February 2018
July 2017 – September 2017
September 2017 – October 2017
June 2017 – February 2018

East Levee – Levee Construction

Levee Construction
Turf Levee
Remove and Replace Road
Rep-Rap Removal and Replacement

July 2017 – September 2018
July 2017 – September 2017
September 2017
July 2017 – April 2018

AT&SF Bridge Removal

Mob/Demob and Contractor Staging Area
Demolition

May 2017 – June 2017
June 2017 – October 2017

Contract 2: Remaining 4:1 Side Slope

Relocations

November 2018

Mob/Demob and Contractor Staging Area

October 2018 – November 2018

West Levee – Levee Construction

Levee Construction
Turf Levee
Remove and Replace Road
Rep-Rap Removal and Replacement

November 2018 – October 2019
November 2018 – February 2019
February 2019 – April 2019
November 2018 – October 2019

East Levee – Levee Construction

Levee Construction
Turf Levee
Remove and Replace Road
Rep-Rap Removal and Replacement

November 2018 – January 2020
November 2018 – February 2019
February 2019 – March 2019
November 2018 – December 2019

Contract 3: River Relocation Top

Utility Relocations

Storm Drain – Woodall Rogers Outfall
City Owned Utility
Franchised Owned Utility

May 2018 – August 2018
May 2018 – June 2018
June 2018 – September 2018

Bridge Pier Modifications

Westmoreland Bridge August 2018

Channels

North Westmoreland Bridge to West Fork September 2018 – February 2020
Inwood/Hampton Bridge to
North Westmoreland February 2020 – July 2021
River Terraces February 2020
Slurry Cutoff Wall February 2020 – May 2021

Contract 4: River Relocation Middle

Utility Relocations

Storm Drain – Dallas Branch Outfall August 2021 – January 2022
City Owned Utility August 2021 – December 2021
Franchised Owned Utility December 2021 – April 2022

Bridge Pier Modifications

Continental Street Bridge May 2022 – April 2023
Commerce Street Bridge December 2024 – September 2025

Channels

Sylvan Bridge to Inwood/Hampton January 2022 – August 2023
River Terraces August 2023 – September 2023
Commerce Bridge to Sylvan Bridge August 2023 – February 2025
Slurry Cutoff Wall January 2022 – April 2023

Contract 5: Hampton Pump Station

East Levee Pumping Station

Hampton Pump Station February 2020 – September 2021
Nobles Sump Improvement September 2021 – October 2021

Contract 6: River Relocation Bottom

Utility Relocations

Storm Drain – Belleview Outfall October 2025 – December 2025
City Owned Utility October 2025 – March 2026
Franchised Owned Utility March 2026 – July 2026
Able Pump Station Relocations July 2026 – March 2027

Bridge Pier Modifications

Houston Street Bridge	February 2026 – January 2027
Jefferson Street Bridge	January 2027 – August 2027
IH-35 SB Bridge	August 2027 – October 2028
IH-35 NB Bridge	October 2028 – September 2029

Channels

Corinth Bridge to Commerce Bridge	December 2025 – October 2028
Slurry Cutoff Wall	December 2025 – March 2027

Contract 7: West Dallas Lake

Relocations

City Owned Utility	December 2022 – August 2023
Franchised Owned Utility	August 2023 – October 2023

Bridge Pier Modifications

Westmoreland Bridge	October 2023 – September 2024
---------------------	-------------------------------

West Dallas Lake

Site Preparation	September 2024 – May 2025
Lake	May 2025 – July 2026
Landscape	June 2025 – February 2026
Deep Water Well	May 2025 – June 2025

Contract 7: West Dallas Lake

Relocations

City Owned Utility	December 2022 – August 2023
Franchised Owned Utility	August 2023 – October 2023

Bridge Pier Modifications

Westmoreland Bridge	October 2023 – September 2024
---------------------	-------------------------------

West Dallas Lake

Site Preparation	September 2024 – May 2025
Lake	May 2025 – July 2026
Landscape	June 2025 – February 2026
Deep Water Well	May 2025 – June 2025

Urban Lake

Site Preparation	December 2017
Lake	December 2017 – August 2018
Landscape	June 2025 – February 2026

Natural Lake

Site Preparation	May 2017 – September 2017
Lake	May 2017 – December 2017
Landscape	June 2025 – February 2026

Eagle Ford Sump

March 2016 – March 2017

Charlie Pump Station

Mob/Demob/Fence	December 2017
Road Surfacing	December 2017
Levee Construction	December 2017 – April 2018
Pumping Plant	December 2017 – March 2018

Delta Pump Station

Mob/Demob/Fence	March 2019
Site Work	March 2019
Pumping Plant	March 2019 – April 2019
Facility Renovations	April 2019 – May 2019

Trinity-Portland Pump Station

Mob/Demob/Fence	May 2019
Road Surfacing	May 2019
Levee Construction	June 2019 – September 2019
Pumping Plant	June 2019 – July 2020

Wetlands

Marshlands

January 2019 – December 2019

Hampton and Biofiltration Swales/Wetlands

January 2020 – December 2020

Corinth Wetlands

July 2021 – December 2021

Cypress Wetlands

July 2021 – December 2021

Recreation

Play Fields

January 2022 – December 2024

General Elements

Parking

January 2019 – December 2020

Lighting

July 2019 – June 2021

Vehicular Access and Roads

January 2019 – December 2020

Trails

January 2020 – December 2022

Equestrian Trail

January 2020 – December 2022

Sidewalks

January 2020 – December 2022

Boardwalks

January 2020 – December 2022

Boat Docks

January 2021 – December 2021

Restroom Trailers

January 2019 – December 2019

Stair Access to Floodway

January 2021 – June 2021

Wetland Garden

January 2023 – June 2023

Observation Decks/Blinds

January 2024 – June 2024

Pedestrian Bridges

January 2020 – December 2022

Table 2. Worker Vehicle Emissions, 277K Levee Raise and AT&SF Bridge Removal and Partial 4:1 Side Slope

Construction Phase	Vehicle Class	No. of Daily Workers Per phase	Speed (mph)	VMT (mi/vehicle-day)	CO		NO _x		ROG		SOx		PM10		PM2.5			CO2		CH4		N2O	
					Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Hot-Soak (g/trip)	Resting Loss (g/hr)	Running Evaporative (g/mi)	Diurnal Evaporative (g/hr)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Tire Wear (g/mi)	Brake Wear (g/mi)	Running Exhaust (g/mi)	Tire Wear (g/mi)	Brake Wear (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)
Mob/Demob and Contractor Staging Area	Light-Duty Truck, catalyst	20	35	80	3.279952	0.515311	0.132459	0.079	0.045	0.069	0.02	0.005612	0.01254	0.008	0.0125	0.011566	0.002	0.0053	452.8343	0.004791	0.00		
West Levee - Levee Constructor																							
Excavate from Borrow Pit, Additional Haul of Soil, Spread and Compact, Scarify Slopes	Light-Duty Truck, catalyst	20	35	80	3.279952	0.515311	0.132459	0.079	0.045	0.069	0.02	0.005612	0.01254	0.008	0.0125	0.011566	0.002	0.0053	452.8343	0.004791	0.003771		
Turf Levee	Light-Duty Truck, catalyst	20	35	80	3.279952	0.515311	0.132459	0.079	0.045	0.069	0.02	0.005612	0.01254	0.008	0.0125	0.011566	0.002	0.0053	452.8343	0.004791	0.00		
Remove and Replace Road	Light-Duty Truck, catalyst	20	35	80	3.279952	0.515311	0.132459	0.079	0.045	0.069	0.02	0.005612	0.01254	0.008	0.0125	0.011566	0.002	0.0053	452.8343	0.004791	0.00		
West Fork Levee - Levee Constructor																							
Excavate from Borrow Pit, Additional Haul of Soil, Spread and Compact, Scarify Slopes	Light-Duty Truck, catalyst	20	35	80	3.279952	0.515311	0.132459	0.079	0.045	0.069	0.02	0.005612	0.01254	0.008	0.0125	0.011566	0.002	0.0053	452.8343	0.004791	0.00		
Turf Levee	Light-Duty Truck, catalyst	20	35	80	3.279952	0.515311	0.132459	0.079	0.045	0.069	0.02	0.005612	0.01254	0.008	0.0125	0.011566	0.002	0.0053	452.8343	0.004791	0.00		
Remove and Replace Road	Light-Duty Truck, catalyst	20	35	80	3.279952	0.515311	0.132459	0.079	0.045	0.069	0.02	0.005612	0.01254	0.008	0.0125	0.011566	0.002	0.0053	452.8343	0.004791	0.00		
East Levee - Levee Constructor																							
Excavate from Borrow Pit, Additional Haul of Soil, Spread and Compact, Scarify Slopes	Light-Duty Truck, catalyst	20	35	80	3.279952	0.515311	0.132459	0.079	0.045	0.069	0.02	0.005612	0.01254	0.008	0.0125	0.011566	0.002	0.0053	452.8343	0.004791	0.00		
Turf Levee	Light-Duty Truck, catalyst	20	35	80	3.279952	0.515311	0.132459	0.079	0.045	0.069	0.02	0.005612	0.01254	0.008	0.0125	0.011566	0.002	0.0053	452.8343	0.004791	0.00		
Remove and Replace Road	Light-Duty Truck, catalyst	20	35	80	3.279952	0.515311	0.132459	0.079	0.045	0.069	0.02	0.005612	0.01254	0.008	0.0125	0.011566	0.002	0.0053	452.8343	0.004791	0.00		
Elm Fork Levee - Levee Constructor																							
Excavate from Borrow Pit, Additional Haul of Soil, Spread and Compact, Scarify Slopes	Light-Duty Truck, catalyst	20	35	80	3.279952	0.515311	0.132459	0.079	0.045	0.069	0.02	0.005612	0.01254	0.008	0.0125	0.011566	0.002	0.0053	452.8343	0.004791	0.00		
Turf Levee	Light-Duty Truck, catalyst	20	35	80	3.279952	0.515311	0.132459	0.079	0.045	0.069	0.02	0.005612	0.01254	0.008	0.0125	0.011566	0.002	0.0053	452.8343	0.004791	0.00		
Remove and Replace Road	Light-Duty Truck, catalyst	20	35	80	3.279952	0.515311	0.132459	0.079	0.045	0.069	0.02	0.005612	0.01254	0.008	0.0125	0.011566	0.002	0.0053	452.8343	0.004791	0.00		
Bridge Mod Subset																							
Excavate from Borrow Pit, Additional Haul of Soil, Spread and Compact, Scarify Slopes	Light-Duty Truck, catalyst	10	35	80	3.279952	0.515311	0.132459	0.079	0.045	0.069	0.02	0.005612	0.01254	0.008	0.0125	0.011566	0.002	0.0053	452.8343	0.004791	0.00		
Turf Levee	Light-Duty Truck, catalyst	10	35	80	3.279952	0.515311	0.132459	0.079	0.045	0.069	0.02	0.005612	0.01254	0.008	0.0125	0.011566	0.002	0.0053	452.8343	0.004791	0.00		
Remove and Replace Road	Light-Duty Truck, catalyst	10	35	80	3.279952	0.515311	0.132459	0.079	0.045	0.069	0.02	0.005612	0.01254	0.008	0.0125	0.011566	0.002	0.0053	452.8343	0.004791	0.00		
Bridge Seal Structure	Light-Duty Truck, catalyst	10	35	80	3.279952	0.515311	0.132459	0.079	0.045	0.069	0.02	0.005612	0.01254	0.008	0.0125	0.011566	0.002	0.0053	452.8343	0.004791	0.00		
Partial Levee Raise 4:1 Side Slope																							
Relocations	Light-Duty Truck, catalyst	10	35	80	3.279952	0.515311	0.132459	0.079	0.045	0.069	0.02	0.005612	0.01254	0.008	0.0125	0.011566	0.002	0.0053	452.8343	0.004791	0.00		
West Levee - Levee Constructor																							
Excavate from Borrow Pit, Additional Haul of Soil, Spread and Compact, Scarify Slopes	Light-Duty Truck, catalyst	20	35	80	3.279952	0.515311	0.132459	0.079	0.045	0.069	0.02	0.005612	0.01254	0.008	0.0125	0.011566	0.002	0.0053	452.8343	0.004791	0.00		
Turf Levee	Light-Duty Truck, catalyst	20	35	80	3.279952	0.515311	0.132459	0.079	0.045	0.069	0.02	0.005612	0.01254	0.008	0.0125	0.011566	0.002	0.0053	452.8343	0.004791	0.00		
Remove and Replace Road	Light-Duty Truck, catalyst	20	35	80	3.279952	0.515311	0.132459	0.079	0.045	0.069	0.02	0.005612	0.01254	0.008	0.0125	0.011566	0.002	0.0053	452.8343	0.004791	0.00		
Rip-Rap Removal	Light-Duty Truck, catalyst	20	35	80	3.279952	0.515311	0.132459	0.079	0.045	0.069	0.02	0.005612	0.01254	0.008	0.0125	0.011566	0.002	0.0053	452.8343	0.004791	0.00		
Rip-Rap Replacement	Light-Duty Truck, catalyst	10	35	80	3.279952	0.515311	0.132459	0.079	0.045	0.069	0.02	0.005612	0.01254	0.008	0.0125	0.011566	0.002	0.0053	452.8343	0.004791	0.00		

Total Emissions, tons											
Construction Days	CO	NOx	VOCs	SOx	PM10	PM2.5	Paved Road Fugitive Dust PM10	Paved Road Fugitive Dust PM2.5	CO2	CH4	N2O
30	0.17	0.03	0.00963	2.97E-04	0.00175	0.00100	0.00253	0.00053	24	0.00025	0.00020
49	0.28	0.04	0.01573	4.85E-04	0.00286	0.00163	0.00413	0.00087	39	0.00041	0.00033
66	0.38	0.06	0.02119	6.53E-04	0.00385	0.00220	0.00557	0.00117	53	0.00056	0.00044
30	0.17	0.03	0.00963	2.97E-04	0.00175	0.00100	0.00253	0.00053	24	0.00025	0.00020
24	0.14	0.02	0.00770	2.38E-04	0.00140	0.00080	0.00203	0.00043	19	0.00020	0.00016
18	0.10	0.02	0.00578	1.78E-04	0.00105	0.00060	0.00152	0.00032	14	0.00015	0.00012
18	0.10	0.02	0.00578	1.78E-04	0.00105	0.00060	0.00152	0.00032	14	0.00015	0.00012
23	0.13	0.02	0.00738	2.28E-04	0.00134	0.00077	0.00194	0.00041	18	0.00019	0.00015
48	0.28	0.04	0.01541	4.75E-04	0.00280	0.00160	0.00405	0.00085	38	0.00041	0.00032
38	0.22	0.03	0.01220	3.76E-04	0.00221	0.00126	0.00321	0.00067	30	0.00032	0.00025
48	0.28	0.04	0.01541	4.75E-04	0.00280	0.00160	0.00405	0.00085	38	0.00041	0.00032
24	0.14	0.02	0.00770	2.38E-04	0.00140	0.00080	0.00203	0.00043	19	0.00020	0.00016
24	0.14	0.02	0.00770	2.38E-04	0.00140	0.00080	0.00203	0.00043	19	0.00020	0.00016
6	0.02	0.00	0.00096	2.97E-05	0.00017	0.00010	0.00025	0.00005	2	0.00003	0.00002
6	0.02	0.00	0.00096	2.97E-05	0.00017	0.00010	0.00025	0.00005	2	0.00003	0.00002
3	0.01	0.00	0.00048	1.48E-05	0.00009	0.00005	0.00013	0.00003	1	0.00001	0.00001
30	0.09	0.01	0.00482	1.48E-04	0.00087	0.00050	0.00127	0.00027	12	0.00013	0.00010
6	0.02	0.00	0.00096	2.97E-05	0.00017	0.00010	0.00025	0.00005	2	0.00003	0.00002
277	1.60	0.25	0.08892	2.74E-03	0.01614	0.00922	0.02337	0.00491	221	0.00234	0.00184
47	0.27	0.04	0.01509	4.65E-04	0.00274	0.00156	0.00397	0.00083	38	0.00040	0.00031
26	0.15	0.02	0.00835	2.57E-04	0.00152	0.00087	0.00219	0.00046	21	0.00022	0.00017
23	0.13	0.02	0.00738	2.28E-04	0.00134	0.00077	0.00194	0.00041	18	0.00019	0.00015
3	0.01	0.00	0.00048	1.48E-05	0.00009	0.00005	0.00013	0.00003	1	0.00001	0.00001
311	1.80	0.28	0.09983	3.08E-03	0.01812	0.01035	0.02624	0.00551	248	0.00263	0.00207
50	0.29	0.05	0.01605	4.95E-04	0.00291	0.00166	0.00422	0.00089	40	0.00042	0.00033
13	0.08	0.01	0.00417	1.29E-04	0.00076	0.00043	0.00110	0.00023	10	0.00011	0.00009

Table 3. Construction Truck Emissions, 277K Levee Raise and AT&SF Bridge Removal and Partial 4:1 Side Slope

Construction Phase	Vehicle Class	Peak No. of Trucks per day	Speed (mph)	VMT (mi/vehicle-day)	CO	NO _x	ROG	SOx	PM10			PM2.5			CO2	CH4	N2O
					Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Tire Wear (g/mi)	Brake Wear (g/mi)	Running Exhaust (g/mi)	Tire Wear (g/mi)	Brake Wear (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)
Mob/Demob and Contractor Staging Area	Heavy Duty Truck, Diesel	10	35	6	1.6135149	5.9825691	0.3057337	0.015408	0.3102148	0.036	0.0125	0.301107	0.009	0.0053	2178.231743	0.0433313	0.00
West Levee - Levee Construction																	
Excavate from Borrow Pit, Additional Haul of Soil, Spread and Compact, Scarify Slopes	Heavy Duty Truck, Diesel	10	35	80	1.6135149	5.9825691	0.3057337	0.015408	0.3102148	0.036	0.0125	0.301107	0.009	0.0053	2178.231743	0.0433313	0.00
Turf Levee	Heavy Duty Truck, Diesel	5	35	80	1.6135149	5.9825691	0.3057337	0.015408	0.3102148	0.036	0.0125	0.301107	0.009	0.0053	2178.231743	0.0433313	0.00
Remove and Replace Road	Heavy Duty Truck, Diesel	5	35	80	1.6135149	5.9825691	0.3057337	0.015408	0.3102148	0.036	0.0125	0.301107	0.009	0.0053	2178.231743	0.0433313	0.00
West Fork Levee - Levee Construction																	
Excavate from Borrow Pit, Additional Haul of Soil, Spread and Compact, Scarify Slopes	Heavy Duty Truck, Diesel	8	35	80	1.6135149	5.9825691	0.3057337	0.015408	0.3102148	0.036	0.0125	0.301107	0.009	0.0053	2178.231743	0.0433313	0.00
Turf Levee	Heavy Duty Truck, Diesel	4	35	80	1.6135149	5.9825691	0.3057337	0.015408	0.3102148	0.036	0.0125	0.301107	0.009	0.0053	2178.231743	0.0433313	0.00
Remove and Replace Road	Heavy Duty Truck, Diesel	4	35	80	1.6135149	5.9825691	0.3057337	0.015408	0.3102148	0.036	0.0125	0.301107	0.009	0.0053	2178.231743	0.0433313	0.00
East Levee - Levee Construction																	
Excavate from Borrow Pit, Additional Haul of Soil, Spread and Compact, Scarify Slopes	Heavy Duty Truck, Diesel	8	35	80	1.6135149	5.9825691	0.3057337	0.015408	0.3102148	0.036	0.0125	0.301107	0.009	0.0053	2178.231743	0.0433313	0.00
Turf Levee	Heavy Duty Truck, Diesel	4	35	80	1.6135149	5.9825691	0.3057337	0.015408	0.3102148	0.036	0.0125	0.301107	0.009	0.0053	2178.231743	0.0433313	0.00
Remove and Replace Road	Heavy Duty Truck, Diesel	4	35	80	1.6135149	5.9825691	0.3057337	0.015408	0.3102148	0.036	0.0125	0.301107	0.009	0.0053	2178.231743	0.0433313	0.00
Elm Fork Levee - Levee Construction																	
Excavate from Borrow Pit, Additional Haul of Soil, Spread and Compact, Scarify Slopes	Heavy Duty Truck, Diesel	8	35	80	1.6135149	5.9825691	0.3057337	0.015408	0.3102148	0.036	0.0125	0.301107	0.009	0.0053	2178.231743	0.0433313	0.00
Turf Levee	Heavy Duty Truck, Diesel	4	35	80	1.6135149	5.9825691	0.3057337	0.015408	0.3102148	0.036	0.0125	0.301107	0.009	0.0053	2178.231743	0.0433313	0.00
Remove and Replace Road	Heavy Duty Truck, Diesel	4	35	80	1.6135149	5.9825691	0.3057337	0.015408	0.3102148	0.036	0.0125	0.301107	0.009	0.0053	2178.231743	0.0433313	0.00
Bridge Mod Subset																	
Excavate from Borrow Pit, Additional Haul of Soil, Spread and Compact, Scarify Slopes	Heavy Duty Truck, Diesel	4	35	80	1.6135149	5.9825691	0.3057337	0.015408	0.3102148	0.036	0.0125	0.301107	0.009	0.0053	2178.231743	0.0433313	0.00
Turf Levee	Heavy Duty Truck, Diesel	4	35	80	1.6135149	5.9825691	0.3057337	0.015408	0.3102148	0.036	0.0125	0.301107	0.009	0.0053	2178.231743	0.0433313	0.00
Remove and Replace Road	Heavy Duty Truck, Diesel	4	35	80	1.6135149	5.9825691	0.3057337	0.015408	0.3102148	0.036	0.0125	0.301107	0.009	0.0053	2178.231743	0.0433313	0.00
Bridge Seal Structure	Heavy Duty Truck, Diesel	4	35	80	1.6135149	5.9825691	0.3057337	0.015408	0.3102148	0.036	0.0125	0.301107	0.009	0.0053	2178.231743	0.0433313	0.00
Partial Levee Raise 4:1 Side Slope																	
Relocations	Heavy Duty Truck, Diesel	10	35	80	1.6135149	5.9825691	0.3057337	0.015408	0.3102148	0.036	0.0125	0.301107	0.009	0.0053	2178.231743	0.0433313	0.00
West Levee - Levee Construction																	
Excavate from Borrow Pit, Additional Haul of Soil, Spread and Compact, Scarify Slopes	Heavy Duty Truck, Diesel	10	35	80	1.6135149	5.9825691	0.3057337	0.015408	0.3102148	0.036	0.0125	0.301107	0.009	0.0053	2178.231743	0.0433313	0.00
Turf Levee	Heavy Duty Truck, Diesel	4	35	80	1.6135149	5.9825691	0.3057337	0.015408	0.3102148	0.036	0.0125	0.301107	0.009	0.0053	2178.231743	0.0433313	0.00
Remove and Replace Road	Heavy Duty Truck, Diesel	4	35	80	1.6135149	5.9825691	0.3057337	0.015408	0.3102148	0.036	0.0125	0.301107	0.009	0.0053	2178.231743	0.0433313	0.00
Rip-Rap Removal	Heavy Duty Truck, Diesel	4	35	80	1.6135149	5.9825691	0.3057337	0.015408	0.3102148	0.036	0.0125	0.301107	0.009	0.0053	2178.231743	0.0433313	0.00
Rip-Rap Replacement	Heavy Duty Truck, Diesel	4	35	80	1.6135149	5.9825691	0.3057337	0.015408	0.3102148	0.036	0.0125	0.301107	0.009	0.0053	2178.231743	0.0433313	0.00
East Levee - Levee Construction																	
Excavate from Borrow Pit, Additional Haul of Soil, Spread and Compact, Scarify Slopes	Heavy Duty Truck, Diesel	10	35	80	1.6135149	5.9825691	0.3057337	0.015408	0.3102148	0.036	0.0125	0.301107	0.009	0.0053	2178.231743	0.0433313	0.00
Turf Levee	Heavy Duty Truck, Diesel	4	35	80	1.6135149	5.9825691	0.3057337	0.015408	0.3102148	0.036	0.0125	0.301107	0.009	0.0053	2178.231743	0.0433313	0.00
Remove and Replace Road	Heavy Duty Truck, Diesel	4	35	80	1.6135149	5.9825691	0.3057337	0.015408	0.3102148	0.036	0.0125	0.301107	0.009	0.0053	2178.231743	0.0433313	0.00
Rip-Rap Removal	Heavy Duty Truck, Diesel	4	35	80	1.6135149	5.9825691	0.3057337	0.015408	0.3102148	0.036	0.0125	0.301107	0.009	0.0053	2178.231743	0.0433313	0.00
Rip-Rap Replacement	Heavy Duty Truck, Diesel	4	35	80	1.6135149	5.9825691	0.3057337	0.015408	0.3102148	0.036	0.0125	0.301107	0.009	0.0053	2178.231743	0.0433313	0.00
AT&SF Bridge Removal																	
Mob/Demob and Contractor Staging Area	Heavy Duty Truck, Diesel	4	35	80	1.6135149	5.9825691	0.3057337	0.015408	0.3102148	0.036	0.0125	0.301107	0.009	0.0053	2178.231743	0.0433313	0.00
Demolition	Heavy Duty Truck, Diesel	8	35	80	1.6135149	5.9825691	0.3057337	0.015408	0.3102148	0.036	0.0125	0.301107	0.009	0.0053	2178.231743	0.0433313	0.00
Subtotal																	

Emissions, lbs/day												
CO	NOx	VOCs	SOx	PM10	PM2.5	Paved Road Fugitive Dust PM10	Paved Road Fugitive Dust PM2.5	Unpaved Road Fugitive Dust PM10	Unpaved Road Fugitive Dust PM2.5	CO2	CH4	N2O
0.21	0.79	0.04	0.00	0.05	0.04	2.10	0.44	2.52	0.25	288.13	0.01	0.00
2.85	10.55	0.54	0.03	0.63	0.56	15.05	3.16	2.52	0.25	3841.76	0.08	0.00
1.42	5.28	0.27	0.01	0.32	0.28	7.52	1.58	1.26	0.13	1920.88	0.04	0.00
1.42	5.28	0.27	0.01	0.32	0.28	7.52	1.58	1.26	0.13	1920.88	0.04	0.00
2.28	8.44	0.43	0.02	0.51	0.45	12.04	2.53	2.01	0.20	3073.41	0.06	0.00
1.14	4.22	0.22	0.01	0.25	0.22	6.02	1.26	1.01	0.10	1536.71	0.03	0.00
1.14	4.22	0.22	0.01	0.25	0.22	6.02	1.26	1.01	0.10	1536.71	0.03	0.00
2.28	8.44	0.43	0.02	0.51	0.45	12.04	2.53	2.01	0.20	3073.41	0.06	0.00
1.14	4.22	0.22	0.01	0.25	0.22	6.02	1.26	1.01	0.10	1536.71	0.03	0.00
1.14	4.22	0.22	0.01	0.25	0.22	6.02	1.26	1.01	0.10	1536.71	0.03	0.00
2.28	8.44	0.43	0.02	0.51	0.45	12.04	2.53	2.01	0.20	3073.41	0.06	0.00
1.14	4.22	0.22	0.01	0.25	0.22	6.02	1.26	1.01	0.10	1536.71	0.03	0.00
1.14	4.22	0.22	0.01	0.25	0.22	6.02	1.26	1.01	0.10	1536.71	0.03	0.00
1.14	4.22	0.22	0.01	0.25	0.22	6.02	1.26	1.01	0.10	1536.71	0.03	0.00
1.14	4.22	0.22	0.01	0.25	0.22	6.02	1.26	1.01	0.10	1536.71	0.03	0.00
2.85	10.55	0.54	0.03	0.63	0.56	15.05	3.16	2.52	0.25	3841.76	0.08	0.00
2.85	10.55	0.54	0.03	0.63	0.56	15.05	3.16	2.52	0.25	3841.76	0.08	0.00
1.14	4.22	0.22	0.01	0.25	0.22	6.02	1.26	1.01	0.10	1536.71	0.03	0.00
1.14	4.22	0.22	0.01	0.25	0.22	6.02	1.26	1.01	0.10	1536.71	0.03	0.00
1.14	4.22	0.22	0.01	0.25	0.22	6.02	1.26	1.01	0.10	1536.71	0.03	0.00
1.14	4.22	0.22	0.01	0.25	0.22	6.02	1.26	1.01	0.10	1536.71	0.03	0.00
2.85	10.55	0.54	0.03	0.63	0.56	15.05	3.16	2.52	0.25	3841.76	0.08	0.00
1.14	4.22	0.22	0.01	0.25	0.22	6.02	1.26	1.01	0.10	1536.71	0.03	0.00
1.14	4.22	0.22	0.01	0.25	0.22	6.02	1.26	1.01	0.10	1536.71	0.03	0.00
1.14	4.22	0.22	0.01	0.25	0.22	6.02	1.26	1.01	0.10	1536.71	0.03	0.00
1.14	4.22	0.22	0.01	0.25	0.22	6.02	1.26	1.01	0.10	1536.71	0.03	0.00
1.14	4.22	0.22	0.01	0.25	0.22	6.02	1.26	1.01	0.10	1536.71	0.03	0.00
45.18	167.51	8.56	0.43	10.04	8.83	239.83	50.36	42.30	4.23	60987.99	1.21	0.05

Construction Days	Total Emissions, tons													
	CO	NOx	VOCs	SOx	PM10	PM2.5	Paved Road Fugitive Dust PM10	Paved Road Fugitive Dust PM2.5	Unpaved Road Fugitive Dust PM10	Unpaved Road Fugitive Dust PM2.5	CO2	CH4	N2O	
30	0.00	0.01	0.00	0.00	0.00	0.00	0.03	0.01	0.04	0.00		4.32	0.00	0.00
49	0.07	0.26	0.01	0.00	0.02	0.01	0.37	0.08	0.06	0.01		94.12	0.00	0.00
66	0.05	0.17	0.01	0.00	0.01	0.01	0.25	0.05	0.04	0.00		63.39	0.00	0.00
30	0.02	0.08	0.00	0.00	0.00	0.00	0.11	0.02	0.02	0.00		28.81	0.00	0.00
24	0.03	0.10	0.01	0.00	0.01	0.01	0.14	0.03	0.02	0.00		36.88	0.00	0.00
18	0.01	0.04	0.00	0.00	0.00	0.00	0.05	0.01	0.01	0.00		13.83	0.00	0.00
18	0.01	0.04	0.00	0.00	0.00	0.00	0.05	0.01	0.01	0.00		13.83	0.00	0.00
23	0.03	0.10	0.00	0.00	0.01	0.01	0.14	0.03	0.02	0.00		35.34	0.00	0.00
48	0.03	0.10	0.01	0.00	0.01	0.01	0.14	0.03	0.02	0.00		36.88	0.00	0.00
38	0.02	0.08	0.00	0.00	0.00	0.00	0.11	0.02	0.02	0.00		29.20	0.00	0.00
48	0.05	0.20	0.01	0.00	0.01	0.01	0.29	0.06	0.05	0.00		73.76	0.00	0.00
24	0.01	0.05	0.00	0.00	0.00	0.00	0.07	0.02	0.01	0.00		18.44	0.00	0.00
24	0.01	0.05	0.00	0.00	0.00	0.00	0.07	0.02	0.01	0.00		18.44	0.00	0.00
6	0.00	0.01	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00		4.61	0.00	0.00
6	0.00	0.01	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00		4.61	0.00	0.00
3	0.00	0.01	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00		2.31	0.00	0.00
30	0.02	0.06	0.00	0.00	0.00	0.00	0.09	0.02	0.02	0.00		23.05	0.00	0.00
6	0.01	0.03	0.00	0.00	0.00	0.00	0.05	0.01	0.01	0.00		11.53	0.00	0.00
277	0.39	1.46	0.07	0.00	0.09	0.08	2.08	0.44	0.35	0.03		532.08	0.01	0.00
47	0.03	0.10	0.01	0.00	0.01	0.01	0.14	0.03	0.02	0.00		36.11	0.00	0.00
26	0.01	0.05	0.00	0.00	0.00	0.00	0.08	0.02	0.01	0.00		19.98	0.00	0.00
23	0.01	0.05	0.00	0.00	0.00	0.00	0.07	0.01	0.01	0.00		17.67	0.00	0.00
3	0.00	0.01	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00		2.31	0.00	0.00
311	0.44	1.64	0.08	0.00	0.10	0.09	2.34	0.49	0.39	0.04		597.39	0.01	0.00
50	0.03	0.11	0.01	0.00	0.01	0.01	0.15	0.03	0.03	0.00		38.42	0.00	0.00
13	0.01	0.03	0.00	0.00	0.00	0.00	0.04	0.01	0.01	0.00		9.99	0.00	0.00
62	0.04	0.13	0.01	0.00	0.01	0.01	0.19	0.04	0.03	0.00		47.64	0.00	0.00
11	0.01	0.02	0.00	0.00	0.00	0.00	0.03	0.01	0.01	0.00		8.45	0.00	0.00
23	0.01	0.05	0.00	0.00	0.00	0.00	0.07	0.01	0.01	0.00		17.67	0.00	0.00
101	0.11	0.43	0.02	0.00	0.03	0.02	0.61	0.13	0.10	0.01		155.21	0.00	0.00
Total 2017	1.24	4.58	0.23	0.01	0.27	0.24	6.55	1.38	1.13	0.11		1668.46	0.03	0.00
Total 2018	0.2428251	0.9003437	0.0460112	0.0023188	0.0539846	0.047467	1.2838731	0.2696134	0.2148636	0.0214864		327.8118959	0.0065211	0.0002934

Paved Road Fugitive Dust
 Assume silt loading for 10,000 ADT roadways = 0.03 g/m3
 Assume k = 0.016 PM10
 Assume 6 miles in addition for track-out for PM10
 Emission Factors
 PM10, LDT 9.81231E-05
 PM10, MDT 0.008944829
 PM10, HDT 0.017495628

Unpaved Road Fugitive Dust
 For LDT assume 2 tons/vehicle, MDT assume 13 tons/vehicle, HDT assume 20 tons/vehicle

k = 1.5 for PM10, 0.15 for PM2.5
 s = 8.5, a = 0.9, b = 0.45
 Assume 61% control efficiency for watering 3x daily
 Emission Factors
 PM10, LDT 0.357378738
 PM10, MDT 0.829735596
 PM10, HDT 1.007230136
 PM2.5, LDT 0.035737874
 PM2.5, MDT 0.08297356
 PM2.5, HDT 0.100723014
 Assume 0.25 miles each way of unpaved road travel

Table 4. Heavy Construction Equipment Emissions, Remaining 4:1 Side Slope

Equipment and Activity	FUEL	HP	Load Factor	Emission Factors										Emissions										Emission, tons (total)										
				ROG (lb/hr)	CO (lb/hr)	NOX (lb/hr)	SOX (lb/hr)	PM10 (lb/hr)	PM2.5 (lb/hr)	CO2 (lb/hr)	CH4 (lb/hr)	N2O (lb/hr)	No of Equipment	Hrs Per Day	Days in Service	ROG lbs/day	CO lbs/day	NOX lbs/day	SOX lbs/day	PM10 lbs/day	PM2.5 lbs/day	CO2 lbs/day	CH4 lbs/day	N2O lbs/day	ROG tons (total)	CO tons (total)	NOX tons (total)	SOX tons (total)	PM10 tons (total)	PM2.5 tons (total)	CO2 tons (total)	CH4 tons (total)	N2O tons (total)	
Contract 2: Remaining 4:1 Side Slope																																		
Relocations: Mob/Demob and Contractor Staging Area/Silt Fence																																		
Equipment																																		
Dump Truck	DIESEL	381	0.57	0.1960	0.5949	1.4165	0.0027	0.0505	0.0449	0.0449	272.3	0.0177	0.1346	8	8	100	12.54	38.07	90.65	0.17	3.23	2.88	17429.37	1.13	8.61	0.627	1.904	4.533	0.009	0.162	0.144	871	0.057	0.431
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	0.0360	112.2	0.0095	0.0704	4	8	100	3.30	21.29	23.71	0.04	1.30	1.15	3591.09	0.30	2.25	0.168	0.665	1.185	0.002	0.065	0.058	180	0.015	0.113
Bulldozers	DIESEL	358	0.59	0.2932	1.2456	2.3951	0.0026	0.0985	0.0877	0.0877	264.9	0.0265	0.2275	4	8	100	9.38	39.86	76.64	0.08	3.15	2.81	8475.92	0.85	7.28	0.469	1.993	3.832	0.004	0.158	0.140	424	0.042	0.364
Roller Compactor	DIESEL	84	0.56	0.0857	0.4000	0.5498	0.0007	0.0454	0.0404	0.0404	59.0	0.0077	0.0522	4	8	100	2.74	12.80	17.59	0.02	1.45	1.29	1887.64	0.25	1.67	0.137	0.640	0.880	0.001	0.073	0.065	84	0.012	0.084
4000 Gallon Water Truck	DIESEL	235	0.57	0.1252	0.3702	0.9818	0.0019	0.0328	0.0291649	0.0291649	166.5	0.0113	0.0933	2	8	100	2.00	5.92	15.71	0.03	0.52	0.47	2864.73	0.18	1.49	0.100	0.296	0.785	0.001	0.026	0.023	133	0.009	0.075
Subtotal																	30.03	117.95	224.30	0.35	9.66	8.60	34048.75	2.71	21.31	1.50	5.90	11.22	0.02	0.48	0.43	1702.44	0.14	1.07
West Levee - Levee Construction																																		
Excavate from Borrow Pit, Additional Haul of Soil, Spread and Compact, Scarify Slopes																																		
Equipment																																		
Dump Truck	DIESEL	381	0.57	0.1960	0.5949	1.4165	0.0027	0.0505	0.0449	0.0449	272.3	0.0177	0.1346	10	8	269	15.68	47.59	113.32	0.21	4.04	3.60	21786.71	1.41	10.77	2.109	5.401	15.241	0.029	0.543	0.484	2930	0.190	1.448
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	0.0360	112.2	0.0095	0.0704	4	8	269	3.37	21.29	23.71	0.04	1.30	1.15	3591.09	0.30	2.25	0.463	2.864	3.188	0.005	0.174	0.155	493	0.041	0.303
Bulldozers	DIESEL	358	0.59	0.2932	1.2456	2.3951	0.0026	0.0985	0.0877	0.0877	264.9	0.0265	0.2275	4	8	269	9.38	39.86	76.64	0.08	3.15	2.81	8475.92	0.85	7.28	1.282	5.361	10.308	0.011	0.427	0.377	1140	0.114	0.979
Roller Compactor	DIESEL	84	0.56	0.0857	0.4000	0.5498	0.0007	0.0454	0.0404	0.0404	59.0	0.0077	0.0522	4	8	269	2.74	12.80	17.59	0.02	1.45	1.29	1887.64	0.25	1.67	0.369	1.721	2.366	0.003	0.196	0.174	254	0.033	0.225
4000 Gallon Water Truck	DIESEL	235	0.57	0.1252	0.3702	0.9818	0.0019	0.0328	0.0291649	0.0291649	166.5	0.0113	0.0933	2	8	269	2.00	5.92	15.71	0.03	0.52	0.47	2864.73	0.18	1.49	0.269	0.797	2.113	0.004	0.071	0.063	358	0.024	0.201
Subtotal																	33.17	127.46	246.97	0.39	10.47	9.31	38406.09	2.99	23.46	4.46	17.14	33.22	0.05	1.41	1.25	5165.62	0.40	3.16
Turf Levee																																		
Equipment																																		
Bulldozers	DIESEL	358	0.59	0.2932	1.2456	2.3951	0.0026	0.0985	0.0877	0.0877	264.9	0.0265	0.2275	2	8	71	4.69	19.93	38.32	0.04	1.58	1.40	4237.96	0.42	3.64	0.167	1.708	1.360	0.001	0.056	0.050	150	0.015	0.129
Roller Compactor	DIESEL	84	0.56	0.0857	0.4000	0.5498	0.0007	0.0454	0.0404	0.0404	59.0	0.0077	0.0522	2	8	71	1.37	6.40	8.80	0.01	0.73	0.65	943.82	0.12	0.84	0.049	0.227	0.312	0.000	0.026	0.023	34	0.004	0.030
4000 Gallon Water Truck	DIESEL	235	0.57	0.1252	0.3702	0.9818	0.0019	0.0328	0.0291649	0.0291649	166.5	0.0113	0.0933	2	8	71	2.00	5.92	15.71	0.03	0.52	0.47	2864.73	0.18	1.49	0.071	0.210	0.558	0.001	0.019	0.017	95	0.006	0.053
Subtotal																	8.06	32.25	62.83	0.08	2.83	2.52	7846.51	0.73	5.97	0.29	1.14	2.23	0.00	0.10	0.09	278.55	0.03	0.21
Remove and Replace Road																																		
Equipment																																		
Bulldozers	DIESEL	358	0.59	0.2932	1.2456	2.3951	0.0026	0.0985	0.0877	0.0877	264.9	0.0265	0.2275	2	8	41	4.69	19.93	38.32	0.04	1.58	1.40	4237.96	0.42	3.64	0.096	4.409	0.786	0.001	0.032	0.029	87	0.009	0.075
Roller Compactor	DIESEL	84	0.56	0.0857	0.4000	0.5498	0.0007	0.0454	0.0404	0.0404	59.0	0.0077	0.0522	2	8	41	1.37	6.40	8.80	0.01	0.73	0.65	943.82	0.12	0.84	0.028	0.131	0.180	0.000	0.015	0.013	19	0.003	0.017
4000 Gallon Water Truck	DIESEL	235	0.57	0.1252	0.3702	0.9818	0.0019	0.0328	0.0291649	0.0291649	166.5	0.0113	0.0933	2	8	41	2.00	5.92	15.71	0.03	0.52	0.47	2864.73	0.18	1.49	0.041	0.121	0.322	0.001	0.011	0.010	55	0.004	0.031
Subtotal																	8.06	32.25	62.83	0.08	2.83	2.52	7846.51	0.73	5.97	0.17	0.66	1.29	0.00	0.06	0.05	160.85	0.01	0.12
Rip-Rap Removal																																		
Equipment																																		
Bulldozers	DIESEL	358	0.59	0.2932	1.2456	2.3951	0.0026	0.0985	0.0877	0.0877	264.9	0.0265	0.2275	2	8	34	4.69	19.93	38.32	0.04	1.58	1.40	4237.96	0.42	3.64	0.080	0.339	0.651	0.001	0.027	0.024	72	0.007	0.062
Roller Compactor	DIESEL	84	0.56	0.0857	0.4000	0.5498	0.0007	0.0454	0.0404	0.0404	59.0	0.0077	0.0522	2	8	34	1.37	6.40	8.80	0.01	0.73	0.65	943.82	0.12	0.84	0.023	0.109	0.150	0.000	0.012	0.011	16	0.002	0.014
4000 Gallon Water Truck	DIESEL	235	0.57	0.1252	0.3702	0.9818	0.0019	0.0328	0.0291649	0.0291649	166.5	0.0113	0.0933	2	8	34	2.00	5.92	15.71	0.03	0.52	0.47	2864.73	0.18	1.49	0.034	0.101	0.267	0.001	0.009	0.008	45	0.004	0.025
Subtotal																	8.06	32.25	62.83	0.08	2.83	2.52	7846.51	0.73	5.97	0.14	0.55	1.07	0.00	0.05	0.04	133.39	0.01	0.10
Rip-Rap Replacement																																		
Equipment																																		
Bulldozers	DIESEL	358	0.59	0.2932	1.2456	2.3951	0.0026	0.0985	0.0877	0.0877	264.9	0.0265	0.2275	1	8	5	2.35	9.97	19.16	0.02	0.79	0.70	2118.98	0.21	1.82	0.006	0.025	0.048	0.000	0.002	0.002	5	0.001	0.005
Roller Compactor	DIESEL	84	0.56	0.0857	0.4000	0.5498	0.0007	0.0454	0.0404	0.0404	59.0	0.0077	0.0522	1	8	5	0.69	3.20	4.40	0.01	0.36	0.32	471.91	0.06	0.42	0.002	0.008	0.011	0.000	0.001	0.001	1	0.000	0.001
4000 Gallon Water Truck	DIESEL	235	0.57	0.1252	0.3702	0.9818	0.0019	0.0328	0.0291649	0.0291649	166.5	0.0113	0.0933	1	8	5	1.00	2.96	7.85	0.01	0.26	0.23	1332.36	0.09	0.75	0.003	0.007	0.020	0.000	0.001	0.001	3	0.000	0.002
Subtotal																	4.03	16.13	31.41	0.04	1.41	1.26	3923.25	0.36	2.86	0.01	0.04	0.06	0.00	0.00	0.00	9.81	0.00	0.01
East Levee - Levee Construction																																		
Excavate from Borrow Pit, Additional Haul of Soil, Spread and Compact, Scarify Slopes																																		
Equipment																																		
Dump Truck	DIESEL	381	0.57	0.1960	0.5949	1.4165	0.0027	0.0505	0.0449	0.0449	272.3	0.0177	0.1346	10	8	338	15.68	47.59	113.32	0.21	4.04	3.60	21786.71	1.41	10.77	2.649	8.043	19.150	0.036	0.683	0.608	3682	0.239	1.819
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	0.0360	112.2	0.0095	0.0704	4	8	338	3.37	21.29	23.71	0.04	1.30	1.15	3591.09	0.30	2.25	0.569	3.988	4.006	0.007	0.219	0.195	607	0.051	0.381
Bulldozers	DIESEL	358	0.59	0.2932	1.2456	2.3951	0.0026	0.0985	0.0877	0.0877	264.9	0.0265	0.2275																					

Table 5. Worker Vehicle Emissions, Remaining 4:1 Side Slope

Construction Phase	Vehicle Class	No. of Daily Workers Per phase	Speed (mph)	VMT (mi/vehicle- day)	CO	NO _x	ROG				SO _x	PM10			PM2.5			CO ₂	CH ₄	N ₂ O	
					Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Hot-Soak (g/trip)	Resting Loss (g/hr)	Running Evaporative (g/mi)	Diurnal Evaporative (g/hr)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Tire Wear (g/mi)	Brake Wear (g/mi)	Running Exhaust (g/mi)	Tire Wear (g/mi)	Brake Wear (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)
Contract 2: Remaining 4:1 Side Slope																					
Relocations: Mob/Demob and Contractor Staging Area/Silt Fence	Light-Duty Truck, catalyst	10	35	80	3.279952	0.515311	0.132459	0.079	0.045	0.069	0.02	0.005612	0.01254	0.008	0.0125	0.011566	0.002	0.0053	452.8343	0.004791	0.00
West Levee - Levee Construction																					
Excavate from Borrow Pit, Additional Haul of Soil, Spread and Compact, Scarify Slopes	Light-Duty Truck, catalyst	20	35	80	3.279952	0.515311	0.132459	0.079	0.045	0.069	0.02	0.005612	0.01254	0.008	0.0125	0.011566	0.002	0.0053	452.8343	0.004791	0.00
Turf Levee	Light-Duty Truck, catalyst	20	35	80	3.279952	0.515311	0.132459	0.079	0.045	0.069	0.02	0.005612	0.01254	0.008	0.0125	0.011566	0.002	0.0053	452.8343	0.004791	0.00
Remove and Replace Road	Light-Duty Truck, catalyst	20	35	80	3.279952	0.515311	0.132459	0.079	0.045	0.069	0.02	0.005612	0.01254	0.008	0.0125	0.011566	0.002	0.0053	452.8343	0.004791	0.00
Rip-Rap Removal	Light-Duty Truck, catalyst	20	35	80	3.279952	0.515311	0.132459	0.079	0.045	0.069	0.02	0.005612	0.01254	0.008	0.0125	0.011566	0.002	0.0053	452.8343	0.004791	0.00
Rip-Rap Replacement	Light-Duty Truck, catalyst	10	35	80	3.279952	0.515311	0.132459	0.079	0.045	0.069	0.02	0.005612	0.01254	0.008	0.0125	0.011566	0.002	0.0053	452.8343	0.004791	0.00
East Levee - Levee Construction																					
Excavate from Borrow Pit, Additional Haul of Soil, Spread and Compact, Scarify Slopes	Light-Duty Truck, catalyst	20	35	80	3.279952	0.515311	0.132459	0.079	0.045	0.069	0.02	0.005612	0.01254	0.008	0.0125	0.011566	0.002	0.0053	452.8343	0.004791	0.00
Turf Levee	Light-Duty Truck, catalyst	20	35	80	3.279952	0.515311	0.132459	0.079	0.045	0.069	0.02	0.005612	0.01254	0.008	0.0125	0.011566	0.002	0.0053	452.8343	0.004791	0.00
Remove and Replace Road	Light-Duty Truck, catalyst	20	35	80	3.279952	0.515311	0.132459	0.079	0.045	0.069	0.02	0.005612	0.01254	0.008	0.0125	0.011566	0.002	0.0053	452.8343	0.004791	0.00
Rip-Rap Removal	Light-Duty Truck, catalyst	20	35	80	3.279952	0.515311	0.132459	0.079	0.045	0.069	0.02	0.005612	0.01254	0.008	0.0125	0.011566	0.002	0.0053	452.8343	0.004791	0.00
Rip-Rap Replacement	Light-Duty Truck, catalyst	10	35	80	3.279952	0.515311	0.132459	0.079	0.045	0.069	0.02	0.005612	0.01254	0.008	0.0125	0.011566	0.002	0.0053	452.8343	0.004791	0.00

Assume startup after 8 hours
 Assume 45 minutes run time total
 Assume each crew consists of 10 workers

Emissions, lbs/day										
CO	NO _x	VOCs	SO _x	PM10	PM2.5	Paved Road Fugitive Dust PM10	Paved Road Fugitive Dust PM2.5	CO ₂	CH ₄	N ₂ O
5.78	0.91	0.32	0.01	0.06	0.03	0.08	0.02	798.67	0.01	0.01
11.57	1.82	0.64	0.02	0.12	0.07	0.17	0.04	1597.33	0.02	0.01
11.57	1.82	0.64	0.02	0.12	0.07	0.17	0.04	1597.33	0.02	0.01
11.57	1.82	0.64	0.02	0.12	0.07	0.17	0.04	1597.33	0.02	0.01
11.57	1.82	0.64	0.02	0.12	0.07	0.17	0.04	1597.33	0.02	0.01
5.78	0.91	0.32	0.01	0.06	0.03	0.08	0.02	798.67	0.01	0.01
11.57	1.82	0.64	0.02	0.12	0.07	0.17	0.04	1597.33	0.02	0.01
11.57	1.82	0.64	0.02	0.12	0.07	0.17	0.04	1597.33	0.02	0.01
11.57	1.82	0.64	0.02	0.12	0.07	0.17	0.04	1597.33	0.02	0.01
5.78	0.91	0.32	0.01	0.06	0.03	0.08	0.02	798.67	0.01	0.01

Paved Road Fugitive Dust
 Assume silt loading for 10,000 ADT roadways = 0.03 g/m³
 Assume k = 0.016 PM10
 Assume 6 miles in addition for track-out for PM10
 Emission Factors
 PM10, LDT 9.81231E-05
 PM10, MDT 0.008944829
 PM10, HDT 0.017495628

Unpaved Road Fugitive Dust
 For LDT assume 2 tons/vehicle, MDT assume 13 tons/vehicle, HDT assume 20 tons/vehicle

k = 1.5 for PM10, 0.15 for PM2.5
 s = 8.5, a = 0.9, b = 0.45

Total Emissions, tons											
Construction Days	CO	NO _x	VOCs	SO _x	PM10	PM2.5	Paved Road Fugitive Dust PM10	Paved Road Fugitive Dust PM2.5	CO ₂	CH ₄	N ₂ O
100	0.29	0.05	0.01605	4.95E-04	0.00291	0.00166	0.00422	0.00089	40	0.00042	0.00033
269	1.56	0.24	0.08635	2.66E-03	0.01568	0.00895	0.02270	0.00477	215	0.00227	0.00179
71	0.41	0.06	0.02279	7.03E-04	0.00414	0.00236	0.00599	0.00126	57	0.00060	0.00047
41	0.24	0.04	0.01316	4.06E-04	0.00239	0.00136	0.00346	0.00073	33	0.00035	0.00027
34	0.20	0.03	0.01091	3.37E-04	0.00198	0.00113	0.00287	0.00060	27	0.00029	0.00023
5	0.01	0.00	0.00080	2.47E-05	0.00015	0.00008	0.00021	0.00004	2	0.00002	0.00002
338	1.96	0.31	0.10850	3.35E-03	0.01970	0.01125	0.02852	0.00599	270	0.00286	0.00225
75	0.43	0.07	0.02408	7.42E-04	0.00437	0.00250	0.00633	0.00133	60	0.00063	0.00050
19	0.11	0.02	0.00610	1.88E-04	0.00111	0.00063	0.00160	0.00034	15	0.00016	0.00013

Assume 61% control efficiency for watering 3x daily
 Emission Factors
 PM10, LDT 0.357378738
 PM10, MDT 0.829735596
 PM10, HDT 1.007230136
 PM2.5, LDT 0.035737874
 PM2.5, MDT 0.08297356
 PM2.5, HDT 0.100723014
 Assume 0.25 miles each way of unpaved road travel

Table 6. Construction Truck Emissions, Remaining 4:1 Side Slope

Construction Phase	Vehicle Class	Peak No. of Trucks per day	Speed (mph)	VMT (mi/vehicle-day)	CO	NO _x	ROG	SO _x	PM10			PM2.5			CO ₂	CH ₄	N ₂ O
					Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Tire Wear (g/mi)	Brake Wear (g/mi)	Running Exhaust (g/mi)	Tire Wear (g/mi)	Brake Wear (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)
Contract 2 - Remaining 4:1 Side Slope																	
Relocations: Mob/Demob and Contractor Staging Area/Silt Fence	Heavy Duty Truck, Diesel	10	35	80	1.6135149	5.9825691	0.3057337	0.015408	0.3102148	0.036	0.0125	0.30110696	0.009	0.0053	2178.231743	0.043331	0.00
West Levee - Levee Construction																	
Excavate from Borrow Pit, Additional Haul of Soil, Spread and Compact, Scarify Slopes	Heavy Duty Truck, Diesel	10	35	80	1.6135149	5.9825691	0.3057337	0.015408	0.3102148	0.036	0.0125	0.30110696	0.009	0.0053	2178.231743	0.043331	0.00
Turf Levee	Heavy Duty Truck, Diesel	4	35	80	1.6135149	5.9825691	0.3057337	0.015408	0.3102148	0.036	0.0125	0.30110696	0.009	0.0053	2178.231743	0.043331	0.00
Remove and Replace Road	Heavy Duty Truck, Diesel	4	35	80	1.6135149	5.9825691	0.3057337	0.015408	0.3102148	0.036	0.0125	0.30110696	0.009	0.0053	2178.231743	0.043331	0.00
Rip-Rap Removal	Heavy Duty Truck, Diesel	4	35	80	1.6135149	5.9825691	0.3057337	0.015408	0.3102148	0.036	0.0125	0.30110696	0.009	0.0053	2178.231743	0.043331	0.00
Rip-Rap Replacement	Heavy Duty Truck, Diesel	4	35	80	1.6135149	5.9825691	0.3057337	0.015408	0.3102148	0.036	0.0125	0.30110696	0.009	0.0053	2178.231743	0.043331	0.00
East Levee - Levee Construction																	
Excavate from Borrow Pit, Additional Haul of Soil, Spread and Compact, Scarify Slopes	Heavy Duty Truck, Diesel	10	35	80	1.6135149	5.9825691	0.3057337	0.015408	0.3102148	0.036	0.0125	0.30110696	0.009	0.0053	2178.231743	0.043331	0.00
Turf Levee	Heavy Duty Truck, Diesel	4	35	80	1.6135149	5.9825691	0.3057337	0.015408	0.3102148	0.036	0.0125	0.30110696	0.009	0.0053	2178.231743	0.043331	0.00
Remove and Replace Road	Heavy Duty Truck, Diesel	4	35	80	1.6135149	5.9825691	0.3057337	0.015408	0.3102148	0.036	0.0125	0.30110696	0.009	0.0053	2178.231743	0.043331	0.00
Rip-Rap Removal	Heavy Duty Truck, Diesel	4	35	80	1.6135149	5.9825691	0.3057337	0.015408	0.3102148	0.036	0.0125	0.30110696	0.009	0.0053	2178.231743	0.043331	0.00
Rip-Rap Replacement	Heavy Duty Truck, Diesel	4	35	80	1.6135149	5.9825691	0.3057337	0.015408	0.3102148	0.036	0.0125	0.30110696	0.009	0.0053	2178.231743	0.043331	0.00
Subtotal																	

MOVES2010 Emission Factors, Dallas County

Paved Road Fugitive Dust
 Assume silt loading for 10,000 ADT roadways = 0.03 g/m³
 Assume k = 0.016 PM10
 Assume 6 miles in addition for track-out for PM10
 Emission Factors
 PM10, LDT 9.81231E-05
 PM10, MDT 0.008944829
 PM10, HDT 0.017495628

Unpaved Road Fugitive Dust
 For LDT assume 2 tons/vehicle, MDT assume 13 tons/vehicle, HDT assume 20 tons/vehicle

Emissions, lbs/day												
CO	NO _x	VOCs	SO _x	PM10	PM2.5	Paved Road Fugitive Dust PM10	Paved Road Fugitive Dust PM2.5	Unpaved Road Fugitive Dust PM10	Unpaved Road Fugitive Dust PM2.5	CO ₂	CH ₄	N ₂ O
2.85	10.55	0.54	0.03	0.63	0.56	15.05	3.16	2.52	0.25	3841.76	0.08	0.00
2.85	10.55	0.54	0.03	0.63	0.56	15.05	3.16	2.52	0.25	3841.76	0.08	0.00
1.14	4.22	0.22	0.01	0.25	0.22	6.02	1.26	1.01	0.10	1536.71	0.03	0.00
1.14	4.22	0.22	0.01	0.25	0.22	6.02	1.26	1.01	0.10	1536.71	0.03	0.00
1.14	4.22	0.22	0.01	0.25	0.22	6.02	1.26	1.01	0.10	1536.71	0.03	0.00
1.14	4.22	0.22	0.01	0.25	0.22	6.02	1.26	1.01	0.10	1536.71	0.03	0.00
2.85	10.55	0.54	0.03	0.63	0.56	15.05	3.16	2.52	0.25	3841.76	0.08	0.00
1.14	4.22	0.22	0.01	0.25	0.22	6.02	1.26	1.01	0.10	1536.71	0.03	0.00
1.14	4.22	0.22	0.01	0.25	0.22	6.02	1.26	1.01	0.10	1536.71	0.03	0.00
1.14	4.22	0.22	0.01	0.25	0.22	6.02	1.26	1.01	0.10	1536.71	0.03	0.00
17.64	65.42	3.34	0.17	3.92	3.45	93.29	19.59	15.61	1.56	23818.93	0.47	0.02

k = 1.5 for PM10, 0.15 for PM2.5
 s = 8.5, a = 0.9, b = 0.45
 Assume 61% control efficiency for watering 3x daily
 Emission Factors
 PM10, LDT 0.357378738
 PM10, MDT 0.829735696
 PM10, HDT 1.007230136
 PM2.5, LDT 0.035737874
 PM2.5, MDT 0.08297356
 PM2.5, HDT 0.100723014
 Assume 0.25 miles each way of unpaved road travel

Total Emissions, tons													
Construction Days	CO	NO _x	VOCs	SO _x	PM10	PM2.5	Paved Road Fugitive Dust PM10	Paved Road Fugitive Dust PM2.5	Unpaved Road Fugitive Dust PM10	Unpaved Road Fugitive Dust PM2.5	CO ₂	CH ₄	N ₂ O
100	0.14	0.53	0.03	0.00	0.03	0.03	0.75	0.16	0.13	0.01	192.09	0.00	0.00
269	0.38	1.42	0.07	0.00	0.09	0.07	2.02	0.42	0.34	0.03	516.72	0.01	0.00
71	0.04	0.15	0.01	0.00	0.01	0.01	0.21	0.04	0.04	0.00	54.55	0.00	0.00
41	0.02	0.09	0.00	0.00	0.01	0.00	0.12	0.03	0.02	0.00	31.50	0.00	0.00
34	0.02	0.07	0.00	0.00	0.00	0.00	0.10	0.02	0.02	0.00	26.12	0.00	0.00
5	0.00	0.01	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	3.84	0.00	0.00
338	0.48	1.78	0.09	0.00	0.11	0.09	2.54	0.53	0.43	0.04	649.26	0.01	0.00
75	0.04	0.16	0.01	0.00	0.01	0.01	0.23	0.05	0.04	0.00	57.63	0.00	0.00
19	0.01	0.04	0.00	0.00	0.00	0.00	0.06	0.01	0.01	0.00	14.60	0.00	0.00
62	0.04	0.13	0.01	0.00	0.01	0.01	0.19	0.04	0.03	0.00	47.64	0.00	0.00
11	0.01	0.02	0.00	0.00	0.00	0.00	0.03	0.01	0.01	0.00	8.45	0.00	0.00
Total 2018	0.3711693	1.3762164	0.0703303	0.0035444	0.0825179	0.072555	1.96245857	0.4121163	0.32842879	0.03284288	501.0754186	0.009968	0.000448
Total 2019	0.2174978	0.8064354	0.0412121	0.002077	0.0483539	0.042516	1.14996159	0.24149193	0.19245272	0.01924527	293.6202029	0.005841	0.000263

Table 7. Heavy Construction Equipment Emissions, River Relocation Top

Equipment and Activity	FUEL	HP	Load Factor	Emission Factors										Emissions										Emission, tons (total)									
				ROG (lb/hr)	CO (lb/hr)	NOX (lb/hr)	SOX (lb/hr)	PM10 (lb/hr)	PM2.5 (lb/hr)	CO2 (lb/hr)	CH4 (lb/hr)	N2O (lb/hr)	No of Equipment	Hrs Per Day	Days in Service	ROG (lb/day)	CO (lb/day)	NOX (lb/day)	SOX (lb/day)	PM10 (lb/day)	PM2.5 (lb/day)	CO2 (lb/day)	CH4 (lb/day)	N2O (lb/day)	ROG tons (total)	CO tons (total)	NOX tons (total)	SOX tons (total)	PM10 tons (total)	PM2.5 tons (total)	CO2 tons (total)	CH4 tons (total)	N2O tons (total)
River Relocation Top - Contract 3																																	
Utility Relocations - Storm Drain, Wodal Rogers Outfall																																	
Dump Truck	DIESEL	381	0.57	0.1860	0.5949	1.4165	0.0027	0.0505	0.0449	272.3	0.0177	0.1346	4	8	95	6.27	19.04	45.33	0.09	1.62	1.44	8714.68	0.57	4.31	0.298	0.904	2.153	0.004	0.077	0.068	414	0.027	0.205
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	112.2	0.0095	0.0704	2	8	95	1.68	10.65	11.85	0.02	0.65	0.58	1795.55	0.15	1.13	0.080	0.500	0.563	0.001	0.01	0.027	85	0.007	0.053
Buildozers	DIESEL	358	0.59	0.2932	1.2456	2.3951	0.0026	0.0985	0.0877	264.9	0.0265	0.2275	4	8	95	9.38	39.86	76.64	0.08	3.15	2.81	8475.92	0.85	7.28	0.446	1.893	3.641	0.004	0.150	0.133	403	0.040	0.346
Subtotal															17.33	69.54	133.82	0.19	5.42	4.82	18986.15	1.56	12.71	0.82	3.30	6.36	0.01	0.26	0.23	901.84	0.07	0.60	
Utility Relocations - City owned Utility																																	
Dump Truck	DIESEL	381	0.57	0.1860	0.5949	1.4165	0.0027	0.0505	0.0449	272.3	0.0177	0.1346	4	8	27	6.27	19.04	45.33	0.09	1.62	1.44	8714.68	0.57	4.31	0.085	0.257	0.612	0.001	0.022	0.019	116	0.008	0.058
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	112.2	0.0095	0.0704	2	8	27	1.68	10.65	11.85	0.02	0.65	0.58	1795.55	0.15	1.13	0.033	0.144	0.160	0.000	0.009	0.008	24	0.002	0.015
Buildozers	DIESEL	358	0.59	0.2932	1.2456	2.3951	0.0026	0.0985	0.0877	264.9	0.0265	0.2275	4	8	27	9.38	39.86	76.64	0.08	3.15	2.81	8475.92	0.85	7.28	0.127	0.538	1.035	0.001	0.043	0.038	114	0.011	0.098
Subtotal															17.33	69.54	133.82	0.19	5.42	4.82	18986.15	1.56	12.71	0.23	0.94	1.81	0.00	0.07	0.07	256.31	0.02	0.17	
Utility Relocations - Franchised Owned Utility																																	
Dump Truck	DIESEL	381	0.57	0.1860	0.5949	1.4165	0.0027	0.0505	0.0449	272.3	0.0177	0.1346	4	8	81	6.27	19.04	45.33	0.09	1.62	1.44	8714.68	0.57	4.31	0.254	0.771	1.836	0.003	0.095	0.058	353	0.023	0.174
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	112.2	0.0095	0.0704	2	8	81	1.68	10.65	11.85	0.02	0.65	0.58	1795.55	0.15	1.13	0.068	0.441	0.460	0.001	0.026	0.023	73	0.006	0.046
Buildozers	DIESEL	358	0.59	0.2932	1.2456	2.3951	0.0026	0.0985	0.0877	264.9	0.0265	0.2275	4	8	81	9.38	39.86	76.64	0.08	3.15	2.81	8475.92	0.85	7.28	0.380	1.614	3.044	0.003	0.128	0.114	343	0.034	0.295
Subtotal															17.33	69.54	133.82	0.19	5.42	4.82	18986.15	1.56	12.71	0.70	2.82	5.42	0.01	0.22	0.20	768.94	0.06	0.51	
Bridge Pier Modifications																																	
Equipment																																	
Crane	DIESEL	208	0.43	0.0923	0.2713	0.8284	0.0013	0.0286	0.0255	112.2	0.0093	0.0787	1	8	6	0.74	2.17	6.83	0.01	0.23	0.20	897.27	0.07	0.63	0.002	0.007	0.020	0.000	0.001	0.001	3	0.000	0.002
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	112.2	0.0095	0.0704	2	8	6	1.68	10.65	11.85	0.02	0.65	0.58	1795.55	0.15	1.13	0.005	0.033	0.036	0.000	0.002	0.002	5	0.000	0.003
Buildozers	DIESEL	358	0.59	0.2932	1.2456	2.3951	0.0026	0.0985	0.0877	264.9	0.0265	0.2275	4	8	6	9.38	39.86	76.64	0.08	3.15	2.81	8475.92	0.85	7.28	0.028	0.120	0.230	0.000	0.009	0.008	25	0.003	0.022
Subtotal															11.80	52.68	95.12	0.11	4.03	3.59	11168.74	1.07	9.04	0.04	0.16	0.29	0.00	0.01	0.01	33.51	0.00	0.03	
Channels - North Westmoreland Bridge to West Fork																																	
Erosion/Sediment Control and Clearing																																	
Dump Truck	DIESEL	381	0.57	0.1860	0.5949	1.4165	0.0027	0.0505	0.0449	272.3	0.0177	0.1346	4	8	73	6.27	19.04	45.33	0.09	1.62	1.44	8714.68	0.57	4.31	0.229	0.695	1.854	0.003	0.099	0.052	318	0.021	0.157
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	112.2	0.0095	0.0704	2	8	73	1.68	10.65	11.85	0.02	0.65	0.58	1795.55	0.15	1.13	0.061	0.389	0.433	0.001	0.024	0.021	66	0.006	0.041
Buildozers	DIESEL	358	0.59	0.2932	1.2456	2.3951	0.0026	0.0985	0.0877	264.9	0.0265	0.2275	4	8	73	9.38	39.86	76.64	0.08	3.15	2.81	8475.92	0.85	7.28	0.342	1.455	2.797	0.003	0.115	0.102	309	0.031	0.266
Subtotal															17.33	69.54	133.82	0.19	5.42	4.82	18986.15	1.56	12.71	0.63	2.54	4.88	0.01	0.20	0.18	692.99	0.06	0.46	
Downstream Tie In																																	
Dredge	DIESEL			2.2967	7.7667	26.4021	0.0242	0.8027	0.7144				1	8	5	18.37	62.13	211.22	0.19	6.42	5.72	0.00	0.00	0.00	0.046	0.155	0.528	0.000	0.016	0.014	0	0.000	0.000
Dump Truck	DIESEL	381	0.57	0.1860	0.5949	1.4165	0.0027	0.0505	0.0449	272.3	0.0177	0.1346	2	8	5	3.14	9.52	22.66	0.04	0.81	0.72	4357.34	0.28	2.15	0.008	0.024	0.067	0.000	0.002	0.004	11	0.001	0.005
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	112.2	0.0095	0.0704	1	8	5	0.84	5.32	5.93	0.01	0.32	0.29	897.77	0.08	0.56	0.002	0.013	0.015	0.000	0.001	0.001	2	0.000	0.001
Buildozers	DIESEL	358	0.59	0.2932	1.2456	2.3951	0.0026	0.0985	0.0877	264.9	0.0265	0.2275	2	8	5	4.69	19.93	38.32	0.04	1.58	1.40	4237.96	0.42	3.64	0.012	0.050	0.096	0.000	0.004	0.004	11	0.001	0.009
Subtotal															27.04	96.90	278.13	0.29	9.13	8.13	9493.08	0.78	6.36	0.07	0.24	0.70	0.00	0.02	0.02	23.73	0.00	0.02	
Excavate New Channel																																	
Dredge	DIESEL			2.2967	7.7667	26.4021	0.0242	0.8027	0.7144				6	8	404	110.24	372.80	1267.30	1.16	38.53	34.29	0.00	0.00	0.00	24.363	82.389	280.074	0.258	8.515	7.578	0	0.000	0.000
Dump Truck	DIESEL	381	0.57	0.1860	0.5949	1.4165	0.0027	0.0505	0.0449	272.3	0.0177	0.1346	12	8	404	18.81	57.11	135.98	0.24	4.85	4.31	2614.05	1.79	12.92	3.860	11.536	27.468	0.004	0.173	0.161	524	0.043	2.698
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	112.2	0.0095	0.0704	6	8	404	5.05	31.94	35.56	0.06	1.94	1.73	5366.64	0.48	3.38	1.020	4.451	7.183	0.012	0.392	0.349	1088	0.092	6.682
Buildozers	DIESEL	358	0.59	0.2932	1.2456	2.3951	0.0026	0.0985	0.0877	264.9	0.0265	0.2275	12	8	404	28.14	119.58	229.93	0.25	8.46	8.42	25427.77	2.54	21.84	5.685	24.155	46.445	0.050	1.930	1.700	5136	0.513	4.412
Subtotal															162.24	581.43	1668.77	1.73	54.78	48.75	56958.45	4.69	38.14	32.77	117.45	337.09	0.35	11.07	9.85	11505.61	0.95	7.70	
Upstream Tie In																																	
Dredge	DIESEL			2.2967	7.7667	26.4021	0.0242	0.8027	0.7144				1	8	4	18.37	62.13	211.22	0.19	6.42	5.72	0.00	0.00	0.00	0.037	0.124	0.422	0.000	0.013	0.011	0	0.000	0.000
Dump Truck	DIESEL	381	0.57	0.1860	0.5949	1.4165	0.0027	0.0505	0.0449	272.3	0.0177	0.1346	2	8	4	3.14	9.52	22.66	0.04	0.81	0.72	4357.34	0.28	2.15	0.008	0.024	0.067	0.000	0.002	0.001	9	0.000	0.001
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405																									

Table 8. Worker Vehicle Emissions, River Relocation Top

Construction Phase	Vehicle Class	No. of Daily Workers Per phase	Speed (mph)	VMT (mi/vehicle-day)	CO	NO _x	ROG					SO _x	PM10			PM2.5			CO2	CH4	N2O
					Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Hot-Soak (g/trip)	Resting Loss (g/hr)	Running Evaporative (g/mi)	Diurnal Evaporative (g/hr)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Tire Wear (g/mi)	Brake Wear (g/mi)	Running Exhaust (g/mi)	Tire Wear (g/mi)	Brake Wear (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)
Utility Relocations - Storm Drain, Wodall Rogers Outfall	Light-Duty Truck, catalyst	20	35	80	3.143846	0.478425	0.122708	0.075	0.041	0.068	0.018	0.005307	0.0123	0.008	0.0125	0.011328	0.002	0.0053	430.7476	0.004543	0.00
Utility Relocations - City owned Utility	Light-Duty Truck, catalyst	20	35	80	3.143846	0.478425	0.122708	0.075	0.041	0.068	0.018	0.005307	0.0123	0.008	0.0125	0.011328	0.002	0.0053	430.7476	0.004543	0.00
Utility Relocations - Franchised Owned Utility	Light-Duty Truck, catalyst	20	35	80	3.143846	0.478425	0.122708	0.075	0.041	0.068	0.018	0.005307	0.0123	0.008	0.0125	0.011328	0.002	0.0053	430.7476	0.004543	0.00
Bridge Pier Modifications	Light-Duty Truck, catalyst	6	35	80	3.143846	0.478425	0.122708	0.075	0.041	0.068	0.018	0.005307	0.0123	0.008	0.0125	0.011328	0.002	0.0053	430.7476	0.004543	0.00
Channels - North Westmoreland Bridge to West Fork																					
Erosion/Sediment Control and Clearing	Light-Duty Truck, catalyst	20	35	80	3.143846	0.478425	0.122708	0.075	0.041	0.068	0.018	0.005307	0.0123	0.008	0.0125	0.011328	0.002	0.0053	430.7476	0.004543	0.00
Downstream Tie In	Light-Duty Truck, catalyst	10	35	80	3.143846	0.478425	0.122708	0.075	0.041	0.068	0.018	0.005307	0.0123	0.008	0.0125	0.011328	0.002	0.0053	430.7476	0.004543	0.00
Excavate New Channel	Light-Duty Truck, catalyst	60	35	80	3.018328	0.444534	0.114635	0.07	0.038	0.066	0.017	0.005391	0.012099	0.008	0.0125	0.011149	0.002	0.0053	435.6252	0.004286	0.00
Upstream Tie In	Light-Duty Truck, catalyst	10	35	80	2.818514	0.402178	0.106177	0.061	0.03	0.063	0.016	0.005297	0.011969	0.008	0.0125	0.011032	0.002	0.0053	427.9689	0.00391	0.00
Backfill Existing Channel	Light-Duty Truck, catalyst	30	35	80	3.018328	0.444534	0.114635	0.07	0.038	0.066	0.017	0.005391	0.012099	0.008	0.0125	0.011149	0.002	0.0053	435.6252	0.004286	0.00
River Bank and Outfall Treatments	Light-Duty Truck, catalyst	20	35	80	2.818514	0.402178	0.106177	0.061	0.03	0.063	0.016	0.005297	0.011969	0.008	0.0125	0.011032	0.002	0.0053	427.9689	0.00391	0.00
Riprap and Toe	Light-Duty Truck, catalyst	20	35	80	2.818514	0.402178	0.106177	0.061	0.03	0.063	0.016	0.005297	0.011969	0.008	0.0125	0.011032	0.002	0.0053	427.9689	0.00391	0.00
Channels - Inwood/Hampton Bridge to Westmoreland																					
Erosion/Sediment Control and Clearing	Light-Duty Truck, catalyst	20	35	80	2.818514	0.402178	0.106177	0.061	0.03	0.063	0.016	0.005297	0.011969	0.008	0.0125	0.011032	0.002	0.0053	427.9689	0.00391	0.00
Downstream Tie In	Light-Duty Truck, catalyst	10	35	80	2.818514	0.402178	0.106177	0.061	0.03	0.063	0.016	0.005297	0.011969	0.008	0.0125	0.011032	0.002	0.0053	427.9689	0.00391	0.00
Excavate New Channel	Light-Duty Truck, catalyst	30	35	80	2.818514	0.402178	0.106177	0.061	0.03	0.063	0.016	0.005297	0.011969	0.008	0.0125	0.011032	0.002	0.0053	427.9689	0.00391	0.00
Upstream Tie In	Light-Duty Truck, catalyst	10	35	80	2.824266	0.389368	0.103185	0.054	0.024	0.062	0.012	0.005209	0.011827	0.008	0.0125	0.010892	0.002	0.0053	420.8597	0.003946	0.00
Backfill Existing Channel	Light-Duty Truck, catalyst	30	35	80	2.824266	0.389368	0.103185	0.054	0.024	0.062	0.012	0.005209	0.011827	0.008	0.0125	0.010892	0.002	0.0053	420.8597	0.003946	0.00
Reshape Existing Channel	Light-Duty Truck, catalyst	40	35	80	2.824266	0.389368	0.103185	0.054	0.024	0.062	0.012	0.005209	0.011827	0.008	0.0125	0.010892	0.002	0.0053	420.8597	0.003946	0.00
River Bank and Outfall Treatments	Light-Duty Truck, catalyst	20	35	80	2.750149	0.367153	0.09862	0.046	0.017	0.061	0.01	0.005128	0.011742	0.008	0.0125	0.010819	0.002	0.0053	414.4503	0.003872	0.00
Riprap and Toe	Light-Duty Truck, catalyst	20	35	80	2.824266	0.389368	0.103185	0.054	0.024	0.062	0.012	0.005209	0.011827	0.008	0.0125	0.010892	0.002	0.0053	420.8597	0.003946	0.00
River Terraces	Light-Duty Truck, catalyst	20	35	80	2.818514	0.402178	0.106177	0.061	0.03	0.063	0.016	0.005297	0.011969	0.008	0.0125	0.011032	0.002	0.0053	427.9689	0.00391	0.00
Slurry Cutoff Wall	Light-Duty Truck, catalyst	40	35	80	2.818514	0.402178	0.106177	0.061	0.03	0.063	0.016	0.005297	0.011969	0.008	0.0125	0.011032	0.002	0.0053	427.9689	0.00391	0.00

Assume startup after 8 hours
 Assume 45 minutes run time total
 Assume 10 workers per crew

Paved Road Fugitive Dust
 Assume silt loading for 10,000 ADT roadways = 0.03 g/m³

Assume k = 0.016 PM10
 Assume 6 miles in addition for track-out for PM10
 Emission Factors
 PM10, LDT 9.81231E-05
 PM10, MDT 0.008944829
 PM10, HDT 0.017495628

Unpaved Road Fugitive Dust
 For LDT assume 2 tons/vehicle, MDT assume 13 tons/vehicle, HDT assume 20 tons/vehicle

k = 1.5 for PM10, 0.15 for PM2.5
 s = 8.5, a = 0.9, b = 0.45
 Assume 61% control efficiency for watering 3x daily
 Emission Factors
 PM10, LDT 0.357378738
 PM10, MDT 0.829735596
 PM10, HDT 1.007230136
 PM2.5, LDT 0.035737874

PM2.5, MDT 0.08297356
 PM2.5, HDT 0.100723014
 Assume 0.25 miles each way of unpaved road travel

Utility Relocations - Storm Drain, Wodall Rogers Outfall
 Utility Relocations - City owned Utility
 Utility Relocations - Franchised Owned Utility
 Bridge Pier Modifications
 Channels - North Westmoreland Bridge to West Fork
 Erosion/Sediment Control and Clearing
 Downstream Tie In
 Excavate New Channel
 Upstream Tie In
 Backfill Existing Channel
 River Bank and Outfall Treatments
 Riprap and Toe
 Channels - Inwood/Hampton Bridge to Westmoreland
 Erosion/Sediment Control and Clearing
 Downstream Tie In
 Excavate New Channel
 Upstream Tie In
 Backfill Existing Channel
 Reshape Existing Channel
 River Bank and Outfall Treatments
 Riprap and Toe
 River Terraces
 Sturry Cutoff Wall

Emissions, lbs/day										
CO	NOx	VOCs	SOx	PM10	PM2.5	Paved Road Fugitive Dust PM10	Paved Road Fugitive Dust PM2.5	CO2	CH4	N2O
11.09	1.69	0.60	0.02	0.12	0.07	0.17	0.04	1519.43	0.02	0.01
11.09	1.69	0.60	0.02	0.12	0.07	0.17	0.04	1519.43	0.02	0.01
11.09	1.69	0.60	0.02	0.12	0.07	0.17	0.04	1519.43	0.02	0.01
3.33	0.51	0.18	0.01	0.03	0.02	0.05	0.01	455.83	0.00	0.00
11.09	1.69	0.60	0.02	0.12	0.07	0.17	0.04	1519.43	0.02	0.01
5.54	0.84	0.30	0.01	0.06	0.03	0.08	0.02	759.71	0.01	0.01
31.94	4.70	1.70	0.06	0.34	0.20	0.51	0.11	4609.89	0.05	0.03
4.97	0.71	0.26	0.01	0.06	0.03	0.08	0.02	754.81	0.01	0.01
15.97	2.35	0.85	0.03	0.17	0.10	0.25	0.05	2304.95	0.02	0.02
9.94	1.42	0.53	0.02	0.11	0.06	0.17	0.04	1509.62	0.01	0.01
9.94	1.42	0.53	0.02	0.11	0.06	0.17	0.04	1509.62	0.01	0.01
9.94	1.42	0.53	0.02	0.11	0.06	0.17	0.04	1509.62	0.01	0.01
4.97	0.71	0.26	0.01	0.06	0.03	0.08	0.02	754.81	0.01	0.01
14.91	2.13	0.79	0.03	0.17	0.10	0.25	0.05	2264.44	0.02	0.02
4.98	0.69	0.25	0.01	0.06	0.03	0.08	0.02	742.27	0.01	0.00
14.94	2.06	0.78	0.03	0.17	0.10	0.25	0.05	2226.82	0.02	0.01
19.92	2.75	1.02	0.04	0.23	0.13	0.34	0.07	2969.09	0.03	0.02
9.70	1.30	0.49	0.02	0.11	0.06	0.17	0.04	1461.94	0.01	0.01
9.96	1.37	0.51	0.02	0.11	0.06	0.17	0.04	1484.55	0.01	0.01
9.94	1.42	0.53	0.02	0.11	0.06	0.17	0.04	1509.62	0.01	0.01
19.88	2.84	1.05	0.04	0.23	0.13	0.34	0.07	3019.25	0.03	0.02

Total Emissions, tons											
Construction Days	CO	NOx	VOCs	SOx	PM10	PM2.5	Paved Road Fugitive Dust PM10	Paved Road Fugitive Dust PM2.5	CO2	CH4	N2O
95	0.53	0.08	0.02861	8.89E-04	0.00550	0.00312	0.00802	0.00168	72	0.00076	0.00058
27	0.15	0.02	0.00813	2.53E-04	0.00156	0.00089	0.00228	0.00048	21	0.00022	0.00016
81	0.45	0.07	0.02439	7.58E-04	0.00469	0.00266	0.00684	0.00144	62	0.00065	0.00049
6	0.01	0.00	0.00054	1.68E-05	0.00010	0.00006	0.00015	0.00003	1	0.00001	0.00001
73	0.40	0.06	0.02198	6.83E-04	0.00422	0.00240	0.00616	0.00129	55	0.00058	0.00044
5	0.01	0.00	0.00075	2.34E-05	0.00014	0.00008	0.00021	0.00004	2	0.00002	0.00002
404	6.45	0.95	0.34391	1.15E-02	0.06968	0.03944	0.10228	0.02148	931	0.00916	0.00653
4	0.01	0.00	0.00053	1.87E-05	0.00011	0.00006	0.00017	0.00004	2	0.00001	0.00001
139	1.11	0.16	0.05916	1.98E-03	0.01199	0.00678	0.01759	0.00369	160	0.00158	0.00112
24	0.12	0.02	0.00632	2.24E-04	0.00137	0.00078	0.00203	0.00043	18	0.00017	0.00012
44	0.22	0.03	0.01158	4.11E-04	0.00252	0.00142	0.00371	0.00078	33	0.00030	0.00022
12	0.06	0.01	0.00316	1.12E-04	0.00069	0.00039	0.00101	0.00021	9	0.00008	0.00006
5	0.01	0.00	0.00066	2.34E-05	0.00014	0.00008	0.00021	0.00004	2	0.00002	0.00001
442	3.30	0.47	0.17456	6.19E-03	0.03797	0.02144	0.05595	0.01175	500	0.00457	0.00336
4	0.01	0.00	0.00051	1.84E-05	0.00011	0.00006	0.00017	0.00004	1	0.00001	0.00001
272	2.03	0.28	0.10372	3.75E-03	0.02326	0.01309	0.03443	0.00723	303	0.00294	0.00195
178	1.77	0.24	0.09050	3.27E-03	0.02030	0.01142	0.03004	0.00631	264	0.00248	0.00171
24	0.12	0.02	0.00582	2.17E-04	0.00136	0.00077	0.00203	0.00043	18	0.00018	0.00011
11	0.05	0.01	0.00280	1.01E-04	0.00063	0.00035	0.00093	0.00019	8	0.00008	0.00005
12	0.06	0.01	0.00316	1.12E-04	0.00069	0.00039	0.00101	0.00021	9	0.00008	0.00006
400	3.98	0.57	0.21062	7.47E-03	0.04581	0.02587	0.06751	0.01418	604	0.00552	0.00406
Total 2018	1.88	0.28	0.10	0.00	0.02	0.01	0.03	0.01	259.51	0.00	0.00
Total 2019	6.19	0.91	0.33	0.01	0.07	0.04	0.10	0.02	894.21	0.01	0.01
Total 2020	6.62	0.95	0.35	0.01	0.08	0.04	0.11	0.02	994.76	0.01	0.01
Total 2021	5.60	0.78	0.29	0.01	0.06	0.04	0.09	0.02	841.82	0.01	0.01
Total 2022	0.57	0.08	0.03	0.00	0.01	0.00	0.01	0.00	85.72	0.00	0.00

Table 9. Construction Truck Emissions, River Relocation Top

Construction Phase	Vehicle Class	Peak No. of Trucks per day	Speed (mph)	VMT (mi/vehicle-day)	CO	NO _x	ROG	SO _x	PM10			PM2.5			CO2	CH4	N2O
					Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Tire Wear (g/mi)	Brake Wear (g/mi)	Running Exhaust (g/mi)	Tire Wear (g/mi)	Brake Wear (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)
Utility Relocations - Storm Drain, Wodall Rogers Outfall	Heavy Duty Truck, Diesel	4	35	80	1.4206569	5.2923534	0.2691111	0.0148057	0.2676938	0.036	0.0125	0.2597654	0.009	0.0053	2111.504704	0.0449043	0.00
Utility Relocations - City owned Utility	Heavy Duty Truck, Diesel	4	35	80	1.4206569	5.2923534	0.2691111	0.0148057	0.2676938	0.036	0.0125	0.2597654	0.009	0.0053	2111.504704	0.0449043	0.00
Utility Relocations - Franchised Owned Utility	Heavy Duty Truck, Diesel	4	35	80	1.4206569	5.2923534	0.2691111	0.0148057	0.2676938	0.036	0.0125	0.2597654	0.009	0.0053	2111.504704	0.0449043	0.00
Bridge Pier Modifications	Heavy Duty Truck, Diesel	2	35	80	1.4206569	5.2923534	0.2691111	0.0148057	0.2676938	0.036	0.0125	0.2597654	0.009	0.0053	2111.504704	0.0449043	0.00
Channels - North Westmoreland Bridge to West Fork	Heavy Duty Truck, Diesel		35	80	1.4206569	5.2923534	0.2691111	0.0148057	0.2676938	0.036	0.0125	0.2597654	0.009	0.0053	2111.504704	0.0449043	0.00
Erosion/Sediment Control and Clearing	Heavy Duty Truck, Diesel	4	35	80	1.4206569	5.2923534	0.2691111	0.0148057	0.2676938	0.036	0.0125	0.2597654	0.009	0.0053	2111.504704	0.0449043	0.00
Downstream Tie In	Heavy Duty Truck, Diesel	2	35	80	1.2512529	4.6837296	0.2388455	0.0151788	0.2306205	0.036	0.0125	0.2238325	0.009	0.0053	2178.62608	0.0461638	0.00
Excavate New Channel	Heavy Duty Truck, Diesel	12	35	80	1.2512529	4.6837296	0.2388455	0.0151788	0.2306205	0.036	0.0125	0.2238325	0.009	0.0053	2178.62608	0.0461638	0.00
Upstream Tie In	Heavy Duty Truck, Diesel	2	35	80	1.0664606	4.0320132	0.2052264	0.0150826	0.1982743	0.036	0.0125	0.1924519	0.009	0.0053	2178.421857	0.0454297	0.00
Backfill Existing Channel	Heavy Duty Truck, Diesel	6	35	80	1.2512529	4.6837296	0.2388455	0.0151788	0.2306205	0.036	0.0125	0.2238325	0.009	0.0053	2178.62608	0.0461638	0.00
River Bank and Outfall Treatments	Heavy Duty Truck, Diesel	4	35	80	1.0664606	4.0320132	0.2052264	0.0150826	0.1982743	0.036	0.0125	0.1924519	0.009	0.0053	2178.421857	0.0454297	0.00
Riprap and Toe	Heavy Duty Truck, Diesel	4	35	80	1.0664606	4.0320132	0.2052264	0.0150826	0.1982743	0.036	0.0125	0.1924519	0.009	0.0053	2178.421857	0.0454297	0.00
Channels - Inwood/Hampton Bridge to Westmoreland	Heavy Duty Truck, Diesel		35	80													
Erosion/Sediment Control and Clearing	Heavy Duty Truck, Diesel	4	35	80	1.0664606	4.0320132	0.2052264	0.0150826	0.1982743	0.036	0.0125	0.1924519	0.009	0.0053	2178.421857	0.0454297	0.00
Downstream Tie In	Heavy Duty Truck, Diesel	2	35	80	1.0664606	4.0320132	0.2052264	0.0150826	0.1982743	0.036	0.0125	0.1924519	0.009	0.0053	2178.421857	0.0454297	0.00
Excavate New Channel	Heavy Duty Truck, Diesel	12	35	80	1.0664606	4.0320132	0.2052264	0.0150826	0.1982743	0.036	0.0125	0.1924519	0.009	0.0053	2178.421857	0.0454297	0.00
Upstream Tie In	Heavy Duty Truck, Diesel	2	35	80	0.9787303	3.6993065	0.1882928	0.0150375	0.1703331	0.036	0.0125	0.1652896	0.009	0.0053	2178.517895	0.0481179	0.00
Backfill Existing Channel	Heavy Duty Truck, Diesel	6	35	80	1.0664606	4.0320132	0.2052264	0.0150826	0.1982743	0.036	0.0125	0.1924519	0.009	0.0053	2178.421857	0.0454297	0.00
Reshape Existing Channel	Heavy Duty Truck, Diesel	8	35	80	0.9787303	3.6993065	0.1882928	0.0150375	0.1703331	0.036	0.0125	0.1652896	0.009	0.0053	2178.517895	0.0481179	0.00
River Bank and Outfall Treatments	Heavy Duty Truck, Diesel	4	35	80	0.8718074	3.3167243	0.168176	0.014974	0.1467441	0.036	0.0125	0.1421508	0.009	0.0053	2178.446793	0.0488703	0.00
Riprap and Toe	Heavy Duty Truck, Diesel	4	35	80	0.9787303	3.6993065	0.1882928	0.0150375	0.1703331	0.036	0.0125	0.1652896	0.009	0.0053	2178.517895	0.0481179	0.00
River Terraces	Heavy Duty Truck, Diesel	2	35	80	1.0664606	4.0320132	0.2052264	0.0150826	0.1982743	0.036	0.0125	0.1924519	0.009	0.0053	2178.421857	0.0454297	0.00
Slurry Cutoff Wall	Heavy Duty Truck, Diesel	16	35	80	1.0664606	4.0320132	0.2052264	0.0150826	0.1982743	0.036	0.0125	0.1924519	0.009	0.0053	2178.421857	0.0454297	0.00
Subtotal																	

MOVES2010 Emission Factors, Dallas County

Paved Road Fugitive Dust
Assume silt loading for 10,000 ADT roadways = 0.03 g/m3

Assume k = 0.016 PM10

Assume 6 miles in addition for track-out for PM10

Emission Factors

PM10, LDT	9.81231E-05
PM10, MDT	0.008944829
PM10, HDT	0.017495628

Unpaved Road Fugitive Dust

For LDT assume 2 tons/vehicle, MDT assume 13 tons/vehicle, HDT assume 20 tons/vehicle

k = 1.5 for PM10, 0.15 for PM2.5

s = 8.5, a = 0.9, b = 0.45

Assume 61% control efficiency for watering 3x daily

Emission Factors

PM10, LDT	0.357378738
PM10, MDT	0.829735596
PM10, HDT	1.007230136
PM2.5, LDT	0.035737874
PM2.5, MDT	0.08297356
PM2.5, HDT	0.100723014

Assume 0.25 miles each way of unpaved road travel

Emissions, lbs/day												
CO	NO _x	VOCs	SO _x	PM10	PM2.5	Paved Road Fugitive Dust PM10	Paved Road Fugitive Dust PM2.5	Unpaved Road Fugitive Dust PM10	Unpaved Road Fugitive Dust PM2.5	CO2	CH4	N2O
1.00	3.73	0.19	0.01	0.22	0.19	6.02	1.26	1.01	0.10	1489.63	0.03	0.00
1.00	3.73	0.19	0.01	0.22	0.19	6.02	1.26	1.01	0.10	1489.63	0.03	0.00
1.00	3.73	0.19	0.01	0.22	0.19	6.02	1.26	1.01	0.10	1489.63	0.03	0.00
0.50	1.87	0.09	0.01	0.11	0.10	3.01	0.63	0.50	0.05	744.82	0.02	0.00
1.00	3.73	0.19	0.01	0.22	0.19	6.02	1.26	1.01	0.10	1489.63	0.03	0.00
0.44	1.65	0.08	0.01	0.10	0.08	3.01	0.63	0.50	0.05	768.49	0.02	0.00
2.65	9.91	0.51	0.03	0.59	0.50	18.06	3.79	3.02	0.30	4610.95	0.10	0.00
0.38	1.42	0.07	0.01	0.09	0.07	3.01	0.63	0.50	0.05	768.42	0.02	0.00
1.32	4.96	0.25	0.02	0.30	0.25	9.03	1.90	1.51	0.15	2305.48	0.05	0.00
0.75	2.84	0.14	0.01	0.17	0.15	6.02	1.26	1.01	0.10	1536.84	0.03	0.00
0.75	2.84	0.14	0.01	0.17	0.15	6.02	1.26	1.01	0.10	1536.84	0.03	0.00
0.75	2.84	0.14	0.01	0.17	0.15	6.02	1.26	1.01	0.10	1536.84	0.03	0.00
0.38	1.42	0.07	0.01	0.09	0.07	3.01	0.63	0.50	0.05	768.42	0.02	0.00
2.26	8.53	0.43	0.03	0.52	0.44	18.06	3.79	3.02	0.30	4610.52	0.10	0.00
0.35	1.30	0.07	0.01	0.08	0.06	3.01	0.63	0.50	0.05	768.45	0.02	0.00
1.13	4.27	0.22	0.02	0.26	0.22	9.03	1.90	1.51	0.15	2305.26	0.05	0.00
1.38	5.22	0.27	0.02	0.31	0.25	12.04	2.53	2.01	0.20	3073.81	0.07	0.00
0.62	2.34	0.12	0.01	0.14	0.11	6.02	1.26	1.01	0.10	1536.86	0.03	0.00
0.69	2.61	0.13	0.01	0.15	0.13	6.02	1.26	1.01	0.10	1536.91	0.03	0.00
0.38	1.42	0.07	0.01	0.09	0.07	3.01	0.63	0.50	0.05	768.42	0.02	0.00
3.01	11.38	0.58	0.04	0.70	0.58	24.07	5.06	4.03	0.40	6147.36	0.13	0.01

Construction Days/Total Deliveries	Total Emissions, tons												
	CO	NOx	VOCs	SOx	PM10	PM2.5	Paved Road Fugitive Dust PM10	Paved Road Fugitive Dust PM2.5	Unpaved Road Fugitive Dust PM10	Unpaved Road Fugitive Dust PM2.5	CO2	CH4	N2O
95	0.05	0.18	0.01	0.00	0.01	0.01	0.29	0.06	0.05	0.00	70.76	0.00	0.00
27	0.01	0.05	0.00	0.00	0.00	0.00	0.08	0.02	0.01	0.00	20.11	0.00	0.00
81	0.04	0.15	0.01	0.00	0.01	0.01	0.24	0.05	0.04	0.00	60.33	0.00	0.00
6	0.00	0.01	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	2.23	0.00	0.00
73	0.04	0.14	0.01	0.00	0.01	0.01	0.22	0.05	0.04	0.00	54.37	0.00	0.00
5	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	1.92	0.00	0.00
404	0.53	2.00	0.10	0.01	0.12	0.10	3.65	0.77	0.61	0.06	931.41	0.02	0.00
4	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	1.54	0.00	0.00
139	0.09	0.34	0.02	0.00	0.02	0.02	0.63	0.13	0.11	0.01	160.23	0.00	0.00
24	0.01	0.03	0.00	0.00	0.00	0.00	0.07	0.02	0.01	0.00	18.44	0.00	0.00
44	0.02	0.06	0.00	0.00	0.00	0.00	0.13	0.03	0.02	0.00	33.81	0.00	0.00
12	0.00	0.02	0.00	0.00	0.00	0.00	0.04	0.01	0.01	0.00	9.22	0.00	0.00
5	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	1.92	0.00	0.00
442	0.50	1.89	0.10	0.01	0.12	0.10	3.99	0.84	0.67	0.07	1018.92	0.02	0.00
4	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	1.54	0.00	0.00
272	0.15	0.58	0.03	0.00	0.04	0.03	1.23	0.26	0.21	0.02	313.52	0.01	0.00
178	0.12	0.46	0.02	0.00	0.03	0.02	1.07	0.22	0.18	0.02	273.57	0.01	0.00
24	0.01	0.03	0.00	0.00	0.00	0.00	0.07	0.02	0.01	0.00	18.44	0.00	0.00
11	0.00	0.01	0.00	0.00	0.00	0.00	0.03	0.01	0.01	0.00	8.45	0.00	0.00
12	0.00	0.01	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	4.61	0.00	0.00
400	0.60	2.28	0.12	0.01	0.14	0.12	4.81	1.01	0.81	0.08	1229.47	0.03	0.00
Total 2018	0.17	0.63	0.03	0.00	0.04	0.03	1.03	0.22	0.17	0.02	256.30	0.01	0.00
Total 2019	0.51	1.92	0.10	0.01	0.11	0.10	3.50	0.74	0.59	0.06	894.69	0.02	0.00
Total 2020	0.86	3.25	0.17	0.01	0.20	0.17	6.77	1.42	1.13	0.11	1727.90	0.04	0.00
Total 2021	0.61	2.31	0.12	0.01	0.14	0.12	4.96	1.04	0.83	0.08	1267.19	0.03	0.00
Total 2022	0.04	0.15	0.01	0.00	0.01	0.01	0.35	0.07	0.06	0.01	89.02	0.00	0.00

Table 10. Heavy Construction Equipment Emissions, River Relocation Middle

Equipment and Activity	FUEL	HP	Load Factor	Emission Factors										Emissions										Emission, tons (total)									
				ROG (lb/hr)	CO (lb/hr)	NOX (lb/hr)	SOX (lb/hr)	PM10 (lb/hr)	PM2.5 (lb/hr)	CO2 (lb/hr)	CH4 (lb/hr)	N2O (lb/hr)	No of Equipment	Hrs Per Day	Days in Service	ROG (lb/day)	CO (lb/day)	NOX (lb/day)	SOX (lb/day)	PM10 (lb/day)	PM2.5 (lb/day)	CO2 (lb/day)	CH4 (lb/day)	N2O (lb/day)	ROG tons (total)	CO tons (total)	NOX tons (total)	SOX tons (total)	PM10 tons (total)	PM2.5 tons (total)	CO2 tons (total)	CH4 tons (total)	N2O tons (total)
River Relocation Middle - Contract 4																																	
Utility Relocations - Storm Drain, Dallas Branch Outfall																																	
Dump Truck	DIESEL	381	0.57	0.1960	0.6949	1.4165	0.0027	0.0505	0.0449	272.3	0.0177	0.1346	4	8	118	6.27	19.04	45.33	0.09	1.62	1.44	8714.68	0.57	4.31	0.370	1.123	2.674	0.005	0.090	0.085	514	0.033	0.254
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	112.2	0.0095	0.0704	2	8	118	1.68	10.65	11.85	0.02	0.65	0.58	1795.55	0.15	1.13	0.099	0.628	0.699	0.001	0.038	0.034	106	0.009	0.060
Bulldozers	DIESEL	358	0.59	0.2932	1.2456	2.3951	0.0026	0.0985	0.0877	264.9	0.0265	0.2275	4	8	118	9.38	39.86	76.64	0.08	3.15	2.81	8475.92	0.85	7.28	0.553	2.352	4.522	0.005	0.096	0.166	500	0.050	0.430
Subtotal															17.33	69.54	133.82	0.19	5.42	4.82	18986.15	1.56	12.71	1.02	4.10	7.90	0.01	0.32	0.28	1120.18	0.09	0.75	
Utility Relocations - City owned Utility																																	
Dump Truck	DIESEL	381	0.57	0.1960	0.6949	1.4165	0.0027	0.0505	0.0449	272.3	0.0177	0.1346	4	8	106	6.27	19.04	45.33	0.09	1.62	1.44	8714.68	0.57	4.31	0.332	1.009	2.402	0.005	0.096	0.076	462	0.030	0.228
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	112.2	0.0095	0.0704	2	8	106	1.68	10.65	11.85	0.02	0.65	0.58	1795.55	0.15	1.13	0.098	0.644	0.629	0.001	0.034	0.031	95	0.008	0.060
Bulldozers	DIESEL	358	0.59	0.2932	1.2456	2.3951	0.0026	0.0985	0.0877	264.9	0.0265	0.2275	4	8	106	9.38	39.86	76.64	0.08	3.15	2.81	8475.92	0.85	7.28	0.497	2.113	4.062	0.004	0.097	0.149	449	0.045	0.386
Subtotal															17.33	69.54	133.82	0.19	5.42	4.82	18986.15	1.56	12.71	0.92	3.69	7.09	0.01	0.29	0.26	1006.27	0.08	0.67	
Utility Relocations - Franchised Owned Utility																																	
Dump Truck	DIESEL	381	0.57	0.1960	0.6949	1.4165	0.0027	0.0505	0.0449	272.3	0.0177	0.1346	4	8	104	6.27	19.04	45.33	0.09	1.62	1.44	8714.68	0.57	4.31	0.328	0.990	2.357	0.004	0.094	0.075	453	0.029	0.224
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	112.2	0.0095	0.0704	2	8	104	1.68	10.65	11.85	0.02	0.65	0.58	1795.55	0.15	1.13	0.087	0.644	0.615	0.001	0.034	0.030	93	0.008	0.059
Bulldozers	DIESEL	358	0.59	0.2932	1.2456	2.3951	0.0026	0.0985	0.0877	264.9	0.0265	0.2275	4	8	104	9.38	39.86	76.64	0.08	3.15	2.81	8475.92	0.85	7.28	0.488	2.073	3.983	0.004	0.164	0.146	441	0.044	0.379
Subtotal															17.33	69.54	133.82	0.19	5.42	4.82	18986.15	1.56	12.71	0.90	3.62	6.96	0.01	0.28	0.25	887.28	0.08	0.68	
Bridge Pier Modifications - Continental Street Bridge																																	
Equipment																																	
Crane	DIESEL	208	0.43	0.0925	0.2713	0.8284	0.0013	0.0286	0.0295	112.2	0.0093	0.0787	2	8	300	1.48	4.34	13.25	0.02	0.46	0.41	1794.54	0.13	1.26	0.222	0.651	1.988	0.003	0.069	0.061	269	0.020	0.189
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	112.2	0.0095	0.0704	2	8	300	1.68	10.65	11.85	0.02	0.65	0.58	1795.55	0.15	1.13	0.252	1.597	1.778	0.003	0.097	0.086	269	0.023	0.189
Bulldozers	DIESEL	358	0.59	0.2932	1.2456	2.3951	0.0026	0.0985	0.0877	264.9	0.0265	0.2275	4	8	300	9.38	39.86	76.64	0.08	3.15	2.81	8475.92	0.85	7.28	1.407	5.979	11.496	0.012	0.473	0.421	1271	0.127	1.052
Subtotal															12.54	54.85	101.75	0.12	4.26	3.79	12066.01	1.13	9.67	1.88	8.23	15.26	0.02	0.64	0.57	1809.90	0.17	1.45	
Bridge Pier Modifications - Commerce Street Bridge																																	
Equipment																																	
Crane	DIESEL	208	0.43	0.0925	0.2713	0.8284	0.0013	0.0286	0.0295	112.2	0.0093	0.0787	2	8	300	1.48	4.34	13.25	0.02	0.46	0.41	1794.54	0.13	1.26	0.222	0.651	1.988	0.003	0.069	0.061	269	0.020	0.189
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	112.2	0.0095	0.0704	2	8	300	1.68	10.65	11.85	0.02	0.65	0.58	1795.55	0.15	1.13	0.252	1.597	1.778	0.003	0.097	0.086	269	0.023	0.189
Bulldozers	DIESEL	358	0.59	0.2932	1.2456	2.3951	0.0026	0.0985	0.0877	264.9	0.0265	0.2275	4	8	300	9.38	39.86	76.64	0.08	3.15	2.81	8475.92	0.85	7.28	1.407	5.979	11.496	0.012	0.473	0.421	1271	0.127	1.052
Subtotal															12.54	54.85	101.75	0.12	4.26	3.79	12066.01	1.13	9.67	1.88	8.23	15.26	0.02	0.64	0.57	1809.90	0.17	1.45	
Channels - Sylvan Bridge to Inwood/Hampton																																	
Erosion/Sediment Control and Clearing																																	
Excavator	DIESEL	381	0.57	0.1960	0.6949	1.4165	0.0027	0.0505	0.0449	272.3	0.0177	0.1346	4	8	45	6.27	19.04	45.33	0.09	1.62	1.44	8714.68	0.57	4.31	0.141	0.428	1.020	0.002	0.036	0.032	186	0.013	0.091
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	112.2	0.0095	0.0704	2	8	45	1.68	10.65	11.85	0.02	0.65	0.58	1795.55	0.15	1.13	0.038	0.240	0.267	0.000	0.015	0.013	40	0.003	0.025
Bulldozers	DIESEL	358	0.59	0.2932	1.2456	2.3951	0.0026	0.0985	0.0877	264.9	0.0265	0.2275	4	8	45	9.38	39.86	76.64	0.08	3.15	2.81	8475.92	0.85	7.28	0.211	0.897	1.724	0.002	0.071	0.063	191	0.019	0.164
Subtotal															17.33	69.54	133.82	0.19	5.42	4.82	18986.15	1.56	12.71	0.39	1.56	3.01	0.00	0.12	0.11	427.19	0.04	0.29	
Downstream Tie In																																	
Drudge																																	
Dump Truck	DIESEL	381	0.57	0.1960	0.6949	1.4165	0.0027	0.0505	0.0449	272.3	0.0177	0.1346	4	8	5	18.37	62.13	211.22	0.19	6.42	5.72	0.00	0.00	0.00	0.046	0.155	0.528	0.000	0.016	0.014	0	0.000	0.000
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	112.2	0.0095	0.0704	2	8	5	3.14	9.53	22.66	0.04	0.81	0.72	4357.34	0.28	2.15	0.008	0.024	0.067	0.000	0.003	0.003	11	0.001	0.001
Bulldozers	DIESEL	358	0.59	0.2932	1.2456	2.3951	0.0026	0.0985	0.0877	264.9	0.0265	0.2275	2	8	5	4.69	19.93	38.32	0.04	1.58	1.40	4237.96	0.42	3.64	0.012	0.050	0.096	0.000	0.004	0.004	11	0.001	0.001
Subtotal															27.04	96.90	278.13	0.29	9.13	8.13	9493.06	0.76	6.36	0.07	0.24	0.70	0.00	0.02	0.02	23.73	0.00	0.02	
Excavate New Channel																																	
Drudge																																	
Dump Truck	DIESEL	381	0.57	0.1960	0.6949	1.4165	0.0027	0.0505	0.0449	272.3	0.0177	0.1346	4	8	450	110.24	372.80	1287.30	1.16	38.53	34.26	0.00	0.00	0.00	24.804	83.880	285.143	0.281	8.699	7.716	0	0.000	0.000
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	112.2	0.0095	0.0704	2	8	450	19.81	57.11	135.36	0.26	4.85	4.31	2814.65	1.70	12.92	0.252	12.850	25.556	0.068	1.051	0.971	5862	0.382	2.907
Bulldozers	DIESEL	358	0.59	0.2932	1.2456	2.3951	0.0026	0.0985	0.0877	264.9	0.0265	0.2275	6	8	450	5.05	31.94	55.96	0.06	3.14	1.73	5386.64	0.46	3.38	1.136	7.186	8.001	0.014	0.437	0.389	1212	0.102	0.760
Subtotal															162.24	581.43	1688.77	1.73	54.78	48.75	9599.45	4.69	38.14	0.36	13.92	37.547	0.39	12.33	10.97	12815.65	1.86	8.518	
Upstream Tie In																																	
Drudge																																	
Dump Truck	DIESEL	381	0.57	0.1960	0.6949	1.4165	0.0027	0.0505	0.0449	272.3	0.0177	0.1346	4	8	4	18.37	62.13	211.22	0.19	6.42	5.72	0.00	0.00	0.00	0.037	0.124	0.422	0.000	0.013	0.011	0	0.000	0.000
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405</																									

Excavate New Channel																																		
Dredge	DIESEL			2.2967	7.7667	26.4021	0.0242	0.8027	0.7144																									
Dump Truck	DIESEL	381	0.57	0.1960	0.5949	1.4165	0.0027	0.0505	0.0449	272.3	0.0177	0.1346	12	8	364	110.24	372.80	1267.30	1.16	38.53	34.28	0.00	0.00	20.064	67.855	236.649	0.211	7.012	6.241	0	0.000	0.000		
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	112.2	0.0095	0.0704	6	8	364	5.05	31.94	35.66	0.06	1.94	1.73	5386.64	0.46	3.38	0.919	5.812	6.472	0.011	0.354	0.315	980	0.083	0.619	
Bulldozers	DIESEL	358	0.59	0.2932	1.2456	2.3951	0.0026	0.0985	0.0877	264.9	0.0265	0.2275	12	8	364	28.14	119.58	229.93	0.25	3.46	8.42	25427.77	2.54	21.84	5.122	21.764	41.847	0.045	1.721	1.532	4628	0.462	3.975	
Subtotal																162.24	591.43	1668.17	1.73	54.78	48.75	5955.45	4.68	38.14	29.53	165.62	303.72	0.31	9.97	8.87	10366.44	0.85	6.84	
Upstream Tie In																																		
Dredge	DIESEL			2.2967	7.7667	26.4021	0.0242	0.8027	0.7144																									
Dump Truck	DIESEL	381	0.57	0.1960	0.5949	1.4165	0.0027	0.0505	0.0449	272.3	0.0177	0.1346	2	8	4	3.14	9.52	22.66	0.04	0.81	0.72	4357.34	0.28	2.15	0.006	0.019	0.945	0.000	0.002	0.001	9	0.001	0.004	
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	112.2	0.0095	0.0704	2	8	4	0.84	5.32	5.93	0.01	0.32	0.29	897.77	0.08	0.56	0.002	0.011	0.012	0.000	0.001	0.001	2	0.000	0.001	
Bulldozers	DIESEL	358	0.59	0.2932	1.2456	2.3951	0.0026	0.0985	0.0877	264.9	0.0265	0.2275	2	8	4	4.69	19.93	38.32	0.48	1.58	1.40	4237.64	0.42	3.64	0.008	0.040	0.077	0.000	0.003	0.003	3	0.001	0.007	
Subtotal																27.04	96.90	278.13	0.29	9.13	8.13	9493.08	0.78	6.36	0.09	0.19	0.56	0.00	0.02	0.02	18.99	0.00	0.01	
Storm Drain Crossing and Extension																																		
Dump Truck	DIESEL	381	0.57	0.1960	0.5949	1.4165	0.0027	0.0505	0.0449	272.3	0.0177	0.1346	4	8	52	6.27	19.04	45.33	0.08	1.62	1.44	8714.68	0.57	4.31	0.163	0.495	1.178	0.002	0.042	0.037	227	0.015	0.112	
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	112.2	0.0095	0.0704	2	8	52	1.68	10.65	11.85	0.02	0.65	0.58	1795.55	0.15	1.13	0.044	0.277	0.308	0.001	0.017	0.015	47	0.004	0.020	
Bulldozers	DIESEL	358	0.59	0.2932	1.2456	2.3951	0.0026	0.0985	0.0877	264.9	0.0265	0.2275	4	8	52	9.38	39.86	76.64	0.08	3.15	2.81	8475.92	0.85	7.28	0.244	1.036	1.993	0.002	0.082	0.073	220	0.022	0.189	
Subtotal																17.33	69.54	133.82	0.19	5.42	4.82	18986.15	1.56	12.71	0.45	1.81	3.48	0.06	0.14	0.13	493.64	0.94	0.35	
Backfill Existing Channel																																		
Dump Truck	DIESEL	381	0.57	0.1960	0.5949	1.4165	0.0027	0.0505	0.0449	272.3	0.0177	0.1346	6	8	193	9.41	28.56	67.98	0.13	2.42	2.16	13072.03	0.85	6.46	0.308	2.756	6.561	0.012	0.234	0.208	1261	0.082	0.620	
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	112.2	0.0095	0.0704	3	8	193	2.52	15.97	17.78	0.03	0.97	0.86	2653.32	0.23	1.69	0.244	1.541	1.716	0.003	0.094	0.083	280	0.022	0.163	
Bulldozers	DIESEL	358	0.59	0.2932	1.2456	2.3951	0.0026	0.0985	0.0877	264.9	0.0265	0.2275	6	8	193	14.07	59.79	114.96	0.12	4.73	4.21	12713.88	1.27	10.92	1.358	5.770	11.094	0.012	0.456	0.406	1227	0.123	1.054	
Subtotal																26.00	104.31	200.73	0.28	8.12	7.23	28479.23	2.35	19.07	0.93	3.76	10.07	0.03	0.78	0.70	2748.25	0.23	1.84	
Reshape Existing Channel																																		
Dredge	DIESEL			2.2967	7.7667	26.4021	0.0242	0.8027	0.7144																									
Dump Truck	DIESEL	381	0.57	0.1960	0.5949	1.4165	0.0027	0.0505	0.0449	272.3	0.0177	0.1346	8	8	36	73.49	245.53	844.87	0.77	25.69	22.86	0.00	0.00	0.00	1.323	4.474	15.208	0.014	0.462	0.411	0	0.000	0.000	
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	112.2	0.0095	0.0704	4	8	36	3.37	21.29	23.71	0.04	1.30	1.15	3591.09	0.30	2.25	0.061	0.363	0.427	0.001	0.023	0.021	65	0.005	0.041	
Bulldozers	DIESEL	358	0.59	0.2932	1.2456	2.3951	0.0026	0.0985	0.0877	264.9	0.0265	0.2275	8	8	36	18.76	79.72	153.28	0.17	6.31	5.61	16951.84	1.69	14.56	0.338	1.435	2.759	0.003	0.113	0.101	305	0.030	0.262	
Subtotal																108.16	387.62	1112.91	1.18	36.52	32.50	37972.30	3.13	25.43	1.95	6.96	20.03	0.02	0.66	0.59	663.50	0.96	0.46	
River Bank and Outfall Treatments																																		
Dump Truck	DIESEL	381	0.57	0.1960	0.5949	1.4165	0.0027	0.0505	0.0449	272.3	0.0177	0.1346	4	8	24	6.27	19.04	45.33	0.09	1.62	1.44	8714.68	0.57	4.31	0.075	0.228	0.544	0.001	0.019	0.017	105	0.007	0.052	
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	112.2	0.0095	0.0704	2	8	24	1.88	10.65	11.85	0.02	0.65	0.58	1795.55	0.15	1.13	0.020	0.128	0.142	0.000	0.008	0.007	22	0.002	0.016	
Bulldozers	DIESEL	358	0.59	0.2932	1.2456	2.3951	0.0026	0.0985	0.0877	264.9	0.0265	0.2275	4	8	24	9.38	39.86	76.64	0.08	3.15	2.81	8475.92	0.85	7.28	0.113	0.478	0.920	0.001	0.038	0.034	102	0.010	0.087	
Subtotal																17.33	69.54	133.82	0.19	5.42	4.82	18986.15	1.56	12.71	0.21	0.83	1.61	0.00	0.06	0.06	227.83	0.02	0.15	
Riprap and Toe																																		
Dump Truck	DIESEL	381	0.57	0.1960	0.5949	1.4165	0.0027	0.0505	0.0449	272.3	0.0177	0.1346	4	8	41	6.27	19.04	45.33	0.08	1.62	1.44	8714.68	0.57	4.31	0.129	0.390	0.929	0.002	0.033	0.029	179	0.012	0.088	
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	112.2	0.0095	0.0704	2	8	41	1.88	10.65	11.85	0.02	0.65	0.58	1795.55	0.15	1.13	0.034	0.216	0.243	0.000	0.013	0.012	37	0.003	0.023	
Bulldozers	DIESEL	358	0.59	0.2932	1.2456	2.3951	0.0026	0.0985	0.0877	264.9	0.0265	0.2275	4	8	41	9.38	39.86	76.64	0.08	3.15	2.81	8475.92	0.85	7.28	0.152	0.817	1.571	0.002	0.060	0.058	174	0.017	0.148	
Subtotal																17.33	69.54	133.82	0.19	5.42	4.82	18986.15	1.56	12.71	0.36	1.43	2.74	0.00	0.11	0.10	389.22	0.03	0.26	
River Terraces																																		
Equipment																																		
Dredge	DIESEL			2.2967	7.7667	26.4021	0.0242	0.8027	0.7144																									
Dump Truck	DIESEL	381	0.57	0.1960	0.5949	1.4165	0.0027	0.0505	0.0449	272.3	0.0177	0.1346	1	8	12	18.37	62.13	211.22	0.19	6.42	5.72	0.00	0.00	0.00	0.110	0.373	1.267	0.001	0.039	0.034	0	0.000	0.000	
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	112.2	0.0095	0.0704	1	8	12	3.14	9.52	22.66	0.04	0.81	0.72	4357.34	0.28	2.15	0.019	0.057	0.136	0.000	0.005	0.004	26	0.003	0.010	
Bulldozers	DIESEL	358	0.59	0.2932	1.2456	2.3951	0.0026	0.0985	0.0877	264.9	0.0265	0.2275	2	8	12	4.69	19.93	38.32	0.48	1.58	1.40	4237.64	0.42	3.64	0.008	0.120	0.230	0.000	0.009	0.008	25</			

Table 11. Worker Vehicle Emissions, River Relocation Middle

Construction Phase	Vehicle Class	No. of Daily Workers Per phase	Speed (mph)	VMT (mi/vehicle day)	CO	NO _x	ROG					SO _x	PM10			PM2.5			CO2	CH4	N2O
					Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Hot-Soak (g/trip)	Resting Loss (g/hr)	Running Evaporati ve (g/mi)	Diurnal Evaporati ve (g/hr)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Tire Wear (g/mi)	Brake Wear (g/mi)	Running Exhaust (g/mi)	Tire Wear (g/mi)	Brake Wear (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)
Utility Relocations - Storm Drain, Dallas Branch Outfall	Light-Duty Truck, catalyst	20	35	80	2.824266	0.389368	0.103185	0.054	0.024	0.062	0.012	0.005209	0.011827	0.008	0.0125	0.010892	0.002	0.0053	420.8597	0.003946	0.00
Utility Relocations - City owned Utility	Light-Duty Truck, catalyst	20	35	80	2.824266	0.389368	0.103185	0.054	0.024	0.062	0.012	0.005209	0.011827	0.008	0.0125	0.010892	0.002	0.0053	420.8597	0.003946	0.00
Utility Relocations - Franchised Owned Utility	Light-Duty Truck, catalyst	20	35	80	2.824266	0.389368	0.103185	0.054	0.024	0.062	0.012	0.005209	0.011827	0.008	0.0125	0.010892	0.002	0.0053	420.8597	0.003946	0.00
Bridge Pier Modifications - Continental Street Bridge	Light-Duty Truck, catalyst	20	35	80	2.750149	0.367153	0.09862	0.046	0.017	0.061	0.01	0.005128	0.011742	0.008	0.0125	0.010819	0.002	0.0053	414.4503	0.003872	0.00
Bridge Pier Modifications - Commerce Street Bridge	Light-Duty Truck, catalyst	20	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00
Channels - Sylvan Bridge to Inwood/Hampton																					
Erosion/Sediment Control and Clearing	Light-Duty Truck, catalyst	20	35	80	2.750149	0.367153	0.09862	0.046	0.017	0.061	0.01	0.005128	0.011742	0.008	0.0125	0.010819	0.002	0.0053	414.4503	0.003872	0.00
Downstream Tie In	Light-Duty Truck, catalyst	10	35	80	2.750149	0.367153	0.09862	0.046	0.017	0.061	0.01	0.005128	0.011742	0.008	0.0125	0.010819	0.002	0.0053	414.4503	0.003872	0.00
Excavate New Channel	Light-Duty Truck, catalyst	60	35	80	2.750149	0.367153	0.09862	0.046	0.017	0.061	0.01	0.005128	0.011742	0.008	0.0125	0.010819	0.002	0.0053	414.4503	0.003872	0.00
Upstream Tie In	Light-Duty Truck, catalyst	10	35	80	2.678204	0.347289	0.094284	0.044	0.015	0.06	0.01	0.005057	0.011646	0.008	0.0125	0.010722	0.002	0.0053	408.5823	0.00375	0.00
Backfill Existing Channel	Light-Duty Truck, catalyst	30	35	80	2.750149	0.367153	0.09862	0.046	0.017	0.061	0.01	0.005128	0.011742	0.008	0.0125	0.010819	0.002	0.0053	414.4503	0.003872	0.00
Rechape Existing Channel	Light-Duty Truck, catalyst	40	35	80	2.678204	0.347289	0.094284	0.044	0.015	0.06	0.01	0.005057	0.011646	0.008	0.0125	0.010722	0.002	0.0053	408.5823	0.00375	0.00
River Bank and Outfall Treatments	Light-Duty Truck, catalyst	20	35	80	2.678204	0.347289	0.094284	0.044	0.015	0.06	0.01	0.005057	0.011646	0.008	0.0125	0.010722	0.002	0.0053	408.5823	0.00375	0.00
Riprap and Toe	Light-Duty Truck, catalyst	20	35	80	2.678204	0.347289	0.094284	0.044	0.015	0.06	0.01	0.005057	0.011646	0.008	0.0125	0.010722	0.002	0.0053	408.5823	0.00375	0.00
Channels - Commerce Bridge to Sulvan Bridge																					
Erosion/Sediment Control and Clearing	Light-Duty Truck, catalyst	20	35	80	2.678204	0.347289	0.094284	0.044	0.015	0.06	0.01	0.005057	0.011646	0.008	0.0125	0.010722	0.002	0.0053	408.5823	0.00375	0.00
Downstream Tie In	Light-Duty Truck, catalyst	10	35	80	2.678204	0.347289	0.094284	0.044	0.015	0.06	0.01	0.005057	0.011646	0.008	0.0125	0.010722	0.002	0.0053	408.5823	0.00375	0.00
Excavate New Channel	Light-Duty Truck, catalyst	60	35	80	2.678204	0.347289	0.094284	0.044	0.015	0.06	0.01	0.005057	0.011646	0.008	0.0125	0.010722	0.002	0.0053	408.5823	0.00375	0.00
Upstream Tie In	Light-Duty Truck, catalyst	10	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00
Storm Drain Crossing and Extension	Light-Duty Truck, catalyst	20	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00
Backfill Existing Channel	Light-Duty Truck, catalyst	30	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00
Reshape Existing Channel	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00
River Bank and Outfall Treatments	Light-Duty Truck, catalyst	20	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00
Riprap and Toe	Light-Duty Truck, catalyst	20	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00
River Terraces	Light-Duty Truck, catalyst	3	35	80	2.818514	0.402178	0.106177	0.061	0.03	0.063	0.016	0.005297	0.011969	0.008	0.0125	0.011032	0.002	0.0053	427.9689	0.00391	0.00
Slurry Cutoff Wall	Light-Duty Truck, catalyst	40	35	80	2.750149	0.367153	0.09862	0.046	0.017	0.061	0.01	0.005128	0.011742	0.008	0.0125	0.010819	0.002	0.0053	414.4503	0.003872	0.00

Assume startup after 8 hours
 Assume 45 minutes run time total
 Assume 10 workers per crew

Paved Road Fugitive Dust
 Assume silt loading for 10,000 ADT roadways = 0.03 g/m3

Assume k = 0.016 PM10
 Assume 6 miles in addition for track-out for PM10
 Emission Factors
 PM10, LDT 9.81231E-05
 PM10, MDT 0.008944829
 PM10, HDT 0.017495628

Unpaved Road Fugitive Dust
 For LDT assume 2 tons/vehicle, MDT assume 13 tons/vehicle, HDT assume 20 tons/vehicle

k = 1.5 for PM10, 0.15 for PM2.5
 s = 8.5, a = 0.9, b = 0.45
 Assume 61% control efficiency for watering 3x daily
 Emission Factors
 PM10, LDT 0.35737838
 PM10, MDT 0.829735596
 PM10, HDT 1.007230136
 PM2.5, LDT 0.035737874
 PM2.5, MDT 0.08297356
 PM2.5, HDT 0.100723014

Assume 0.25 miles each way of unpaved road travel

Utility Relocations - Storm Drain, Dallas Branch Outfall
 Utility Relocations - City owned Utility
 Utility Relocations - Franchised Owned Utility
 Bridge Pier Modifications - Continental Street Bridge
 Bridge Pier Modifications - Commerce Street Bridge
 Channels - Sylvan Bridge to Inwood/Hampton
 Erosion/Sediment Control and Clearing
 Downstream Tie In
 Excavate New Channel
 Upstream Tie In
 Backfill Existing Channel
 Reshape Existing Channel
 River Bank and Outfall Treatments
 Riprap and Toe
 Channels - Commerce Bridge to Sulvan Bridge
 Erosion/Sediment Control and Clearing
 Downstream Tie In
 Excavate New Channel
 Upstream Tie In
 Storm Drain Crossing and Extension
 Backfill Existing Channel
 Reshape Existing Channel
 River Bank and Outfall Treatments
 Riprap and Toe
 River Terraces
 Slurry Cutoff Wall

Emissions, lbs/day										
CO	NOx	VOCs	SOx	PM10	PM2.5	Paved Road Fugitive Dust PM10	Paved Road Fugitive Dust PM2.5	CO2	CH4	N2O
9.96	1.37	0.51	0.02	0.11	0.06	0.17	0.04	1484.55	0.01	0.01
9.96	1.37	0.51	0.02	0.11	0.06	0.17	0.04	1484.55	0.01	0.01
9.96	1.37	0.51	0.02	0.11	0.06	0.17	0.04	1484.55	0.01	0.01
9.70	1.30	0.49	0.02	0.11	0.06	0.17	0.04	1461.94	0.01	0.01
9.19	1.16	0.45	0.02	0.11	0.06	0.17	0.04	1422.33	0.01	0.01
9.70	1.30	0.49	0.02	0.11	0.06	0.17	0.04	1461.94	0.01	0.01
4.85	0.65	0.24	0.01	0.06	0.03	0.08	0.02	730.97	0.01	0.00
29.10	3.89	1.46	0.05	0.34	0.19	0.51	0.11	4385.81	0.04	0.03
4.72	0.61	0.23	0.01	0.06	0.03	0.08	0.02	720.62	0.01	0.00
14.55	1.94	0.73	0.03	0.17	0.10	0.25	0.05	2192.91	0.02	0.01
18.89	2.45	0.93	0.04	0.23	0.13	0.34	0.07	2882.48	0.03	0.02
9.45	1.23	0.47	0.02	0.11	0.06	0.17	0.04	1441.24	0.01	0.01
9.45	1.23	0.47	0.02	0.11	0.06	0.17	0.04	1441.24	0.01	0.01
9.45	1.23	0.47	0.02	0.11	0.06	0.17	0.04	1441.24	0.01	0.01
4.72	0.61	0.23	0.01	0.06	0.03	0.08	0.02	720.62	0.01	0.00
28.34	3.68	1.40	0.05	0.34	0.19	0.51	0.11	4323.72	0.04	0.02
4.59	0.58	0.23	0.01	0.06	0.03	0.08	0.02	711.17	0.01	0.00
9.19	1.16	0.45	0.02	0.11	0.06	0.17	0.04	1422.33	0.01	0.01
13.78	1.74	0.68	0.03	0.17	0.09	0.25	0.05	2133.50	0.02	0.01
18.37	2.32	0.90	0.04	0.23	0.13	0.34	0.07	2844.67	0.03	0.01
9.19	1.16	0.45	0.02	0.11	0.06	0.17	0.04	1422.33	0.01	0.01
9.19	1.16	0.45	0.02	0.11	0.06	0.17	0.04	1422.33	0.01	0.01
1.49	0.21	0.08	0.00	0.02	0.01	0.03	0.01	226.44	0.00	0.00
19.40	2.59	0.97	0.04	0.23	0.13	0.34	0.07	2923.88	0.03	0.02

Total Emissions, tons											
Constructi on Days	CO	NOx	VOCs	SOx	PM10	PM2.5	Paved Road Fugitive Dust PM10	Paved Road Fugitive Dust PM2.5	CO2	CH4	N2O
118	0.59	0.08	0.03000	1.08E-03	0.00673	0.00379	0.00996	0.00209	88	0.00082	0.00057
106	0.53	0.07	0.02695	9.74E-04	0.00604	0.00340	0.00894	0.00188	79	0.00074	0.00051
104	0.52	0.07	0.02644	9.56E-04	0.00593	0.00334	0.00878	0.00184	77	0.00072	0.00050
300	1.46	0.19	0.07278	2.71E-03	0.01706	0.00959	0.02532	0.00532	219	0.00205	0.00132
300	1.38	0.17	0.06786	2.64E-03	0.01694	0.00948	0.02532	0.00532	213	0.00189	0.00112
45	0.22	0.03	0.01092	4.07E-04	0.00256	0.00144	0.00380	0.00080	33	0.00031	0.00020
5	0.01	0.00	0.00061	2.26E-05	0.00014	0.00008	0.00021	0.00004	2	0.00002	0.00001
450	6.55	0.87	0.32752	1.22E-02	0.07677	0.04314	0.11392	0.02392	987	0.00922	0.00596
4	0.01	0.00	0.00047	1.78E-05	0.00011	0.00006	0.00017	0.00004	1	0.00001	0.00001
336	2.44	0.33	0.12228	4.56E-03	0.02866	0.01611	0.04253	0.00893	368	0.00344	0.00223
49	0.46	0.06	0.02287	8.74E-04	0.00556	0.00312	0.00827	0.00174	71	0.00065	0.00040
24	0.11	0.01	0.00560	2.14E-04	0.00136	0.00076	0.00203	0.00043	17	0.00016	0.00010
65	0.31	0.04	0.01517	5.80E-04	0.00369	0.00207	0.00549	0.00115	47	0.00043	0.00026
38	0.18	0.02	0.00887	3.39E-04	0.00215	0.00121	0.00321	0.00067	27	0.00025	0.00015
5	0.01	0.00	0.00058	2.23E-05	0.00014	0.00008	0.00021	0.00004	2	0.00002	0.00001
364	5.16	0.67	0.25487	9.74E-03	0.06191	0.03471	0.09215	0.01935	787	0.00722	0.00442
4	0.01	0.00	0.00045	1.76E-05	0.00011	0.00006	0.00017	0.00004	1	0.00001	0.00001
52	0.24	0.03	0.01176	4.58E-04	0.00294	0.00164	0.00439	0.00092	37	0.00033	0.00019
193	1.33	0.17	0.06548	2.55E-03	0.01635	0.00915	0.02443	0.00513	206	0.00183	0.00108
36	0.33	0.04	0.01629	6.34E-04	0.00407	0.00227	0.00608	0.00128	51	0.00045	0.00027
24	0.11	0.01	0.00543	2.11E-04	0.00136	0.00076	0.00203	0.00043	17	0.00015	0.00009
41	0.19	0.02	0.00927	3.61E-04	0.00232	0.00130	0.00346	0.00073	29	0.00026	0.00015
12	0.01	0.00	0.00047	1.68E-05	0.00010	0.00006	0.00015	0.00003	1	0.00001	0.00001
387	3.75	0.50	0.18778	7.00E-03	0.04401	0.02473	0.06531	0.01372	566	0.00529	0.00342
Total 2021	1.12	0.15	0.06	0.00	0.01	0.01	0.02	0.00	167.11	0.00	0.00
Total 2022	8.87	1.19	0.44	0.02	0.10	0.06	0.15	0.03	1335.13	0.01	0.01
Total 2023	8.07	1.07	0.40	0.02	0.10	0.05	0.14	0.03	1219.99	0.01	0.01
Total 2024	7.22	0.93	0.36	0.01	0.09	0.05	0.13	0.03	1108.71	0.01	0.01
Total 2025	1.45	0.18	0.07	0.00	0.02	0.01	0.03	0.01	224.26	0.00	0.00

Table 12. Construction Truck Emissions, River Relocation Middle

Construction Phase	Vehicle Class	Peak No. of Trucks per day	Speed (mph)	VMT (mi/vehicle-day)	CO	NO _x	ROG	SOx	PM10			PM2.5			CO2	CH4	N2O
					Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Tire Wear (g/mi)	Brake Wear (g/mi)	Running Exhaust (g/mi)	Tire Wear (g/mi)	Brake Wear (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)
Utility Relocations - Storm Drain, Dallas Branch Outfall	Heavy Duty Truck, Diesel	4	35	80	1.4206569	5.2923534	0.2691111	0.0148057	0.2676938	0.036	0.0125	0.2597654	0.009	0.0053	2111.504704	0.0449043	0.00
Utility Relocations - City owned Utility	Heavy Duty Truck, Diesel	4	35	80	1.4206569	5.2923534	0.2691111	0.0148057	0.2676938	0.036	0.0125	0.2597654	0.009	0.0053	2111.504704	0.0449043	0.00
Utility Relocations - Franchised Owned Utility	Heavy Duty Truck, Diesel	4	35	80	1.4206569	5.2923534	0.2691111	0.0148057	0.2676938	0.036	0.0125	0.2597654	0.009	0.0053	2111.504704	0.0449043	0.00
Bridge Pier Modifications - Continental Street Bridge	Heavy Duty Truck, Diesel	2	35	80	1.4206569	5.2923534	0.2691111	0.0148057	0.2676938	0.036	0.0125	0.2597654	0.009	0.0053	2111.504704	0.0449043	0.00
Bridge Pier Modifications - Commerce Street Bridge	Heavy Duty Truck, Diesel	2	35	80	1.4206569	5.2923534	0.2691111	0.0148057	0.2676938	0.036	0.0125	0.2597654	0.009	0.0053	2111.504704	0.0449043	0.00
Channels - Sylvan Bridge to Inwood/Hampton																	
Erosion/Sediment Control and Clearing	Heavy Duty Truck, Diesel	4	35	80	1.4206569	5.2923534	0.2691111	0.0148057	0.2676938	0.036	0.0125	0.2597654	0.009	0.0053	2111.504704	0.0449043	0.00
Downstream Tie In	Heavy Duty Truck, Diesel	2	35	80	1.2512529	4.6837296	0.2388455	0.0151788	0.2306205	0.036	0.0125	0.2238325	0.009	0.0053	2178.62608	0.0461638	0.00
Excavate New Channel	Heavy Duty Truck, Diesel	12	35	80	1.2512529	4.6837296	0.2388455	0.0151788	0.2306205	0.036	0.0125	0.2238325	0.009	0.0053	2178.62608	0.0461638	0.00
Upstream Tie In	Heavy Duty Truck, Diesel	2	35	80	1.0664606	4.0320132	0.2052264	0.0150826	0.1982743	0.036	0.0125	0.1924519	0.009	0.0053	2178.421857	0.0454297	0.00
Backfill Existing Channel	Heavy Duty Truck, Diesel	6	35	80	1.2512529	4.6837296	0.2388455	0.0151788	0.2306205	0.036	0.0125	0.2238325	0.009	0.0053	2178.62608	0.0461638	0.00
Reshape Existing Channel	Heavy Duty Truck, Diesel	6	35	80	1.2512529	4.6837296	0.2388455	0.0151788	0.2306205	0.036	0.0125	0.2238325	0.009	0.0053	2178.62608	0.0461638	0.00
River Bank and Outfall Treatments	Heavy Duty Truck, Diesel	4	35	80	1.0664606	4.0320132	0.2052264	0.0150826	0.1982743	0.036	0.0125	0.1924519	0.009	0.0053	2178.421857	0.0454297	0.00
Riprap and Toe	Heavy Duty Truck, Diesel	4	35	80	1.0664606	4.0320132	0.2052264	0.0150826	0.1982743	0.036	0.0125	0.1924519	0.009	0.0053	2178.421857	0.0454297	0.00
Channels - Commerce Bridge to Sulvan Bridge																	
Erosion/Sediment Control and Clearing	Heavy Duty Truck, Diesel	4	35	80	1.0664606	4.0320132	0.2052264	0.0150826	0.1982743	0.036	0.0125	0.1924519	0.009	0.0053	2178.421857	0.0454297	0.00
Downstream Tie In	Heavy Duty Truck, Diesel	2	35	80	1.0664606	4.0320132	0.2052264	0.0150826	0.1982743	0.036	0.0125	0.1924519	0.009	0.0053	2178.421857	0.0454297	0.00
Excavate New Channel	Heavy Duty Truck, Diesel	12	35	80	1.0664606	4.0320132	0.2052264	0.0150826	0.1982743	0.036	0.0125	0.1924519	0.009	0.0053	2178.421857	0.0454297	0.00
Upstream Tie In	Heavy Duty Truck, Diesel	2	35	80	0.9787303	3.6993065	0.1882928	0.0150375	0.1703331	0.036	0.0125	0.1652896	0.009	0.0053	2178.517895	0.0481179	0.00
Storm Drain Crossing and Extension	Heavy Duty Truck, Diesel	2	35	80	0.9787303	3.6993065	0.1882928	0.0150375	0.1703331	0.036	0.0125	0.1652896	0.009	0.0053	2178.517895	0.0481179	0.00
Backfill Existing Channel	Heavy Duty Truck, Diesel	6	35	80	1.0664606	4.0320132	0.2052264	0.0150826	0.1982743	0.036	0.0125	0.1924519	0.009	0.0053	2178.421857	0.0454297	0.00
Reshape Existing Channel	Heavy Duty Truck, Diesel	8	35	80	0.9787303	3.6993065	0.1882928	0.0150375	0.1703331	0.036	0.0125	0.1652896	0.009	0.0053	2178.517895	0.0481179	0.00
River Bank and Outfall Treatments	Heavy Duty Truck, Diesel	4	35	80	0.8718074	3.3167243	0.168176	0.014974	0.1467441	0.036	0.0125	0.1421508	0.009	0.0053	2178.446793	0.0488703	0.00
Riprap and Toe	Heavy Duty Truck, Diesel	4	35	80	0.9787303	3.6993065	0.1882928	0.0150375	0.1703331	0.036	0.0125	0.1652896	0.009	0.0053	2178.517895	0.0481179	0.00
River Terraces	Heavy Duty Truck, Diesel	2	35	80	1.0664606	4.0320132	0.2052264	0.0150826	0.1982743	0.036	0.0125	0.1924519	0.009	0.0053	2178.421857	0.0454297	0.00
Slurry Cutoff Wall	Heavy Duty Truck, Diesel	16	35	80	1.0664606	4.0320132	0.2052264	0.0150826	0.1982743	0.036	0.0125	0.1924519	0.009	0.0053	2178.421857	0.0454297	0.00
Subtotal																	

MOVES2010 Emission Factors, Dallas County

Paved Road Fugitive Dust
 Assume silt loading for 10,000 ADT roadways = 0.03 g/m³

Assume k = 0.016 PM10
 Assume 6 miles in addition for track-out for PM10

Emission Factors	
PM10, LDT	9.81231E-05
PM10, MDT	0.008944829
PM10, HDT	0.017495628

Unpaved Road Fugitive Dust
 For LDT assume 2 tons/vehicle, MDT assume 13 tons/vehicle, HDT assume 20 tons/vehicle

k = 1.5 for PM10, 0.15 for PM2.5
 s = 8.5, a = 0.9, b = 0.45
 Assume 61% control efficiency for watering 3x daily

Emission Factors	
PM10, LDT	0.357378738
PM10, MDT	0.829735596
PM10, HDT	1.007230136
PM2.5, LDT	0.035737874
PM2.5, MDT	0.08297356
PM2.5, HDT	0.100723014

Assume 0.25 miles each way of unpaved road travel

Emissions, lbs/day												
CO	NOx	VOCs	SOx	PM10	PM2.5	Paved Road Fugitive Dust PM10	Paved Road Fugitive Dust PM2.5	Unpaved Road Fugitive Dust PM10	Unpaved Road Fugitive Dust PM2.5	CO2	CH4	N2O
1.00	3.73	0.19	0.01	0.22	0.19	6.02	1.26	1.01	0.10	1489.63	0.03	0.00
1.00	3.73	0.19	0.01	0.22	0.19	6.02	1.26	1.01	0.10	1489.63	0.03	0.00
1.00	3.73	0.19	0.01	0.22	0.19	6.02	1.26	1.01	0.10	1489.63	0.03	0.00
0.50	1.87	0.09	0.01	0.11	0.10	3.01	0.63	0.50	0.05	744.82	0.02	0.00
0.50	1.87	0.09	0.01	0.11	0.10	3.01	0.63	0.50	0.05	744.82	0.02	0.00
1.00	3.73	0.19	0.01	0.22	0.19	6.02	1.26	1.01	0.10	1489.63	0.03	0.00
0.44	1.65	0.08	0.01	0.10	0.08	3.01	0.63	0.50	0.05	768.49	0.02	0.00
2.65	9.91	0.51	0.03	0.59	0.50	18.06	3.79	3.02	0.30	4610.95	0.10	0.00
0.38	1.42	0.07	0.01	0.09	0.07	3.01	0.63	0.50	0.05	768.42	0.02	0.00
1.32	4.96	0.25	0.02	0.30	0.25	9.03	1.90	1.51	0.15	2305.48	0.05	0.00
1.32	4.96	0.25	0.02	0.30	0.25	9.03	1.90	1.51	0.15	2305.48	0.05	0.00
0.75	2.84	0.14	0.01	0.17	0.15	6.02	1.26	1.01	0.10	1536.84	0.03	0.00
0.75	2.84	0.14	0.01	0.17	0.15	6.02	1.26	1.01	0.10	1536.84	0.03	0.00
0.75	2.84	0.14	0.01	0.17	0.15	6.02	1.26	1.01	0.10	1536.84	0.03	0.00
0.38	1.42	0.07	0.01	0.09	0.07	3.01	0.63	0.50	0.05	768.42	0.02	0.00
2.26	8.53	0.43	0.03	0.52	0.44	18.06	3.79	3.02	0.30	4610.52	0.10	0.00
0.35	1.30	0.07	0.01	0.08	0.06	3.01	0.63	0.50	0.05	768.45	0.02	0.00
0.35	1.30	0.07	0.01	0.08	0.06	3.01	0.63	0.50	0.05	768.45	0.02	0.00
1.13	4.27	0.22	0.02	0.26	0.22	9.03	1.90	1.51	0.15	2305.26	0.05	0.00
1.38	5.22	0.27	0.02	0.31	0.25	12.04	2.53	2.01	0.20	3073.81	0.07	0.00
0.62	2.34	0.12	0.01	0.14	0.11	6.02	1.26	1.01	0.10	1536.86	0.03	0.00
0.69	2.61	0.13	0.01	0.15	0.13	6.02	1.26	1.01	0.10	1536.91	0.03	0.00
0.38	1.42	0.07	0.01	0.09	0.07	3.01	0.63	0.50	0.05	768.42	0.02	0.00
3.01	11.38	0.58	0.04	0.70	0.58	24.07	5.06	4.03	0.40	6147.36	0.13	0.01

Construction Days/Total Deliveries	Total Emissions, tons												
	CO	NOx	VOCs	SOx	PM10	PM2.5	Paved Road Fugitive Dust PM10	Paved Road Fugitive Dust PM2.5	Unpaved Road Fugitive Dust PM10	Unpaved Road Fugitive Dust PM2.5	CO2	CH4	N2O
118	0.06	0.22	0.01	0.00	0.01	0.01	0.36	0.07	0.06	0.01	87.89	0.00	0.00
106	0.05	0.20	0.01	0.00	0.01	0.01	0.32	0.07	0.05	0.01	78.95	0.00	0.00
104	0.05	0.19	0.01	0.00	0.01	0.01	0.31	0.07	0.05	0.01	77.46	0.00	0.00
300	0.08	0.28	0.01	0.00	0.02	0.01	0.45	0.09	0.08	0.01	111.72	0.00	0.00
300	0.08	0.28	0.01	0.00	0.02	0.01	0.45	0.09	0.08	0.01	111.72	0.00	0.00
45	0.02	0.08	0.00	0.00	0.01	0.00	0.14	0.03	0.02	0.00	33.52	0.00	0.00
5	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	1.92	0.00	0.00
450	0.60	2.23	0.11	0.01	0.13	0.11	4.06	0.85	0.68	0.07	1037.46	0.02	0.00
4	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	1.54	0.00	0.00
336	0.22	0.83	0.04	0.00	0.05	0.04	1.52	0.32	0.25	0.03	387.32	0.01	0.00
49	0.03	0.12	0.01	0.00	0.01	0.01	0.22	0.05	0.04	0.00	56.48	0.00	0.00
24	0.01	0.03	0.00	0.00	0.00	0.00	0.07	0.02	0.01	0.00	18.44	0.00	0.00
65	0.02	0.09	0.00	0.00	0.01	0.00	0.20	0.04	0.03	0.00	49.95	0.00	0.00
38	0.01	0.05	0.00	0.00	0.00	0.00	0.11	0.02	0.02	0.00	29.20	0.00	0.00
5	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	1.92	0.00	0.00
364	0.41	1.55	0.08	0.01	0.10	0.08	3.29	0.69	0.55	0.05	839.11	0.02	0.00
4	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	1.54	0.00	0.00
52	0.01	0.03	0.00	0.00	0.00	0.00	0.08	0.02	0.01	0.00	19.98	0.00	0.00
193	0.11	0.41	0.02	0.00	0.03	0.02	0.87	0.18	0.15	0.01	222.46	0.00	0.00
36	0.02	0.09	0.00	0.00	0.01	0.00	0.22	0.05	0.04	0.00	55.33	0.00	0.00
24	0.01	0.03	0.00	0.00	0.00	0.00	0.07	0.02	0.01	0.00	18.44	0.00	0.00
41	0.01	0.05	0.00	0.00	0.00	0.00	0.12	0.03	0.02	0.00	31.51	0.00	0.00
12	0.00	0.01	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	4.61	0.00	0.00
387	0.58	2.20	0.11	0.01	0.13	0.11	4.66	0.98	0.78	0.08	1189.51	0.02	0.00
Total 2021	0.11	0.42	0.02	0.00	0.03	0.02	0.68	0.14	0.11	0.01	167.68	0.01	0.00
Total 2022	0.96	3.60	0.18	0.01	0.22	0.18	6.94	1.46	1.16	0.12	1765.75	0.03	0.00
Total 2023	0.75	2.82	0.14	0.01	0.17	0.14	5.41	1.14	0.91	0.09	1380.58	0.03	0.00
Total 2024	0.54	2.03	0.10	0.01	0.12	0.10	4.22	0.89	0.71	0.07	1073.74	0.02	0.00
Total 2025	0.09	0.32	0.02	0.00	0.02	0.02	0.59	0.12	0.10	0.01	147.27	0.00	0.00

Table 14. Worker Vehicle Emissions, Hampton Pump Station

Construction Phase	Vehicle Class	No. of Daily Workers Per phase	Speed (mph)	VMT (mi/vehicle-day)	CO	NO _x	ROG					SO _x	PM10			PM2.5			CO ₂	CH ₄	N ₂ O
					Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Hot-Soak (g/trip)	Resting Loss (g/hr)	Running Evaporative (g/mi)	Diurnal Evaporative (g/hr)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Tire Wear (g/mi)	Brake Wear (g/mi)	Running Exhaust (g/mi)	Tire Wear (g/mi)	Brake Wear (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)
Project 1 - Hampton Pump Station Construction																					
Mob/Demob and Silt Fence	Light-Duty Truck, catalyst	10	35	80	2.818514	0.402178	0.106177	0.061	0.03	0.063	0.016	0.005297	0.011969	0.008	0.0125	0.011032	0.002	0.0053	427.9689	0.00391	0.00
Road Surfacing	Light-Duty Truck, catalyst	10	35	80	2.818514	0.402178	0.106177	0.061	0.03	0.063	0.016	0.005297	0.011969	0.008	0.0125	0.011032	0.002	0.0053	427.9689	0.00391	0.00
Levees	Light-Duty Truck, catalyst	20	35	80	2.818514	0.402178	0.106177	0.061	0.03	0.063	0.016	0.005297	0.011969	0.008	0.0125	0.011032	0.002	0.0053	427.9689	0.00391	0.00
Pumping Plant	Light-Duty Truck, catalyst	40	35	80	2.818514	0.402178	0.106177	0.061	0.03	0.063	0.016	0.005297	0.011969	0.008	0.0125	0.011032	0.002	0.0053	427.9689	0.00391	0.00
Project 2 - Nobles Branch Sump Improvements																					
Mob/Demob and Silt Fence	Light-Duty Truck, catalyst	20	35	80	2.824266	0.389368	0.103185	0.054	0.024	0.062	0.012	0.005209	0.011827	0.008	0.0125	0.010892	0.002	0.0053	420.8597	0.003946	0.00
Levees	Light-Duty Truck, catalyst	20	35	80	2.824266	0.389368	0.103185	0.054	0.024	0.062	0.012	0.005209	0.011827	0.008	0.0125	0.010892	0.002	0.0053	420.8597	0.003946	0.00
Project 3 - East Levee Sump Improvements																					
Mob/Demob and Silt Fence	Light-Duty Truck, catalyst	20	35	80	2.824266	0.389368	0.103185	0.054	0.024	0.062	0.012	0.005209	0.011827	0.008	0.0125	0.010892	0.002	0.0053	420.8597	0.003946	0.00

Assume startup after 8 hours
Assume 45 minutes run time total

Emissions, lbs/day											
CO	NO _x	VOCs	SO _x	PM10	PM2.5	Paved Road Fugitive Dust PM10	Paved Road Fugitive Dust PM2.5	CO ₂	CH ₄	N ₂ O	
4.97	0.71	0.70	0.01	0.06	0.03	0.03	0.01	754.81	0.01	0.01	
4.97	0.71	0.70	0.01	0.06	0.03	0.03	0.01	754.81	0.01	0.01	
9.94	1.42	1.40	0.02	0.11	0.06	0.03	0.01	1509.62	0.01	0.01	
19.88	2.84	2.80	0.04	0.23	0.13	0.03	0.01	3019.25	0.03	0.02	
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
9.96	1.37	1.37	0.02	0.11	0.06	0.03	0.01	1484.55	0.01	0.01	
9.96	1.37	1.37	0.02	0.11	0.06	0.03	0.01	1484.55	0.01	0.01	
9.96	1.37	1.37	0.02	0.11	0.06	0.03	0.01	1484.55	0.01	0.01	

Total Emissions, tons											
Construction Days	CO	NO _x	VOCs	SO _x	PM10	PM2.5	Paved Road Fugitive Dust PM10	Paved Road Fugitive Dust PM2.5	CO ₂	CH ₄	N ₂ O
12	0.03	0.00	0.00420	5.61E-05	0.00034	0.00019	0.00018	0.00009	5	0.00004	0.00003
4	0.01	0.00	0.00140	1.87E-05	0.00011	0.00006	0.00006	0.00003	2	0.00001	0.00001
112	0.56	0.08	0.07849	1.05E-03	0.00641	0.00362	0.00170	0.00084	85	0.00077	0.00057
416	4.14	0.59	0.58306	7.77E-03	0.04765	0.02690	0.00631	0.00310	628	0.00574	0.00422
6	0.03	0.00	0.00411	5.51E-05	0.00034	0.00019	0.00008	0.00004	4	0.00004	0.00003
10	0.05	0.01	0.00685	9.19E-05	0.00057	0.00032	0.00013	0.00006	7	0.00007	0.00005
16	0.08	0.01	0.01096	1.47E-04	0.00091	0.00051	0.00022	0.00010	12	0.00011	0.00008
TOTAL 2020	3.03	0.43	0.43	0.01	0.03	0.02	0.01	0.00	459.99	0.00	0.00
TOTAL 2021	1.862416	0.264982	0.261995	0.003495	0.021443	0.012103	0.003027	0.001469	282.3424	0.002585	0.001891

Table 15. Construction Truck Emissions, Hampton Pump Station

Construction Phase	Vehicle Class	Peak No. of Trucks per day	Speed (mph)	VMT (mi/vehicle-day)	CO	NO _x	ROG	SOx	PM10			PM2.5			CO2	CH4	N2O
					Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Tire Wear (g/mi)	Brake Wear (g/mi)	Running Exhaust (g/mi)	Tire Wear (g/mi)	Brake Wear (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)
Project 1 - Hampton Pump Station Construction																	
Mob/Demob and Silt Fence	Heavy Duty Truck, Diesel	2	35	80	1.8289733	6.7606577	0.3441237	0.015105	0.3578864	0.036	0.0125	0.3472714	0.009	0.0053	2117.7905	0.0417419	0.001942
Road Surfacing	Heavy Duty Truck, Diesel	1	35	80	1.6135149	5.9825691	0.3057337	0.015408	0.3102148	0.036	0.0125	0.3011107	0.009	0.0053	2178.2317	0.0433313	0.0019496
Levees	Heavy Duty Truck, Diesel	2	35	80	1.4206569	5.2923534	0.2691111	0.0148057	0.2676938	0.036	0.0125	0.2597654	0.009	0.0053	2111.5047	0.0449043	0.0019678
Pumping Plant	Heavy Duty Truck, Diesel	4	35	80	1.2512529	4.6837296	0.2388455	0.0151788	0.2306205	0.036	0.0125	0.2238325	0.009	0.0053	2178.6261	0.0461638	0.0018938
Project 2 - Nobles Branch Sump Improvements																	
Mob/Demob and Silt Fence	Heavy Duty Truck, Diesel	1	35	80	0.9787303	3.6993065	0.1882928	0.0150375	0.1703331	0.036	0.0125	0.1652896	0.009	0.0053	2178.5179	0.0481179	0.00204
Levees	Heavy Duty Truck, Diesel	4	35	80	0.8718074	3.3167243	0.168176	0.014974	0.1467441	0.036	0.0125	0.1421508	0.009	0.0053	2178.4468	0.0488703	0.002041
Project 3 - East Levee Sump Improvements	Heavy Duty Truck, Diesel	4	35	80	1.4206569	5.2923534	0.2691111	0.0148057	0.2676938	0.036	0.0125	0.2597654	0.009	0.0053	2111.5047	0.0449043	0.0019678
Subtotal																	

MOVES2010 Emission Factors, Dallas County

Paved Road Fugitive Dust
Assume silt loading for 10,000 ADT roadways = 0.03 g/m³

Assume k = 0.016 PM10
Assume 6 miles in addition for track-out for PM10
Emission Factors
PM10, LDT 9.81231E-05
PM10, MDT 0.008944829
PM10, HDT 0.017495628

Emissions, lbs/day												
CO	NO _x	VOCs	SOx	PM10	PM2.5	Paved Road Fugitive Dust PM10	Paved Road Fugitive Dust PM2.5	Unpaved Road Fugitive Dust PM10	Unpaved Road Fugitive Dust PM2.5	CO2	CH4	N2O
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.65	2.38	0.12	0.01	0.14	0.13	3.01	0.63	0.50	0.04	747.03	0.01	0.00
0.28	1.06	0.05	0.00	0.06	0.06	1.50	0.32	0.25	0.02	384.18	0.01	0.00
0.50	1.87	0.09	0.01	0.11	0.10	3.01	0.63	0.50	0.04	744.82	0.02	0.00
0.88	3.30	0.17	0.01	0.20	0.17	6.02	1.26	1.01	0.08	1536.98	0.03	0.00
0.17	0.65	0.03	0.00	0.04	0.03	1.50	0.32	0.25	0.02	384.23	0.01	0.00
0.62	2.34	0.12	0.01	0.14	0.11	6.02	1.26	1.01	0.08	1536.86	0.03	0.00
1.00	3.73	0.19	0.01	0.22	0.19	6.02	1.26	1.01	0.08	1489.63	0.03	0.00
2.49	9.26	0.47	0.03	0.55	0.48	15.05	3.16	2.52	0.21	3797.23	0.08	0.00

Unpaved Road Fugitive Dust
For LDT assume 2 tons/vehicle, MDT assume 13 tons/vehicle, HDT assume 20 tons/vehicle

k = 1.5 for PM10, 0.15 for PM2.5
s = 8.5, a = 0.9, b = 0.45

Assume 61% control efficiency for watering 3x daily
Emission Factors

PM10, LDT 0.357378738
PM10, MDT 0.829735596
PM10, HDT 1.007230136
PM2.5, LDT 0.035737874
PM2.5, MDT 0.08297356
PM2.5, HDT 0.100723014

Assume 0.25 miles each way of unpaved road travel

Total Emissions, tons													
Construction Days/Total Deliveries	CO	NO _x	VOCs	SOx	PM10	PM2.5	Paved Road Fugitive Dust PM10	Paved Road Fugitive Dust PM2.5	Unpaved Road Fugitive Dust PM10	Unpaved Road Fugitive Dust PM2.5	CO2	CH4	N2O
12	0.00	0.01	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	4.48	0.00	0.00
4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.77	0.00	0.00
112	0.03	0.10	0.01	0.00	0.01	0.01	0.17	0.04	0.03	0.00	41.71	0.00	0.00
416	0.18	0.69	0.04	0.00	0.04	0.03	1.25	0.26	0.21	0.02	319.69	0.01	0.00
6	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.15	0.00	0.00
10	0.00	0.01	0.00	0.00	0.00	0.00	0.03	0.01	0.01	0.00	7.68	0.00	0.00
16	0.01	0.03	0.00	0.00	0.00	0.00	0.05	0.01	0.01	0.00	11.92	0.00	0.00
TOTAL 2020	0.14	0.53	0.03	0.00	0.03	0.03	0.93	0.19	0.15	0.01	235.01	0.00	0.00
TOTAL 2021	0.087215	0.326529	0.0166433	0.0010615	0.0194542	0.016582	0.5982208	0.1256264	0.10011571	0.00824733	152.39213	0.0032406	0.0001338

Table 16. Heavy Construction Equipment Emissions, River Relocation Bottom

Equipment and Activity	FUEL	HP	Load Factor	Emission Factors										Emissions										Emission tons (total)									
				ROG (lb/hr)	CO (lb/hr)	NOX (lb/hr)	SOX (lb/hr)	PM10 (lb/hr)	PM2.5 (lb/hr)	CO2 (lb/hr)	CH4 (lb/hr)	N2O (lb/hr)	No of Equipment	Hrs Per Day	Days in Service	ROG (lb/day)	CO (lb/day)	NOX (lb/day)	SOX (lb/day)	PM10 (lb/day)	PM2.5 (lb/day)	CO2 (lb/day)	CH4 (lb/day)	N2O (lb/day)	ROG tons (total)	CO tons (total)	NOX tons (total)	SOX tons (total)	PM10 tons (total)	PM2.5 tons (total)	CO2 tons (total)	CH4 tons (total)	N2O tons (total)
River Relocation Bottom - Contract 6																																	
Utility Relocations - Storm Drain, Bellevue Outfall																																	
Dump Truck	DIESEL	381	0.57	0.1960	0.6949	1.4165	0.0027	0.0505	0.0449	272.3	0.0177	0.1346	4	8	37	6.27	19.04	45.33	0.09	1.62	1.44	8714.68	0.57	4.31	0.118	0.352	0.839	0.020	0.030	0.027	161	0.010	0.080
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	112.2	0.0095	0.0704	2	8	37	1.68	10.65	11.85	0.02	0.65	0.58	1795.55	0.15	1.13	0.031	0.197	0.219	0.000	0.012	0.011	33	0.003	0.021
Bulldozers	DIESEL	358	0.59	0.2932	1.2456	2.3951	0.0026	0.0985	0.0877	264.9	0.0265	0.2275	4	8	37	9.38	39.86	76.64	0.08	3.15	2.81	8475.92	0.85	7.28	0.174	0.737	1.416	0.002	0.052	0.157	10.6	0.136	0.135
Subtotal															17.33	69.54	133.82	0.19	5.42	4.82	18986.15	1.56	12.71	0.32	1.29	2.48	0.06	0.09	0.09	351.24	0.03	0.24	
Utility Relocations - City owned Utility																																	
Dump Truck	DIESEL	381	0.57	0.1960	0.6949	1.4165	0.0027	0.0505	0.0449	272.3	0.0177	0.1346	4	8	118	6.27	19.04	45.33	0.09	1.62	1.44	8714.68	0.57	4.31	0.370	1.123	2.674	0.005	0.095	0.085	514	0.033	0.254
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	112.2	0.0095	0.0704	2	8	118	1.68	10.65	11.85	0.02	0.65	0.58	1795.55	0.15	1.13	0.029	0.162	0.169	0.001	0.038	0.037	106	0.008	0.066
Bulldozers	DIESEL	358	0.59	0.2932	1.2456	2.3951	0.0026	0.0985	0.0877	264.9	0.0265	0.2275	4	8	118	9.38	39.86	76.64	0.08	3.15	2.81	8475.92	0.85	7.28	0.553	2.352	4.522	0.005	0.186	0.166	500	0.050	0.430
Subtotal															17.33	69.54	133.82	0.19	5.42	4.82	18986.15	1.56	12.71	1.02	4.10	7.90	0.01	0.32	0.28	1120.18	0.09	0.75	
Utility Relocations - Franchised Owned Utility																																	
Dump Truck	DIESEL	381	0.57	0.1960	0.6949	1.4165	0.0027	0.0505	0.0449	272.3	0.0177	0.1346	4	8	94	6.27	19.04	45.33	0.09	1.62	1.44	8714.68	0.57	4.31	0.295	0.895	2.130	0.004	0.076	0.068	410	0.027	0.202
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	112.2	0.0095	0.0704	2	8	94	1.68	10.65	11.85	0.02	0.65	0.58	1795.55	0.15	1.13	0.029	0.162	0.169	0.001	0.038	0.037	106	0.007	0.053
Bulldozers	DIESEL	358	0.59	0.2932	1.2456	2.3951	0.0026	0.0985	0.0877	264.9	0.0265	0.2275	4	8	94	9.38	39.86	76.64	0.08	3.15	2.81	8475.92	0.85	7.28	0.441	1.873	3.602	0.004	0.148	0.132	398	0.040	0.342
Subtotal															17.33	69.54	133.82	0.19	5.42	4.82	18986.15	1.56	12.71	0.81	3.27	6.29	0.01	0.25	0.23	892.25	0.07	0.60	
Able Extend Pump Station Outfalls																																	
Excavators	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	112.2	0.0095	0.0704	2	8	219	1.68	10.65	11.85	0.02	0.65	0.58	1795.55	0.15	1.13	0.184	1.166	1.298	0.002	0.071	0.063	197	0.017	0.123
Dump Trucks	DIESEL	381	0.57	0.1960	0.6949	1.4165	0.0027	0.0505	0.0449	272.3	0.0177	0.1346	4	8	219	6.27	19.04	45.33	0.09	1.62	1.44	8714.68	0.57	4.31	0.687	2.085	4.963	0.009	0.177	0.157	954	0.062	0.472
4000 Gallon Water Truck	DIESEL	235	0.57	0.1252	0.3702	0.9818	0.0019	0.0329	0.0291649	166.5	0.0113	0.0933	1	8	219	1.00	2.96	7.85	0.01	0.28	0.23	1332.38	0.09	0.75	0.110	0.324	0.860	0.002	0.029	0.026	146	0.010	0.083
CAT 416 Rubber Tire Backhoe	DIESEL	87	0.57	0.0577	0.3480	0.9870	0.0006	0.0293	0.0281084	51.7	0.0052	0.0368	1	8	219	0.46	2.79	3.10	0.00	0.23	0.21	413.82	0.04	0.29	0.051	0.305	0.339	0.001	0.026	0.023	45	0.005	0.032
Roller Compactor	DIESEL	84	0.56	0.0857	0.4000	0.5498	0.0007	0.0454	0.0404	59.0	0.0077	0.0522	1	8	219	0.69	3.20	4.40	0.01	0.36	0.32	471.91	0.06	0.42	0.075	0.350	0.482	0.001	0.040	0.035	52	0.007	0.046
Concrete Trucks	DIESEL	235	0.57	0.1252	0.3702	0.9818	0.0019	0.0328	0.0291649	166.5	0.0113	0.0933	2	8	219	2.00	5.92	15.71	0.03	0.52	0.47	2664.73	0.15	1.48	0.218	0.648	1.720	0.003	0.057	0.051	292	0.020	0.163
Subtotal															12.10	44.55	88.24	0.16	3.65	3.25	15393.09	1.09	8.38	1.33	4.88	9.66	0.02	0.40	0.36	1685.54	0.12	0.92	
Able Pumping Plant Sump Pond and Enhancements																																	
Excavators	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	112.2	0.0095	0.0704	2	8	219	1.68	10.65	11.85	0.02	0.65	0.58	1795.55	0.15	1.13	0.184	1.166	1.298	0.002	0.071	0.063	197	0.017	0.123
Dump Trucks	DIESEL	381	0.57	0.1960	0.6949	1.4165	0.0027	0.0505	0.0449	272.3	0.0177	0.1346	4	8	219	6.27	19.04	45.33	0.09	1.62	1.44	8714.68	0.57	4.31	0.687	2.085	4.963	0.009	0.177	0.157	954	0.062	0.472
4000 Gallon Water Truck	DIESEL	235	0.57	0.1252	0.3702	0.9818	0.0019	0.0329	0.0291649	166.5	0.0113	0.0933	1	8	219	1.00	2.96	7.85	0.01	0.28	0.23	1332.38	0.09	0.75	0.110	0.324	0.860	0.002	0.029	0.026	146	0.010	0.083
CAT 416 Rubber Tire Backhoe	DIESEL	87	0.57	0.0577	0.3480	0.9870	0.0006	0.0293	0.0281084	51.7	0.0052	0.0368	1	8	219	0.46	2.79	3.10	0.00	0.23	0.21	413.82	0.04	0.29	0.051	0.305	0.339	0.001	0.026	0.023	45	0.005	0.032
Roller Compactor	DIESEL	84	0.56	0.0857	0.4000	0.5498	0.0007	0.0454	0.0404	59.0	0.0077	0.0522	1	8	219	0.69	3.20	4.40	0.01	0.36	0.32	471.91	0.06	0.42	0.075	0.350	0.482	0.001	0.040	0.035	52	0.007	0.046
Concrete Trucks	DIESEL	235	0.57	0.1252	0.3702	0.9818	0.0019	0.0328	0.0291649	166.5	0.0113	0.0933	2	8	219	2.00	5.92	15.71	0.03	0.52	0.47	2664.73	0.15	1.48	0.218	0.648	1.720	0.003	0.057	0.051	292	0.020	0.163
Subtotal															12.10	44.55	88.24	0.16	3.65	3.25	15393.09	1.09	8.38	1.33	4.88	9.66	0.02	0.40	0.36	1685.54	0.12	0.92	
Bridge Pier Modifications - Houston Street Bridge																																	
Equipment																																	
Crane	DIESEL	208	0.43	0.0925	0.2713	0.8284	0.0013	0.0286	0.0255	112.2	0.0083	0.0787	2	8	300	1.48	4.34	13.25	0.02	0.46	0.41	1794.54	0.13	1.26	0.222	0.651	1.988	0.003	0.069	0.061	269	0.020	0.189
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	112.2	0.0095	0.0704	2	8	300	1.68	10.65	11.85	0.02	0.65	0.58	1795.55	0.15	1.13	0.252	1.597	1.778	0.003	0.097	0.086	269	0.023	0.189
Bulldozers	DIESEL	358	0.59	0.2932	1.2456	2.3951	0.0026	0.0985	0.0877	264.9	0.0265	0.2275	4	8	300	9.38	39.86	76.64	0.08	3.15	2.81	8475.92	0.85	7.28	1.407	5.973	11.468	0.012	0.473	0.421	1271	0.127	1.057
Subtotal															12.54	54.85	101.75	0.12	4.26	3.79	12066.01	1.13	9.67	1.88	8.23	15.26	0.02	0.64	0.57	1809.90	0.17	1.45	
Bridge Pier Modifications - Jefferson Street Bridge																																	
Equipment																																	
Crane	DIESEL	208	0.43	0.0925	0.2713	0.8284	0.0013	0.0286	0.0255	112.2	0.0083	0.0787	2	8	180	1.48	4.34	13.25	0.02	0.46	0.41	1794.54	0.13	1.26	0.133	0.391	1.193	0.002	0.041	0.037	162	0.012	0.113
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	112.2	0.0095	0.0704	2	8	180	1.68	10.65	11.85	0.02	0.65	0.58	1795.55	0.15	1.13	0.151	0.958	1.067	0.002	0.058	0.052	162	0.014</	

Table 17. Worker Vehicle Emissions, River Relocation Bottom

Construction Phase	Vehicle Class	No. of Daily Workers Per phase	Speed (mph)	VMT (mi/vehicle-day)	CO	NO _x	ROG					SOx	PM10			PM2.5			CO2	CH4	N2O
					Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Hot-Soak (g/trip)	Resting Loss (g/hr)	Running Evaporative (g/mi)	Diurnal Evaporative (g/hr)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Tire Wear (g/mi)	Brake Wear (g/mi)	Running Exhaust (g/mi)	Tire Wear (g/mi)	Brake Wear (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)
Utility Relocations - Storm Drain, Belleview Outfall	Light-Duty Truck, catalyst	20	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00
Utility Relocations - City owned Utility	Light-Duty Truck, catalyst	20	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00
Utility Relocations - Franchised Owned Utility	Light-Duty Truck, catalyst	20	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00
Able Extend Pump Station Outfalls	Light-Duty Truck, catalyst	20	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00
Able Pumping Plant Sump Pond and Enhancements	Light-Duty Truck, catalyst	20	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00
Bridge Pier Modifications - Houston Street Bridge	Light-Duty Truck, catalyst	20	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00
Bridge Pier Modifications - Jefferson Street Bridge	Light-Duty Truck, catalyst	20	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00
Bridge Pier Modifications - IH-35 SB Bridge	Light-Duty Truck, catalyst	20	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00
Bridge Pier Modifications - IH-35 NB Bridge	Light-Duty Truck, catalyst	20	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00
Channels - Corinth Bridge to Commerce Bridge																					
Erosion/Sediment Control and Clearing	Light-Duty Truck, catalyst	20	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00
Downstream Tie In	Light-Duty Truck, catalyst	10	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00
Excavate New Channel	Light-Duty Truck, catalyst	60	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00
Upstream Tie In	Light-Duty Truck, catalyst	10	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00
Storm Drain Crossing and Extension	Light-Duty Truck, catalyst	20	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00
Backfill Existing Channel	Light-Duty Truck, catalyst	30	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00
Rechape Existing Channel	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00
Rough Grading	Light-Duty Truck, catalyst	20	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00
River Bank and Outfall Treatments	Light-Duty Truck, catalyst	20	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00
Riprap and Toe	Light-Duty Truck, catalyst	20	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00
Slurry Cutoff Wall	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00

Assume startup after 8 hours
 Assume 45 minutes run time total
 Assume 10 workers per crew

Paved Road Fugitive Dust
 Assume silt loading for 10,000 ADT roadways = 0.03 g/m3

Assume k = 0.016 PM10
 Assume 6 miles in addition for track-out for PM10

Emission Factors
 PM10, LDT 9.81231E-05
 PM10, MDT 0.008944829
 PM10, HDT 0.017495628

Unpaved Road Fugitive Dust
 For LDT assume 2 tons/vehicle, MDT assume 13 tons/vehicle, HDT assume 20 tons/vehicle

k = 1.5 for PM10, 0.15 for PM2.5
 s = 8.5, a = 0.9, b = 0.45
 Assume 61% control efficiency for watering 3x daily
 Emission Factors
 PM10, LDT 0.357378738

PM10, MDT 0.829735596
 PM10, HDT 1.007230136
 PM2.5, LDT 0.035737874
 PM2.5, MDT 0.08297356
 PM2.5, HDT 0.100723014
 Assume 0.25 miles each way of unpaved road travel

Utility Relocations - Storm Drain, Bellevue Outfall
 Utility Relocations - City owned Utility
 Utility Relocations - Franchised Owned Utility
 Able Extend Pump Station Outfalls
 Able Pumping Plant Sump Pond and Enhancements
 Bridge Pier Modifications - Houston Street Bridge
 Bridge Pier Modifications - Jefferson Street Bridge
 Bridge Pier Modifications - IH-35 SB Bridge
 Bridge Pier Modifications - IH-35 NB Bridge
 Erosion/Sediment Control and Clearing
 Downstream Tie In
 Excavate New Channel
 Upstream Tie In
 Storm Drain Crossing and Extension
 Backfill Existing Channel
 Rechape Existing Channel
 Rough Grading
 River Bank and Outfall Treatments
 Riprap and Toe
 Slurry Cutoff Wall

Emissions, lbs/day										
CO	NOx	VOCs	SOx	PM10	PM2.5	Paved Road Fugitive Dust PM10	Paved Road Fugitive Dust PM2.5	CO2	CH4	N2O
9.19	1.16	0.45	0.02	0.11	0.06	0.17	0.04	1422.33	0.01	0.01
9.19	1.16	0.45	0.02	0.11	0.06	0.17	0.04	1422.33	0.01	0.01
9.19	1.16	0.45	0.02	0.11	0.06	0.17	0.04	1422.33	0.01	0.01
9.19	1.16	0.45	0.02	0.11	0.06	0.17	0.04	1422.33	0.01	0.01
9.19	1.16	0.45	0.02	0.11	0.06	0.17	0.04	1422.33	0.01	0.01
9.19	1.16	0.45	0.02	0.11	0.06	0.17	0.04	1422.33	0.01	0.01
9.19	1.16	0.45	0.02	0.11	0.06	0.17	0.04	1422.33	0.01	0.01
9.19	1.16	0.45	0.02	0.11	0.06	0.17	0.04	1422.33	0.01	0.01
9.19	1.16	0.45	0.02	0.11	0.06	0.17	0.04	1422.33	0.01	0.01
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9.19	1.16	0.45	0.02	0.11	0.06	0.17	0.04	1422.33	0.01	0.01
4.59	0.58	0.23	0.01	0.06	0.03	0.08	0.02	711.17	0.01	0.00
27.56	3.48	1.36	0.05	0.34	0.19	0.51	0.11	4267.00	0.04	0.02
4.59	0.58	0.23	0.01	0.06	0.03	0.08	0.02	711.17	0.01	0.00
9.19	1.16	0.45	0.02	0.11	0.06	0.17	0.04	1422.33	0.01	0.01
13.78	1.74	0.68	0.03	0.17	0.09	0.25	0.05	2133.50	0.02	0.01
18.37	2.32	0.90	0.04	0.23	0.13	0.34	0.07	2844.67	0.03	0.01
9.19	1.16	0.45	0.02	0.11	0.06	0.17	0.04	1422.33	0.01	0.01
9.19	1.16	0.45	0.02	0.11	0.06	0.17	0.04	1422.33	0.01	0.01
9.19	1.16	0.45	0.02	0.11	0.06	0.17	0.04	1422.33	0.01	0.01
18.37	2.32	0.90	0.04	0.23	0.13	0.34	0.07	2844.67	0.03	0.01

Total Emissions, tons											
Construction Days	CO	NOx	VOCs	SOx	PM10	PM2.5	Paved Road Fugitive Dust PM10	Paved Road Fugitive Dust PM2.5	CO2	CH4	N2O
37	0.17	0.02	0.00837	3.26E-04	0.00209	0.00117	0.00312	0.00066	26	0.00023	0.00014
118	0.54	0.07	0.02669	1.04E-03	0.00666	0.00373	0.00996	0.00209	84	0.00074	0.00044
94	0.43	0.05	0.02126	8.28E-04	0.00531	0.00297	0.00793	0.00167	67	0.00059	0.00035
219	1.01	0.13	0.04954	1.93E-03	0.01237	0.00692	0.01848	0.00388	156	0.00138	0.00082
219	1.01	0.13	0.04954	1.93E-03	0.01237	0.00692	0.01848	0.00388	156	0.00138	0.00082
300	1.38	0.17	0.06786	2.64E-03	0.01694	0.00948	0.02532	0.00532	213	0.00189	0.00112
180	0.83	0.10	0.04071	1.59E-03	0.01016	0.00569	0.01519	0.00319	128	0.00114	0.00067
369	1.69	0.21	0.08346	3.25E-03	0.02084	0.01166	0.03114	0.00654	262	0.00233	0.00138
267	1.23	0.15	0.06039	2.35E-03	0.01508	0.00844	0.02253	0.00473	190	0.00169	0.00100
102	0.47	0.06	0.02	0.00	0.01	0.00	0.01	0.00	72.54	0.00	0.00
5	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.78	0.00	0.00
468	6.45	0.81	0.32	0.01	0.08	0.04	0.12	0.02	998.48	0.01	0.01
4	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.42	0.00	0.00
302	1.39	0.18	0.07	0.00	0.02	0.01	0.03	0.01	214.77	0.00	0.00
193	1.33	0.17	0.07	0.00	0.02	0.01	0.02	0.01	205.88	0.00	0.00
104	0.96	0.12	0.05	0.00	0.01	0.01	0.02	0.00	147.92	0.00	0.00
200	0.92	0.12	0.05	0.00	0.01	0.01	0.02	0.00	142.23	0.00	0.00
24	0.11	0.01	0.01	0.00	0.00	0.00	0.00	0.00	17.07	0.00	0.00
42	0.19	0.02	0.01	0.00	0.00	0.00	0.00	0.00	29.87	0.00	0.00
400	3.67	0.46	0.18	0.01	0.05	0.03	0.07	0.01	568.93	0.01	0.00
Total 2025	0.71	0.09	0.03	0.00	0.01	0.00	0.01	0.00	109.83	0.00	0.00
Total 2026	10.47	1.32	0.52	0.02	0.13	0.07	0.19	0.04	1620.73	0.01	0.01
Total 2027	9.68	1.22	0.48	0.02	0.12	0.07	0.18	0.04	1498.56	0.01	0.01
Total 2028	1.91	0.24	0.09	0.00	0.02	0.01	0.04	0.01	295.50	0.00	0.00
Total 2029	1.02	0.13	0.05	0.00	0.01	0.01	0.02	0.00	158.23	0.00	0.00

Table 18. Construction Truck Emissions, River Relocation Bottom

Construction Phase	Vehicle Class	Peak No. of Trucks per day	Speed (mph)	VMT (mi/vehicle-day)	CO	NO _x	ROG	SO _x	PM10			PM2.5			CO2	CH4	N2O
					Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Tire Wear (g/mi)	Brake Wear (g/mi)	Running Exhaust (g/mi)	Tire Wear (g/mi)	Brake Wear (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)
Utility Relocations - Storm Drain, Bellevue Outfall	Heavy Duty Truck, Diesel	4	35	80	0.7044468	2.7126763	0.1368004	0.0149089	0.1091708	0.036	0.0125	0.1059056	0.009	0.0053	2178.682864	0.0500788	0.00
Utility Relocations - City owned Utility	Heavy Duty Truck, Diesel	4	35	80	0.7044468	2.7126763	0.1368004	0.0149089	0.1091708	0.036	0.0125	0.1059056	0.009	0.0053	2178.682864	0.0500788	0.00
Utility Relocations - Franchised Owned Utility	Heavy Duty Truck, Diesel	4	35	80	0.7044468	2.7126763	0.1368004	0.0149089	0.1091708	0.036	0.0125	0.1059056	0.009	0.0053	2178.682864	0.0500788	0.00
Able Extend Pump Station Outfalls	Heavy Duty Truck, Diesel	4	35	80	0.7044468	2.7126763	0.1368004	0.0149089	0.1091708	0.036	0.0125	0.1059056	0.009	0.0053	2178.682864	0.0500788	0.00
Able Pumping Plant Sump Pond and Enhancements	Heavy Duty Truck, Diesel	4	35	80	0.7044468	2.7126763	0.1368004	0.0149089	0.1091708	0.036	0.0125	0.1059056	0.009	0.0053	2178.682864	0.0500788	0.00
Bridge Pier Modifications - Houston Street Bridge	Heavy Duty Truck, Diesel	2	35	80	0.7044468	2.7126763	0.1368004	0.0149089	0.1091708	0.036	0.0125	0.1059056	0.009	0.0053	2178.682864	0.0500788	0.00
Bridge Pier Modifications - Jefferson Street Bridge	Heavy Duty Truck, Diesel	2	35	80	0.7044468	2.7126763	0.1368004	0.0149089	0.1091708	0.036	0.0125	0.1059056	0.009	0.0053	2178.682864	0.0500788	0.00
Bridge Pier Modifications - IH-35 SB Bridge	Heavy Duty Truck, Diesel	2	35	80	0.7044468	2.7126763	0.1368004	0.0149089	0.1091708	0.036	0.0125	0.1059056	0.009	0.0053	2178.682864	0.0500788	0.00
Bridge Pier Modifications - IH-35 NB Bridge	Heavy Duty Truck, Diesel	2	35	80	0.7044468	2.7126763	0.1368004	0.0149089	0.1091708	0.036	0.0125	0.1059056	0.009	0.0053	2178.682864	0.0500788	0.00
Channels - Corinth Bridge to Commerce Bridge																	
Erosion/Sediment Control and Clearing	Heavy Duty Truck, Diesel	4	35	80	0.7044468	2.7126763	0.1368004	0.0149089	0.1091708	0.036	0.0125	0.1059056	0.009	0.0053	2178.682864	0.0500788	0.00
Downstream Tie In	Heavy Duty Truck, Diesel	2	35	80	0.7044468	2.7126763	0.1368004	0.0149089	0.1091708	0.036	0.0125	0.1059056	0.009	0.0053	2178.682864	0.0500788	0.00
Excavate New Channel	Heavy Duty Truck, Diesel	12	35	80	0.7044468	2.7126763	0.1368004	0.0149089	0.1091708	0.036	0.0125	0.1059056	0.009	0.0053	2178.682864	0.0500788	0.00
Upstream Tie In	Heavy Duty Truck, Diesel	2	35	80	0.7044468	2.7126763	0.1368004	0.0149089	0.1091708	0.036	0.0125	0.1059056	0.009	0.0053	2178.682864	0.0500788	0.00
Storm Drain Crossing and Extension	Heavy Duty Truck, Diesel	4	35	80	0.7044468	2.7126763	0.1368004	0.0149089	0.1091708	0.036	0.0125	0.1059056	0.009	0.0053	2178.682864	0.0500788	0.00
Backfill Existing Channel	Heavy Duty Truck, Diesel	6	35	80	0.7044468	2.7126763	0.1368004	0.0149089	0.1091708	0.036	0.0125	0.1059056	0.009	0.0053	2178.682864	0.0500788	0.00
Recharge Existing Channel	Heavy Duty Truck, Diesel	8	35	80	0.7044468	2.7126763	0.1368004	0.0149089	0.1091708	0.036	0.0125	0.1059056	0.009	0.0053	2178.682864	0.0500788	0.00
Rough Grading	Heavy Duty Truck, Diesel	8	35	80	0.7044468	2.7126763	0.1368004	0.0149089	0.1091708	0.036	0.0125	0.1059056	0.009	0.0053	2178.682864	0.0500788	0.00
River Bank and Outfall Treatments	Heavy Duty Truck, Diesel	4	35	80	0.7044468	2.7126763	0.1368004	0.0149089	0.1091708	0.036	0.0125	0.1059056	0.009	0.0053	2178.682864	0.0500788	0.00
Riprap and Toe	Heavy Duty Truck, Diesel	4	35	80	0.7044468	2.7126763	0.1368004	0.0149089	0.1091708	0.036	0.0125	0.1059056	0.009	0.0053	2178.682864	0.0500788	0.00
Slurry Cutoff Wall	Heavy Duty Truck, Diesel	16	35	80	0.7044468	2.7126763	0.1368004	0.0149089	0.1091708	0.036	0.0125	0.1059056	0.009	0.0053	2178.682864	0.0500788	0.00
Subtotal																	

MOVES2010 Emission Factors, Dallas County

Paved Road Fugitive Dust
Assume silt loading for 10,000 ADT roadways = 0.03 g/m³

Assume k = 0.016 PM10
Assume 6 miles in addition for track-out for PM10
Emission Factors
PM10, LDT 9.81231E-05
PM10, MDT 0.008944829
PM10, HDT 0.017495628

Unpaved Road Fugitive Dust
For LDT assume 2 tons/vehicle, MDT assume 13 tons/vehicle, HDT assume 20 tons/vehicle

CO	NO _x	VOCs	SO _x	PM10	PM2.5	Emissions, lbs/day				CO2	CH4	N2O
						Paved Road Fugitive Dust PM10	Paved Road Fugitive Dust PM2.5	Unpaved Road Fugitive Dust PM10	Unpaved Road Fugitive Dust PM2.5			
0.50	1.91	0.10	0.01	0.11	0.08	6.02	1.26	1.01	1.01	1537.02	0.04	0.00
0.50	1.91	0.10	0.01	0.11	0.08	6.02	1.26	1.01	1.01	1537.02	0.04	0.00
0.50	1.91	0.10	0.01	0.11	0.08	6.02	1.26	1.01	1.01	1537.02	0.04	0.00
0.50	1.91	0.10	0.01	0.11	0.08	6.02	1.26	1.01	1.01	1537.02	0.04	0.00
0.25	0.96	0.05	0.01	0.06	0.04	3.01	0.63	0.50	0.05	768.51	0.02	0.00
0.25	0.96	0.05	0.01	0.06	0.04	3.01	0.63	0.50	0.05	768.51	0.02	0.00
0.25	0.96	0.05	0.01	0.06	0.04	3.01	0.63	0.50	0.05	768.51	0.02	0.00
0.25	0.96	0.05	0.01	0.06	0.04	3.01	0.63	0.50	0.05	768.51	0.02	0.00
0.50	1.91	0.10	0.01	0.11	0.08	6.02	1.26	1.01	1.01	1537.02	0.04	0.00
0.25	0.96	0.05	0.01	0.06	0.04	3.01	0.63	0.50	0.05	768.51	0.02	0.00
1.49	5.74	0.29	0.03	0.33	0.25	18.06	3.79	3.02	0.30	4611.07	0.11	0.00
0.25	0.96	0.05	0.01	0.06	0.04	3.01	0.63	0.50	0.05	768.51	0.02	0.00
0.50	1.91	0.10	0.01	0.11	0.08	6.02	1.26	1.01	1.01	1537.02	0.04	0.00
0.75	2.87	0.14	0.02	0.17	0.13	9.03	1.90	1.51	0.15	2305.54	0.05	0.00
0.99	3.83	0.19	0.02	0.22	0.17	12.04	2.53	2.01	0.20	3074.05	0.07	0.00
0.99	3.83	0.19	0.02	0.22	0.17	12.04	2.53	2.01	0.20	3074.05	0.07	0.00
0.50	1.91	0.10	0.01	0.11	0.08	6.02	1.26	1.01	1.01	1537.02	0.04	0.00
0.50	1.91	0.10	0.01	0.11	0.08	6.02	1.26	1.01	1.01	1537.02	0.04	0.00
1.99	7.65	0.39	0.04	0.44	0.34	24.07	5.06	4.03	0.40	6148.09	0.14	0.01

Table 19. Heavy Construction Equipment Emissions, Lakes, Alternative 2

Equipment and Activity	Emission Factors										Emissions										Emission, tons (total)															
	FUEL	HP	Load Factor	ROG (lb/hr)	CO (lb/hr)	NOX (lb/hr)	SOX (lb/hr)	PM10 (lb/hr)	PM2.5 (lb/hr)	CO2 (lb/hr)	CH4 (lb/hr)	N2O (lb/hr)	No of Equipment	Hrs Per Day	Days in Service	ROG lbs/day	CO lbs/day	NOX lbs/day	SOX lbs/day	PM10 lbs/day	PM2.5 lbs/day	CO2 lbs/day	CH4 lbs/day	N2O lbs/day	ROG tons (total)	CO tons (total)	NOX tons (total)	SOX tons (total)	PM10 tons (total)	PM2.5 tons (total)	CO2 tons (total)	CH4 tons (total)	N2O tons (total)			
West Dallas Lake - Contract 7																																				
Utility Relocations - City owned Utility																																				
Dump Truck	DIESEL	381	0.57	0.1960	0.5949	1.4166	0.0027	0.0505	0.0449	272.3	0.0177	0.1346	4	8	195	6.27	19.04	45.33	0.09	1.62	1.44	8714.68	0.57	4.31	0.611	1.858	4.419	0.008	0.153	0.140	850	0.058	0.420			
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	112.2	0.0095	0.0704	2	8	195	1.68	10.65	11.85	0.02	0.65	0.58	1795.55	0.15	1.13	0.164	1.036	1.156	0.002	0.083	0.066	173	0.016	0.110			
Buildozer	DIESEL	358	0.59	0.2932	1.2456	2.3951	0.0026	0.0985	0.0877	264.9	0.0265	0.2275	4	8	195	9.38	39.86	76.64	0.08	3.15	2.81	8475.92	0.85	7.28	1.078	3.886	7.473	0.008	0.307	0.274	826	0.083	0.710			
Subtotal															17.33	69.54	133.82	0.19	5.42	4.82	18986.15	1.56	12.71	1.69	6.78	13.05	0.02	0.53	0.47	1851.15	0.15	1.24				
Utility Relocations - Franchised Owned Utility																																				
Dump Truck	DIESEL	381	0.57	0.1960	0.5949	1.4166	0.0027	0.0505	0.0449	272.3	0.0177	0.1346	4	8	49	6.27	19.04	45.33	0.09	1.62	1.44	8714.68	0.57	4.31	0.154	0.466	1.111	0.002	0.040	0.035	214	0.014	0.105			
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	112.2	0.0095	0.0704	2	8	49	1.68	10.65	11.85	0.02	0.65	0.58	1795.55	0.15	1.13	0.041	0.261	0.290	0.002	0.016	0.014	44	0.004	0.028			
Buildozer	DIESEL	358	0.59	0.2932	1.2456	2.3951	0.0026	0.0985	0.0877	264.9	0.0265	0.2275	4	8	49	9.38	39.86	76.64	0.08	3.15	2.81	8475.92	0.85	7.28	0.250	0.977	1.978	0.002	0.071	0.068	206	0.021	0.178			
Subtotal															17.33	69.54	133.82	0.19	5.42	4.82	18986.15	1.56	12.71	0.42	1.70	3.28	0.00	0.13	0.12	465.16	0.04	0.31				
Bridge Pier Modifications - Westmoreland Bridge																																				
Equipment																																				
Crane	DIESEL	208	0.43	0.0925	0.2713	0.8284	0.0013	0.0286	0.0255	112.2	0.0083	0.0787	2	8	302	1.48	4.34	13.25	0.02	0.46	0.41	1794.54	0.13	1.26	0.223	0.655	2.001	0.003	0.069	0.062	271	0.020	0.190			
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	112.2	0.0095	0.0704	2	8	302	1.68	10.65	11.85	0.02	0.65	0.58	1795.55	0.15	1.13	0.254	1.607	1.790	0.003	0.098	0.087	271	0.023	0.170			
Buildozer	DIESEL	358	0.59	0.2932	1.2456	2.3951	0.0026	0.0985	0.0877	264.9	0.0265	0.2275	4	8	302	9.38	39.86	76.64	0.08	3.15	2.81	8475.92	0.85	7.28	1.417	6.018	11.573	0.013	0.476	0.424	1280	0.128	1.099			
Subtotal															12.54	54.85	101.75	0.12	4.26	3.79	12066.01	1.15	9.67	1.89	6.28	15.36	0.02	0.64	0.57	1821.97	0.17	1.46				
West Dallas Lake Erosion/Sediment Control and Clearing																																				
Dump Truck	DIESEL	381	0.57	0.1960	0.5949	1.4166	0.0027	0.0505	0.0449	272.3	0.0177	0.1346	4	8	73	6.27	19.04	45.33	0.09	1.62	1.44	8714.68	0.57	4.31	0.229	0.695	1.654	0.003	0.059	0.052	318	0.021	0.157			
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	112.2	0.0095	0.0704	2	8	73	1.68	10.65	11.85	0.02	0.65	0.58	1795.55	0.15	1.13	0.061	0.389	0.433	0.001	0.024	0.021	66	0.006	0.041			
Buildozer	DIESEL	358	0.59	0.2932	1.2456	2.3951	0.0026	0.0985	0.0877	264.9	0.0265	0.2275	4	8	73	9.38	39.86	76.64	0.08	3.15	2.81	8475.92	0.85	7.28	0.345	1.456	2.797	0.003	0.115	0.103	309	0.031	0.265			
Subtotal															17.33	69.54	133.82	0.19	5.42	4.82	18986.15	1.56	12.71	0.63	2.54	4.88	0.01	0.20	0.18	692.99	0.06	0.46				
Rough Grade Lake																																				
Dump Truck	DIESEL	162	0.61	0.1299	0.7319	0.9534	0.0014	0.0526	0.0468	123.9	0.0117	0.0906	2	8	125	2.08	11.71	15.25	0.02	0.84	0.75	1982.74	0.19	1.45	0.130	0.732	0.953	0.001	0.053	0.047	124	0.012	0.091			
Excavator	DIESEL	381	0.57	0.1960	0.5949	1.4166	0.0027	0.0505	0.0449	272.3	0.0177	0.1346	4	8	125	6.27	19.04	45.33	0.09	1.62	1.44	8714.68	0.57	4.31	0.392	1.190	2.833	0.005	0.101	0.090	545	0.053	0.268			
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	112.2	0.0095	0.0704	2	8	125	1.68	10.65	11.85	0.02	0.65	0.58	1795.55	0.15	1.13	0.105	0.665	0.741	0.001	0.040	0.036	112	0.009	0.070			
Buildozer	DIESEL	358	0.59	0.2932	1.2456	2.3951	0.0026	0.0985	0.0877	264.9	0.0265	0.2275	4	8	125	9.38	39.86	76.64	0.08	3.15	2.81	8475.92	0.85	7.28	0.586	2.491	4.788	0.006	0.187	0.175	536	0.053	0.455			
Subtotal															19.41	81.25	149.08	0.21	6.26	5.57	20968.89	1.75	14.16	1.21	5.88	9.32	0.01	0.39	0.35	1310.56	0.11	0.89				
Lake																																				
Lake Bottom																																				
Dredge	DIESEL			2.2967	7.7667	26.4021	0.0242	0.8027	0.7144				1	8	187	25.97	62.13	211.22	1.09	6.42	5.72	0.00	0.00	0.00	1.718	5.809	19.749	0.000	0.600	0.534	0.00	0.000	0.000			
Dump Truck	DIESEL	381	0.57	0.1960	0.5949	1.4166	0.0027	0.0505	0.0449	272.3	0.0177	0.1346	16	8	187	18.38	76.15	181.31	0.34	6.46	5.75	34858.73	2.26	17.22	2.345	7.120	16.952	0.032	0.804	0.638	3259	0.212	1.610			
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	112.2	0.0095	0.0704	16	8	187	13.46	85.16	146.82	0.18	5.19	4.51	14364.36	1.21	9.01	2.59	7.963	8.866	0.019	0.431	0.343	1343	0.114	0.842			
Buildozer	DIESEL	358	0.59	0.2932	1.2456	2.3951	0.0026	0.0985	0.0877	264.9	0.0265	0.2275	16	8	187	37.50	159.44	306.57	0.33	12.61	11.22	33903.69	3.39	29.12	3.509	14.908	28.664	0.001	1.179	1.049	3170	0.317	2.723			
Roller Compactor	DIESEL	84	0.56	0.0857	0.4000	0.5498	0.0007	0.0454	0.0404	59.0	0.0077	0.0522	16	8	187	10.97	51.19	70.37	0.09	5.82	5.18	7550.56	0.99	6.69	1.025	4.787	5.680	0.008	0.544	0.484	706	0.093	0.626			
4000 Gallon Water Truck	DIESEL	235	0.57	0.1252	0.3702	0.9818	0.0019	0.0328	0.0291649	166.5	0.0113	0.0933	8	8	187	8.01	23.69	62.83	0.12	2.10	1.87	10658.91	0.72	5.97	0.749	2.215	5.875	0.011	0.361	0.175	997	0.068	0.558			
Subtotal															113.42	457.77	927.12	1.24	38.59	34.34	101336.25	8.58	68.01	10.60	42.98	86.69	0.12	1.91	1.61	3.21	9474.94	0.88	6.36			
Lake Sides																																				
Edge Wetlands																																				
Dump Truck	DIESEL	381	0.57	0.1960	0.5949	1.4166	0.0027	0.0505	0.0449	272.3	0.0177	0.1346	16	8	57	25.08	76.15	181.31	0.34	6.46	5.75	34858.73	2.26	17.22	0.715	2.170	5.167	0.010	0.184	0.164	953	0.065	0.491			
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	112.2	0.0095	0.0704	4	8	57	3.37	21.29	23.71	0.04	1.30	1.15	3891.09	0.30	2.25	0.096	0.607	0.676	0.001	0.037	0.033	102	0.009	0.064			
CAT 416 Rubber Tire Backhoe	DIESEL	87	0.55	0.0577	0.3480	0.3870	0.0006	0.0293	0.0261084	51.7	0.0052	0.0368	16	8	57	7.38	44.54	49.64	0.08	3.75	3.34	6621.19	0.67	4.71	0.210	1.269	1.412	0.002	0.070	0.065	189	0.019	0.134			
Load Steer Loader	DIESEL	37	0.55	0.0378	0.2138	0.2052	0.0003	0.0113	0.0101	25.5	0.0034	0.0195	4	8	57	1.21	6.94	8.57	0.01	0.36	0.32	916.61	0.11	0.82	0.035	0.195	0.187	0.000	0.010	0.009	23	0.003	0.018			
Subtotal															37.04	148.82	261.12	0.47	11.88	10.57	45897.62	3.34	24.81	1.06	4.24	7.44	0.01	0.34	0.30	1307.80	0.10	0.71				
Overflow Weir 1 and 2 Weir for River Connection																																				
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360																											

Boat Dock																																	
Excavator	DIESEL	157	0.57	0.0998	0.5137	0.6331	0.0009	0.0519	0.0462	73.6	0.0980	0.0601	1	8	41	0.80	4.11	5.07	0.01	0.41	0.37	588.98	0.07	0.48	0.018	0.084	0.104	0.000	0.009	0.008	12	0.001	0.010
CAT 416 Rubber Tire Backhoe	DIESEL	87	0.55	0.0634	0.3903	0.4252	0.0006	0.0337	0.0300	51.7	0.0057	0.0404	4	8	41	2.20	11.21	13.61	0.02	1.08	0.96	1655.30	0.18	1.29	0.042	0.230	0.279	0.000	0.020	0.020	34	0.004	0.026
Skid Steer Loader	DIESEL	37	0.55	0.0443	0.2196	0.2161	0.0003	0.0134	0.0120	25.5	0.0040	0.0205	2	8	41	0.71	3.51	3.46	0.01	0.21	0.19	408.31	0.06	0.33	0.015	0.072	0.071	0.000	0.004	0.004	8	0.001	0.007
Air Compressor	DIESEL	78	0.48	0.0758	0.3216	0.4682	0.0006	0.0416	0.0370	47.0	0.0068	0.0445	4	8	41	2.42	10.29	14.98	0.02	1.33	1.18	1502.41	0.22	1.42	0.050	0.211	0.307	0.000	0.024	0.024	31	0.004	0.029
Subtotal																5.96	29.12	37.11	0.05	3.04	2.70	4155.00	0.54	3.53	0.12	0.60	0.76	0.00	0.06	0.06	85.18	0.01	0.07
Land Buys																																	
Skid Steer Loader	DIESEL	37	0.55	0.0443	0.2196	0.2161	0.0003	0.0134	0.0120	25.5	0.0040	0.0205	2	8	41	0.71	3.51	3.46	0.01	0.21	0.19	408.31	0.06	0.33	0.015	0.072	0.071	0.000	0.004	0.004	8	0.001	0.007
Air Compressor	DIESEL	78	0.48	0.0758	0.3216	0.4682	0.0006	0.0416	0.0370	47.0	0.0068	0.0445	4	8	41	2.42	10.29	14.98	0.02	1.33	1.18	1502.41	0.22	1.42	0.050	0.211	0.307	0.000	0.024	0.024	31	0.004	0.029
Subtotal																3.13	13.80	18.44	0.02	1.55	1.38	1910.71	0.28	1.75	0.06	0.28	0.38	0.00	0.03	0.03	39.17	0.01	0.04
Levee Cutoff Walls																																	
CAT 416 Rubber Tire Backhoe	DIESEL	87	0.55	0.0577	0.3480	0.3870	0.0006	0.0293	0.0261084	51.7	0.0052	0.0368	4	8	204	1.85	11.14	12.39	0.02	0.94	0.84	1655.30	0.17	1.18	0.188	1.138	1.263	0.002	0.096	0.085	169	0.017	0.120
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	112.2	0.0095	0.0704	1	8	204	0.84	5.32	5.93	0.01	0.32	0.29	897.77	0.08	0.56	0.086	0.543	0.605	0.001	0.033	0.029	92	0.008	0.057
Skid Steer Loader	DIESEL	37	0.55	0.0443	0.2196	0.2161	0.0003	0.0134	0.0120	25.5	0.0040	0.0205	2	8	204	0.71	3.51	3.46	0.01	0.21	0.19	408.31	0.06	0.33	0.015	0.072	0.071	0.000	0.004	0.004	8	0.001	0.007
Air Compressor	DIESEL	78	0.48	0.0758	0.3216	0.4682	0.0006	0.0416	0.0370	47.0	0.0068	0.0445	4	8	204	2.42	10.29	14.98	0.02	1.33	1.18	1502.41	0.22	1.42	0.050	0.211	0.307	0.000	0.024	0.024	31	0.004	0.029
Subtotal																13.65	55.43	101.96	0.16	4.45	3.96	15505.71	1.23	9.69	1.39	5.68	10.40	0.02	0.45	0.40	1581.58	0.13	0.99
Deep Water Well																																	
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	112.2	0.0095	0.0704	1	8	180	0.80	4.11	5.07	0.01	0.41	0.37	588.98	0.07	0.48	0.072	0.370	0.456	0.001	0.037	0.033	53	0.006	0.043
CAT 416 Rubber Tire Backhoe	DIESEL	87	0.55	0.0634	0.3903	0.4252	0.0006	0.0337	0.0300	51.7	0.0057	0.0404	4	8	180	2.20	11.21	13.61	0.02	1.08	0.96	1655.30	0.18	1.29	0.183	1.009	1.225	0.002	0.087	0.086	140	0.016	0.118
Skid Steer Loader	DIESEL	37	0.55	0.0443	0.2196	0.2161	0.0003	0.0134	0.0120	25.5	0.0040	0.0205	2	8	180	0.71	3.51	3.46	0.01	0.21	0.19	408.31	0.06	0.33	0.015	0.072	0.071	0.000	0.004	0.004	8	0.001	0.007
Air Compressor	DIESEL	78	0.48	0.0758	0.3216	0.4682	0.0006	0.0416	0.0370	47.0	0.0068	0.0445	4	8	180	2.42	10.29	14.98	0.02	1.33	1.18	1502.41	0.22	1.42	0.050	0.211	0.307	0.000	0.024	0.024	31	0.004	0.029
Subtotal																5.96	29.12	37.11	0.05	3.04	2.70	4155.00	0.54	3.53	0.54	2.62	3.34	0.00	0.27	0.24	373.95	0.05	0.32
Urban Lake																																	
Erosion/Sediment Control and Cleaning																																	
Dump Truck	DIESEL	381	0.57	0.1960	0.5949	1.4165	0.0027	0.0505	0.0449	272.3	0.0177	0.1346	4	8	73	6.27	19.04	45.33	0.09	1.62	1.44	8714.68	0.57	4.31	0.229	0.695	1.654	0.003	0.059	0.052	318	0.021	0.157
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	112.2	0.0095	0.0704	1	8	73	1.68	10.65	11.85	0.02	0.65	0.58	1795.55	0.15	1.13	0.061	0.389	0.433	0.001	0.024	0.021	66	0.006	0.041
Skid Steer Loader	DIESEL	37	0.55	0.0443	0.2196	0.2161	0.0003	0.0134	0.0120	25.5	0.0040	0.0205	2	8	73	0.71	3.51	3.46	0.01	0.21	0.19	408.31	0.06	0.33	0.015	0.072	0.071	0.000	0.004	0.004	8	0.001	0.007
Air Compressor	DIESEL	78	0.48	0.0758	0.3216	0.4682	0.0006	0.0416	0.0370	47.0	0.0068	0.0445	4	8	73	9.38	39.86	76.64	0.08	3.15	2.81	8475.92	0.85	7.28	0.342	1.455	2.797	0.003	0.115	0.102	309	0.031	0.265
Subtotal																17.33	68.54	153.82	0.19	4.42	4.82	18986.18	1.56	12.71	0.63	2.54	4.68	0.01	0.20	0.18	692.89	0.06	0.48
Rough Grade Lake																																	
Dump Truck	DIESEL	162	0.61	0.1289	0.7319	0.8534	0.0014	0.0526	0.0468	123.9	0.0117	0.0806	2	8	125	2.08	11.71	15.25	0.02	0.84	0.75	1982.74	0.19	1.45	0.130	0.732	0.853	0.001	0.053	0.047	124	0.012	0.091
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	112.2	0.0095	0.0704	1	8	125	0.84	5.32	5.93	0.01	0.32	0.29	897.77	0.08	0.56	0.086	0.543	0.605	0.001	0.033	0.029	92	0.008	0.057
Skid Steer Loader	DIESEL	37	0.55	0.0443	0.2196	0.2161	0.0003	0.0134	0.0120	25.5	0.0040	0.0205	2	8	125	0.71	3.51	3.46	0.01	0.21	0.19	408.31	0.06	0.33	0.015	0.072	0.071	0.000	0.004	0.004	8	0.001	0.007
Air Compressor	DIESEL	78	0.48	0.0758	0.3216	0.4682	0.0006	0.0416	0.0370	47.0	0.0068	0.0445	4	8	125	9.38	39.86	76.64	0.08	3.15	2.81	8475.92	0.85	7.28	0.342	1.455	2.797	0.003	0.115	0.102	309	0.031	0.265
Subtotal																19.41	81.25	149.08	0.21	6.26	5.57	20968.89	1.75	14.16	1.21	5.08	9.32	0.01	0.39	0.35	1310.56	0.11	0.89
Lake																																	
Lake Bottom																																	
Dump Truck	DIESEL	381	0.57	0.1960	0.5949	1.4165	0.0027	0.0505	0.0449	272.3	0.0177	0.1346	4	8	187	18.37	62.13	211.22	0.19	6.42	5.72	0.00	0.00	0.00	1.718	5.809	19.749	0.018	0.060	0.534	0.0	0.000	0.000
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	112.2	0.0095	0.0704	1	8	187	3.37	21.29	23.71	0.04	1.30	1.15	3991.09	0.30	2.25	0.315	1.991	2.217	0.000	0.121	0.108	336	0.028	0.211
Skid Steer Loader	DIESEL	37	0.55	0.0443	0.2196	0.2161	0.0003	0.0134	0.0120	25.5	0.0040	0.0205	2	8	187	0.71	3.51	3.46	0.01	0.21	0.19	408.31	0.06	0.33	0.015	0.072	0.071	0.000	0.004	0.004	8	0.001	0.007
Air Compressor	DIESEL	78	0.48	0.0758	0.3216	0.4682	0.0006	0.0416	0.0370	47.0	0.0068	0.0445	4	8	187	2.42	10.29	14.98	0.02	1.33	1.18	1502.41	0.22	1.42	0.050	0.211	0.307	0.000	0.024	0.024	31	0.004	0.029
4000 Gallon Water Truck	DIESEL	235	0.57	0.1252	0.3702	0.9818	0.0019	0.0328	0.0291649	166.5	0.0113	0.0933	2	8	187	2.00	5.92	15.71	0.03	0.52	0.47	2654.73	0.18	1.49	0.187	0.554	1.469	0.003	0.049	0.044	249	0.017	0.140
Subtotal																42.13	161.04	390.19	0.45	14.46	12.87	25334.06	2										

Boat Launch																																	
Roller Compactor	DIESEL	84	0.56	0.0857	0.4000	0.5498	0.0007	0.0454	0.0404	59.0	0.0077	0.0522	2	8	41	1.37	6.40	8.80	0.01	0.73	0.65	943.82	0.12	0.84	0.028	0.131	0.180	0.000	0.015	0.013	19	0.003	0.017
CAT 416 Rubber Tire Backhoe	DIESEL	87	0.55	0.0577	0.3480	0.3870	0.0006	0.0293	0.0261084	51.7	0.0052	0.0368	4	8	41	1.85	11.14	12.39	0.02	0.94	0.84	1655.30	0.17	1.18	0.038	0.228	0.254	0.000	0.019	0.017	34	0.003	0.024
Skid Steer Loader	DIESEL	37	0.55	0.0378	0.2138	0.2052	0.0003	0.0113	0.0101	25.5	0.0034	0.0195	2	8	41	0.61	3.42	3.28	0.01	0.18	0.16	408.31	0.05	0.31	0.012	0.070	0.067	0.000	0.004	0.003	8	0.001	0.006
Concrete Trucks	DIESEL	235	0.57	0.1252	0.3702	0.9818	0.0019	0.0328	0.0291649	166.5	0.0113	0.0933	4	8	41	4.00	11.85	31.42	0.06	1.05	0.93	5329.45	0.36	2.98	0.082	0.243	0.644	0.001	0.021	0.019	109	0.007	0.061
4000 Gallon Water Truck	DIESEL	235	0.57	0.1252	0.3702	0.9818	0.0019	0.0328	0.0291649	166.5	0.0113	0.0933	2	8	41	2.00	5.92	15.71	0.03	0.52	0.47	2664.73	0.18	1.49	0.041	0.121	0.121	0.000	0.011	0.010	55	0.004	0.031
Subtotal																9.83	38.73	71.59	0.13	3.42	3.04	11001.60	0.89	6.80	0.20	0.79	1.47	0.00	0.07	0.06	225.53	0.02	0.14
Restroom Trailers																																	
CAT 416 Rubber Tire Backhoe	DIESEL	87	0.55	0.0577	0.3480	0.3870	0.0006	0.0293	0.0261084	51.7	0.0052	0.0368	4	8	41	1.85	11.14	12.39	0.02	0.94	0.84	1655.30	0.17	1.18	0.038	0.228	0.254	0.000	0.019	0.017	34	0.003	0.024
Skid Steer Loader	DIESEL	37	0.55	0.0378	0.2138	0.2052	0.0003	0.0113	0.0101	25.5	0.0034	0.0195	2	8	41	0.61	3.42	3.28	0.01	0.18	0.16	408.31	0.05	0.31	0.012	0.070	0.067	0.000	0.004	0.003	8	0.001	0.006
Concrete Trucks	DIESEL	235	0.57	0.1252	0.3702	0.9818	0.0019	0.0328	0.0291649	166.5	0.0113	0.0933	4	8	41	4.00	11.85	31.42	0.06	1.05	0.93	5329.45	0.36	2.98	0.082	0.243	0.644	0.001	0.021	0.019	109	0.007	0.061
4000 Gallon Water Truck	DIESEL	235	0.57	0.1252	0.3702	0.9818	0.0019	0.0328	0.0291649	166.5	0.0113	0.0933	2	8	41	2.00	5.92	15.71	0.03	0.52	0.47	2664.73	0.18	1.49	0.041	0.121	0.121	0.000	0.011	0.010	55	0.004	0.031
Subtotal																8.46	32.33	62.79	0.11	2.69	2.40	10057.78	0.76	5.97	0.17	0.66	1.29	0.00	0.06	0.05	206.18	0.02	0.12
Rock Plantings/Landscaping																																	
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	112.2	0.0095	0.0704	1	8	41	0.84	5.32	5.93	0.01	0.32	0.29	897.77	0.08	0.56	0.017	0.109	0.121	0.000	0.007	0.006	18	0.002	0.012
CAT 416 Rubber Tire Backhoe	DIESEL	87	0.55	0.0577	0.3480	0.3870	0.0006	0.0293	0.0261084	51.7	0.0052	0.0368	4	8	41	1.85	11.14	12.39	0.02	0.94	0.84	1655.30	0.17	1.18	0.038	0.228	0.254	0.000	0.019	0.017	34	0.003	0.024
Skid Steer Loader	DIESEL	37	0.55	0.0378	0.2138	0.2052	0.0003	0.0113	0.0101	25.5	0.0034	0.0195	2	8	41	0.61	3.42	3.28	0.01	0.18	0.16	408.31	0.05	0.31	0.012	0.070	0.067	0.000	0.004	0.003	8	0.001	0.006
Subtotal																3.29	19.88	21.60	0.03	1.44	1.29	2961.38	0.30	2.05	0.07	0.41	0.44	0.00	0.03	0.03	60.71	0.01	0.04
Loop Trail																																	
Roller Compactor	DIESEL	84	0.56	0.0857	0.4000	0.5498	0.0007	0.0454	0.0404	59.0	0.0077	0.0522	2	8	41	1.37	6.40	8.80	0.01	0.73	0.65	943.82	0.12	0.84	0.028	0.131	0.180	0.000	0.015	0.013	19	0.003	0.017
CAT 416 Rubber Tire Backhoe	DIESEL	87	0.55	0.0577	0.3480	0.3870	0.0006	0.0293	0.0261084	51.7	0.0052	0.0368	4	8	41	1.85	11.14	12.39	0.02	0.94	0.84	1655.30	0.17	1.18	0.038	0.228	0.254	0.000	0.019	0.017	34	0.003	0.024
Skid Steer Loader	DIESEL	37	0.55	0.0378	0.2138	0.2052	0.0003	0.0113	0.0101	25.5	0.0034	0.0195	2	8	41	0.61	3.42	3.28	0.01	0.18	0.16	408.31	0.05	0.31	0.012	0.070	0.067	0.000	0.004	0.003	8	0.001	0.006
Concrete Trucks	DIESEL	235	0.57	0.1252	0.3702	0.9818	0.0019	0.0328	0.0291649	166.5	0.0113	0.0933	4	8	41	4.00	11.85	31.42	0.06	1.05	0.93	5329.45	0.36	2.98	0.082	0.243	0.644	0.001	0.021	0.019	109	0.007	0.061
4000 Gallon Water Truck	DIESEL	235	0.57	0.1252	0.3702	0.9818	0.0019	0.0328	0.0291649	166.5	0.0113	0.0933	2	8	41	2.00	5.92	15.71	0.03	0.52	0.47	2664.73	0.18	1.49	0.041	0.121	0.121	0.000	0.011	0.010	55	0.004	0.031
Subtotal																9.83	38.73	71.59	0.13	3.42	3.04	11001.60	0.89	6.80	0.20	0.79	1.47	0.00	0.07	0.06	225.53	0.02	0.14
Cypress Planting/Landscaping																																	
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	112.2	0.0095	0.0704	1	8	41	0.84	5.32	5.93	0.01	0.32	0.29	897.77	0.08	0.56	0.017	0.109	0.121	0.000	0.007	0.006	18	0.002	0.012
CAT 416 Rubber Tire Backhoe	DIESEL	87	0.55	0.0577	0.3480	0.3870	0.0006	0.0293	0.0261084	51.7	0.0052	0.0368	4	8	41	1.85	11.14	12.39	0.02	0.94	0.84	1655.30	0.17	1.18	0.038	0.228	0.254	0.000	0.019	0.017	34	0.003	0.024
Skid Steer Loader	DIESEL	37	0.55	0.0378	0.2138	0.2052	0.0003	0.0113	0.0101	25.5	0.0034	0.0195	2	8	41	0.61	3.42	3.28	0.01	0.18	0.16	408.31	0.05	0.31	0.012	0.070	0.067	0.000	0.004	0.003	8	0.001	0.006
Subtotal																3.29	19.88	21.60	0.03	1.44	1.29	2961.38	0.30	2.05	0.07	0.41	0.44	0.00	0.03	0.03	60.71	0.01	0.04
Stone Curb w/ Safety Bench																																	
Excavator	DIESEL	87	0.55	0.0577	0.3480	0.3870	0.0006	0.0293	0.0261084	51.7	0.0052	0.0368	4	8	41	1.85	11.14	12.39	0.02	0.94	0.84	1655.30	0.17	1.18	0.038	0.228	0.254	0.000	0.019	0.017	34	0.003	0.024
Skid Steer Loader	DIESEL	37	0.55	0.0378	0.2138	0.2052	0.0003	0.0113	0.0101	25.5	0.0034	0.0195	2	8	41	0.61	3.42	3.28	0.01	0.18	0.16	408.31	0.05	0.31	0.012	0.070	0.067	0.000	0.004	0.003	8	0.001	0.006
Concrete Trucks	DIESEL	235	0.57	0.1252	0.3702	0.9818	0.0019	0.0328	0.0291649	166.5	0.0113	0.0933	4	8	41	4.00	11.85	31.42	0.06	1.05	0.93	5329.45	0.36	2.98	0.082	0.243	0.644	0.001	0.021	0.019	109	0.007	0.061
4000 Gallon Water Truck	DIESEL	235	0.57	0.1252	0.3702	0.9818	0.0019	0.0328	0.0291649	166.5	0.0113	0.0933	2	8	41	2.00	5.92	15.71	0.03	0.52	0.47	2664.73	0.18	1.49	0.041	0.121	0.121	0.000	0.011	0.010	55	0.004	0.031
Subtotal																8.46	32.33	62.79	0.11	2.69	2.40	10057.78	0.76	5.97	0.17	0.66	1.29	0.00	0.06	0.05	206.18	0.02	0.12
Water Main																																	
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	112.2	0.0095	0.0704	1	8	41	0.84	5.32	5.93	0.01	0.32	0.29	897.77	0.08	0.56	0.017	0.109	0.121	0.000	0.007	0.006	18	0.002	0.012
CAT 416 Rubber Tire Backhoe	DIESEL	87	0.55	0.0577	0.3480	0.3870	0.0006	0.0293	0.0261084	51.7	0.0052	0.0368	4	8	41	1.85	11.14	12.39	0.02	0.94	0.84	1655.30	0.17	1.18	0.038	0.228	0.254	0.000	0.019	0.017	34	0.003	0.024
Skid Steer Loader	DIESEL	37	0.55	0.0378	0.2138	0.2052	0.0003	0.0113	0.0101	25.5	0.0034	0.0195	2	8	41	0.61	3.42	3.28	0.01	0.18	0.16	408.31	0.05	0.31	0.012	0.070	0.067	0.000	0.004	0.003	8	0.001	0.006
Concrete Trucks	DIESEL	235	0.57	0.1252	0.3702	0.9818	0.0019	0.0328	0.0291649	166.5	0.0113	0.0933	4	8	41	4.00	11.85	31.42	0.0														

Table 20. Worker Vehicle Emissions, Lakes, Alternative 2

Construction Phase	Vehicle Class	No. of Daily Workers	Speed	VMT	CO	NO _x	ROG						SO _x	PM10			PM2.5			CO2	CH4	N2O
		Per phase	(mph)	(mi/vehicle-day)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Hot-Soak (g/rip)	Resting Loss (g/hr)	Running Evaporative (g/mi)	Diurnal Evaporative (g/hr)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Tire Wear (g/mi)	Brake Wear (g/mi)	Running Exhaust (g/mi)	Tire Wear (g/mi)	Brake Wear (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)
West Dallas Lake - Contract 7																						
Utility Relocations - City owned Utility	Light-Duty Truck, catalyst	20	35	80	2.750149	0.367153	0.09862	0.046	0.017	0.061	0.01	0.005128	0.011742	0.008	0.0125	0.010819	0.002	0.0053	414.4503	0.003872	0.00	
Utility Relocations - Franchised Owned Utility	Light-Duty Truck, catalyst	20	35	80	2.678204	0.347289	0.094284	0.044	0.015	0.06	0.01	0.005057	0.011646	0.008	0.0125	0.010722	0.002	0.0053	408.5823	0.003578	0.00	
Bridge Pier Modifications - Westmoreland Bridge	Light-Duty Truck, catalyst	30	35	80	2.678204	0.347289	0.094284	0.044	0.015	0.06	0.01	0.005057	0.011646	0.008	0.0125	0.010722	0.002	0.0053	408.5823	0.003578	0.00	
West Dallas Lake																						
Erosion/Sediment Control and Clearing	Light-Duty Truck, catalyst	20	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00	
Rough Grade Lake	Light-Duty Truck, catalyst	20	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00	
Lake Bottom	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00	
Lake Sides	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00	
Overflow Weir 1 and 2 Weir for River Connection	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00	
Lake Drain	Light-Duty Truck, catalyst	20	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00	
Lake Edge Treatment and Planting	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00	
Landscape (assume the remaining activities under this category, assume duration is 34.05 weeks/5 for each individual item)																						
Paved Loop Trail	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00	
West End Parking	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00	
Lighting	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00	
Boat Dock	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00	
Lane Buoys	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00	
Levee Cutoff Walls	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00	
Deep Water Well	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00	
Urban Lake																						
Erosion/Sediment Control and Clearing	Light-Duty Truck, catalyst	20	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00	
Rough Grade Lake	Light-Duty Truck, catalyst	20	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00	
Lake Bottom	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00	
Lake Sides	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00	
Overflow Weir 1 and 2 Weir for River Connection	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00	
Lake Drain	Light-Duty Truck, catalyst	20	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00	
Lake Edge Treatment and Planting	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00	
Landscape (assume the remaining activities under this category, assume duration is 34.05 weeks/5 for each individual item)																						
Pavilion	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00	
Whitewater Course	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00	
Boat Launch	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00	
Restroom Trailers	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00	
Rock Plantings/Landscaping	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00	
Loop Trail	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00	
Cypress Planting/Landscaping	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00	
Stone Curb w/ Safety Bench	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00	
Water Maze	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00	
Fountain Bubblers/Aerators	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00	
Fountain Plaza	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00	
Canoe Path	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00	
Skate Path	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00	
Amphitheater	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00	
Levee Cutoff Walls	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00	
Natural Lake																						
Erosion/Sediment Control and Clearing	Light-Duty Truck, catalyst	20	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00	
Rough Grade Lake	Light-Duty Truck, catalyst	20	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00	
Lake Bottom	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00	
Lake Sides	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00	
Overflow Weir 1 and 2 Weir for River Connection	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00	
Lake Drain	Light-Duty Truck, catalyst	20	35	80	2.60437	0.328866	0.090196															

Total Emissions, tons												
Construction Days	CO	NOx	VOCs	SOx	PM10	PM2.5	Paved Road Fugitive Dust PM10	Paved Road Fugitive Dust PM2.5	CO2	CH4	N2O	
West Dallas Lake - Contract 7												
Utility Relocations - City owned Utility	195	0.95	0.13	0.04731	1.76E-03	0.01109	0.00623	0.01646	0.00346	143	0.00133	0.00086
Utility Relocations - Franchised Owned Utility	49	0.23	0.03	0.01144	4.37E-04	0.00278	0.00156	0.00413	0.00087	35	0.00032	0.00020
Bridge Pier Modifications - Westmoreland Bridge	302	2.14	0.28	0.10573	4.04E-03	0.02568	0.01440	0.03823	0.00803	326	0.00300	0.00184
West Dallas Lake												
Erosion/Sediment Control and Clearing	73	0.34	0.04	0.02	0.00	0.00	0.00	0.01	0.00	51.92	0.00	0.00
Rough Grade Lake	125	0.57	0.11	0.04230	1.65E-03	0.01056	0.00591	0.01578	0.00331	133	0.00118	0.00070
Lake Bottom	187	1.72	0.07	0.02579	1.00E-03	0.00644	0.00360	0.00962	0.00202	81	0.00072	0.00043
Lake Sides	57	0.52	0.14	0.05338	2.08E-03	0.01333	0.00746	0.01992	0.00418	168	0.00149	0.00088
Overflow Weir 1 and 2 Weir for River Connection	118	1.08	0.14	0.05338	2.08E-03	0.01333	0.00746	0.01992	0.00418	168	0.00149	0.00088
Lake Drain	27	0.12	0.02	0.00611	2.38E-04	0.00152	0.00085	0.00228	0.00048	19	0.00017	0.00010
Lake Edge Treatment and Planting	72	0.66	0.08	0.03257	1.27E-03	0.00813	0.00455	0.01215	0.00255	102	0.00091	0.00054
Landscape (assume the remaining activities under this category, assume duration is 34.05 weeks/5 for each individual item)												
Paved Loop Trail	41	0.38	0.05	0.01855	7.22E-04	0.00463	0.00259	0.00692	0.00145	58	0.00052	0.00031
West End Parking	41	0.38	0.05	0.01855	7.22E-04	0.00463	0.00259	0.00692	0.00145	58	0.00052	0.00031
Lighting	41	0.38	0.05	0.01855	7.22E-04	0.00463	0.00259	0.00692	0.00145	58	0.00052	0.00031
Boat Dock	41	0.38	0.05	0.01855	7.22E-04	0.00463	0.00259	0.00692	0.00145	58	0.00052	0.00031
Lane Buoys	41	0.38	0.05	0.01855	7.22E-04	0.00463	0.00259	0.00692	0.00145	58	0.00052	0.00031
Levee Cutoff Walls	204	1.87	0.24	0.09228	3.59E-03	0.02304	0.01289	0.03443	0.00723	290	0.00257	0.00152
Deep Water Well	180	1.65	0.21	0.08143	3.17E-03	0.02033	0.01137	0.03038	0.00638	256	0.00227	0.00134
Urban Lake												
Erosion/Sediment Control and Clearing	73	0.34	0.04	0.01651	6.43E-04	0.00412	0.00231	0.00616	0.00129	52	0.00046	0.00027
Rough Grade Lake	125	0.57	0.07	0.02827	1.10E-03	0.00706	0.00395	0.01055	0.00222	89	0.00079	0.00047
Lake Bottom	187	1.72	0.22	0.08459	3.29E-03	0.02112	0.01182	0.03156	0.00663	266	0.00236	0.00140
Lake Sides	57	0.52	0.07	0.02579	1.00E-03	0.00644	0.00360	0.00962	0.00202	81	0.00072	0.00043
Overflow Weir 1 and 2 Weir for River Connection	118	1.08	0.14	0.05338	2.08E-03	0.01333	0.00746	0.01992	0.00418	168	0.00149	0.00088
Lake Drain	27	0.12	0.02	0.00611	2.38E-04	0.00152	0.00085	0.00228	0.00048	19	0.00017	0.00010
Lake Edge Treatment and Planting	72	0.66	0.08	0.03257	1.27E-03	0.00813	0.00455	0.01215	0.00255	102	0.00091	0.00054
Landscape (assume the remaining activities under this category, assume duration is 34.05 weeks/5 for each individual item)												
Pavilion	41	0.38	0.05	0.01855	7.22E-04	0.00463	0.00259	0.00692	0.00145	58	0.00052	0.00031
Whitewater Course	41	0.38	0.05	0.01855	7.22E-04	0.00463	0.00259	0.00692	0.00145	58	0.00052	0.00031
Boat Launch	41	0.38	0.05	0.01855	7.22E-04	0.00463	0.00259	0.00692	0.00145	58	0.00052	0.00031
Restroom Trailers	41	0.38	0.05	0.01855	7.22E-04	0.00463	0.00259	0.00692	0.00145	58	0.00052	0.00031
Rock Plantings/Landscaping	41	0.38	0.05	0.01855	7.22E-04	0.00463	0.00259	0.00692	0.00145	58	0.00052	0.00031
Loop Trail	41	0.38	0.05	0.01855	7.22E-04	0.00463	0.00259	0.00692	0.00145	58	0.00052	0.00031
Cypress Planting/Landscaping	41	0.38	0.05	0.01855	7.22E-04	0.00463	0.00259	0.00692	0.00145	58	0.00052	0.00031
Stone Curb w/ Safety Bench	41	0.38	0.05	0.01855	7.22E-04	0.00463	0.00259	0.00692	0.00145	58	0.00052	0.00031
Water Maze	41	0.38	0.05	0.01855	7.22E-04	0.00463	0.00259	0.00692	0.00145	58	0.00052	0.00031
Fountain Bubblers/Aerators	41	0.38	0.05	0.01855	7.22E-04	0.00463	0.00259	0.00692	0.00145	58	0.00052	0.00031
Fountain Plaza	41	0.38	0.05	0.01855	7.22E-04	0.00463	0.00259	0.00692	0.00145	58	0.00052	0.00031
Canoe Path	41	0.38	0.05	0.01855	7.22E-04	0.00463	0.00259	0.00692	0.00145	58	0.00052	0.00031
Skate Path	41	0.38	0.05	0.01855	7.22E-04	0.00463	0.00259	0.00692	0.00145	58	0.00052	0.00031
Amphitheater	41	0.38	0.05	0.01855	7.22E-04	0.00463	0.00259	0.00692	0.00145	58	0.00052	0.00031
Levee Cutoff Walls	204	1.87	0.24	0.09228	3.59E-03	0.02304	0.01289	0.03443	0.00723	290	0.00257	0.00152
Natural Lake												
Erosion/Sediment Control and Clearing	73	0.34	0.04	0.01651	6.43E-04	0.00412	0.00231	0.00616	0.00129	52	0.00046	0.00027
Rough Grade Lake	125	0.57	0.07	0.02827	1.10E-03	0.00706	0.00395	0.01055	0.00222	89	0.00079	0.00047
Lake Bottom	187	1.72	0.22	0.08459	3.29E-03	0.02112	0.01182	0.03156	0.00663	266	0.00236	0.00140
Lake Sides	57	0.52	0.07	0.02579	1.00E-03	0.00644	0.00360	0.00962	0.00202	81	0.00072	0.00043
Overflow Weir 1 and 2 Weir for River Connection	118	1.08	0.14	0.05338	2.08E-03	0.01333	0.00746	0.01992	0.00418	168	0.00149	0.00088
Lake Drain	27	0.12	0.02	0.00611	2.38E-04	0.00152	0.00085	0.00228	0.00048	19	0.00017	0.00010
Lake Edge Treatment and Planting	72	0.66	0.08	0.03257	1.27E-03	0.00813	0.00455	0.01215	0.00255	102	0.00091	0.00054
Landscape (assume the remaining activities under this category, assume duration is 34.05 weeks/5 for each individual item)												
Boardwalk Loop	41	0.38	0.05	0.01855	7.22E-04	0.00463	0.00259	0.00692	0.00145	58	0.00052	0.00031
Floating Wetlands	41	0.38	0.05	0.01855	7.22E-04	0.00463	0.00259	0.00692	0.00145	58	0.00052	0.00031
Small Amphitheater	41	0.38	0.05	0.01855	7.22E-04	0.00463	0.00259	0.00692	0.00145	58	0.00052	0.00031
Boat Launch	41	0.38	0.05	0.01855	7.22E-04	0.00463	0.00259	0.00692	0.00145	58	0.00052	0.00031
Levee Cutoff Walls	204	1.87	0.24	0.09228	3.59E-03	0.02304	0.01289	0.03443	0.00723	290	0.00257	0.00152
TOTAL 2017	9.31	1.18	0.46	0.02	0.11	0.06	0.17	0.04	1441.53	0.01	0.01	0.01
TOTAL 2018	11.26	1.42	0.55	0.02	0.14	0.08	0.21	0.04	1743.07	0.02	0.01	0.01
TOTAL 2022	9.11	0.01	0.01	0.00	0.00	0.00	0.00	0.00	15.84	0.00	0.00	0.00
TOTAL 2023	1.61	0.21	0.08	0.00	0.02	0.01	0.03	0.01	243.62	0.00	0.00	0.00
TOTAL 2024	2.04	0.27	0.10	0.00	0.03	0.01	0.04	0.01	318.91	0.00	0.00	0.00
TOTAL 2025	6.947	0.780	0.304	0.012	0.076	0.042	0.113	0.024	956.324	0.008	0.005	0.005
TOTAL 2026	3.05	0.43	0.17	0.01	0.04	0.02	0.06	0.01	530.60	0.00	0.00	0.00

Table 21. Construction Truck Emissions, Lakes, Alternative 2

Construction Phase	Vehicle Class	Peak No. of Trucks per day	Speed (mph)	VMT (mi/vehicle-day)	CO	NO _x	ROG	SOx	PM10		PM2.5			CO2	CH4	N2O	
					Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Tire Wear (g/mi)	Brake Wear (g/mi)	Running Exhaust (g/mi)	Tire Wear (g/mi)	Brake Wear (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)
West Dallas Lake - Contract 7																	
Utility Relocations - City owned Utility	Heavy Duty Truck, Diesel	10	35	20	0.871807363	3.316724334	0.16817599	0.014974	0.14674414	0.036	0.0125	0.142150806	0.009	0.0053	2178.46784	0.04887025	0.00
Utility Relocations - Franchised Owned Utility	Heavy Duty Truck, Diesel	10	35	20	0.781457199	2.991381103	0.15125977	0.01482336	0.12636546	0.036	0.0125	0.122573398	0.009	0.0053	2178.46784	0.04949967	0.00
Bridge Pier Modifications - Westmoreland Bridge	Heavy Duty Truck, Diesel	10	35	20	0.781457199	2.991381103	0.15125977	0.01482336	0.12636546	0.036	0.0125	0.122573398	0.009	0.0053	2178.46784	0.04949967	0.00
West Dallas Lake																	
Erosion/Sediment Control and Clearing	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Rough Grade Lake	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Lake Bottom	Heavy Duty Truck, Diesel	150	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Lake Sides	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Overflow Weir 1 and 2 Weir for River Connection	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Lake Drain	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Lake Edge Treatment and Planting	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Landscape (assume the remaining activities under this category, assume duration is 34.05 weeks/5 for each individual item)																	
Paved Loop Trail	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
West End Parking	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Lighting	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Boat Dock	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Lane Buoys	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Levee Cutoff Walls	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Deep Water Well	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Urban Lake																	
Erosion/Sediment Control and Clearing	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Rough Grade Lake	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Lake Bottom	Heavy Duty Truck, Diesel	100	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Lake Sides	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Overflow Weir 1 and 2 Weir for River Connection	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Lake Drain	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Lake Edge Treatment and Planting	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Landscape (assume the remaining activities under this category, assume duration is 34.05 weeks/5 for each individual item)																	
Pavilion	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Whiteswater Course	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Boat Launch	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Restroom Trailers	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Rock Plantings/Landscaping	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Loop Trail	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Cypress Planting/Landscaping	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Stone Curb w/ Safety Bench	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Water Maze	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Fountain Bubblers/Aerators	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Fountain Plaza	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Canoe Path	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Skate Path	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Amphitheater	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Levee Cutoff Walls	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Natural Lake																	
Erosion/Sediment Control and Clearing	Heavy Duty Truck, Diesel	10	35	80	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Rough Grade Lake	Heavy Duty Truck, Diesel	10	35	80	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Lake Bottom	Heavy Duty Truck, Diesel	150	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Lake Sides	Heavy Duty Truck, Diesel	10	35	80	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Overflow Weir 1 and 2 Weir for River Connection	Heavy Duty Truck, Diesel	10	35	80	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Lake Drain	Heavy Duty Truck, Diesel	10	35	80	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Lake Edge Treatment and Planting	Heavy Duty Truck, Diesel	10	35	80	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Landscape (assume the remaining activities under this category, assume duration is 34.05 weeks/5 for each individual item)																	
Boardwalk Loop	Heavy Duty Truck, Diesel	10	35	80	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Floating Wetlands	Heavy Duty Truck, Diesel	10	35	80	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Small Amphitheater	Heavy Duty Truck, Diesel	10	35	80	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613					

West Dallas Lake - Contract 7

Utility Relocations - City owned Utility

Utility Relocations - Franchised Owned Utility

Bridge Pier Modifications - Westmoreland Bridge West Dallas Lake

Erosion/Sediment Control and Clearing

Rough Grade Lake

Lake Bottom

Lake Sides

Overflow Weir 1 and 2 Weir for River Connection

Lake Drain

Lake Edge Treatment and Planting

Landscape (assume the remaining activities under this category, assume duration is 34.05 weeks/5 for each individual item)

Paved Loop Trail

West End Parking

Lighting

Boat Dock

Lane Buoys

Levee Cutoff Walls

Deep Water Well

Urban Lake

Erosion/Sediment Control and Clearing

Rough Grade Lake

Construction Days/Total Deliveries	Total Emissions, tons											CO2	CH4	N2O		
	CO	NOx	VOCs	SOx	PM10	PM2.5	Paved Road Fugitive Dust PM10	Paved Road Fugitive Dust PM2.5	Unpaved Road Fugitive Dust PM10	Unpaved Road Fugitive Dust PM2.5						
195	0.04	0.14	0.01	0.00	0.01	0.01	0.44	0.09	0.25	0.02	93.65	0.00	0.00			
49	0.01	0.03	0.00	0.00	0.00	0.00	0.11	0.02	0.06	0.01	23.53	0.00	0.00			
302	0.05	0.20	0.01	0.00	0.01	0.01	0.69	0.14	0.38	0.04	145.04	0.00	0.00			
73	0.01	0.04	0.00	0.00	0.00	0.00	0.17	0.03	0.09	0.01	35.06	0.00	0.00			
125	0.02	0.07	0.00	0.00	0.00	0.00	0.28	0.06	0.16	0.02	60.04	0.00	0.00			
187	0.44	1.68	0.08	0.01	0.10	0.07	6.38	1.34	3.53	0.35	1347.30	0.03	0.00			
57	0.01	0.03	0.00	0.00	0.00	0.00	0.13	0.03	0.07	0.01	27.38	0.00	0.00			
118	0.02	0.07	0.00	0.00	0.00	0.00	0.27	0.06	0.15	0.01	56.68	0.00	0.00			
27	0.00	0.02	0.00	0.00	0.00	0.00	0.06	0.01	0.03	0.00	12.97	0.00	0.00			
72	0.01	0.04	0.00	0.00	0.00	0.00	0.16	0.03	0.09	0.01	34.58	0.00	0.00			
41	0.01	0.02	0.00	0.00	0.00	0.00	0.09	0.02	0.05	0.01	19.69	0.00	0.00			
41	0.01	0.02	0.00	0.00	0.00	0.00	0.09	0.02	0.05	0.01	19.69	0.00	0.00			
41	0.01	0.02	0.00	0.00	0.00	0.00	0.09	0.02	0.05	0.01	19.69	0.00	0.00			
41	0.01	0.02	0.00	0.00	0.00	0.00	0.09	0.02	0.05	0.01	19.69	0.00	0.00			
204	0.03	0.12	0.01	0.00	0.01	0.01	0.46	0.10	0.26	0.03	97.99	0.00	0.00			
180	0.03	0.11	0.01	0.00	0.01	0.00	0.41	0.09	0.23	0.02	86.46	0.00	0.00			
73	0.01	0.04	0.00	0.00	0.00	0.00	0.17	0.03	0.09	0.01	35.06	0.00	0.00			
125	0.02	0.07	0.00	0.00	0.00	0.00	0.28	0.06	0.16	0.02	60.04	0.00	0.00			

k = 1.5 for PM10, 0.15 for PM2.5

s = 8.5, a = 0.9, b = 0.45

Assume 61% control efficiency for watering 3x daily

Emission Factors

PM10, LDT

PM10, MDT

PM10, HDT

PM2.5, LDT

PM2.5, MDT

PM2.5, HDT

Assume 0.25 miles each way of unpaved road travel

	Lake Bottom	
	Lake Sides	
	Overflow Weir 1 and 2 Weir for River Connection	
	Lake Drain	
0.357378738	Lake Edge Treatment and Planting	
	Landscape (assume the remaining activities under this category, assume duration is 34.05 weeks/5 for each individual item)	
0.829735596		
1.007230136	Pavilion	
0.035737874	Whitewater Course	
0.08297356	Boat Launch	
0.100723014	Restroom Trailers	
	Rock Plantings/Landscaping	
	Loop Trail	
	Cypress Planting/Landscaping	
	Stone Curb w/ Safety Bench	
	Water Maze	
	Fountain Bubblers/Aerators	
	Fountain Plaza	
	Canoe Path	
	Skate Path	
	Amphitheater	
	Levee Cutoff Walls	
	Natural Lake	
	Erosion/Sediment Control and Clearing	
	Rough Grade Lake	
	Lake Bottom	
	Lake Sides	
	Overflow Weir 1 and 2 Weir for River Connection	
	Lake Drain	
	Lake Edge Treatment and Planting	

187	0.29	1.12	0.06	0.01	0.07	0.05	4.25	0.89	2.35	0.24	898.20	0.02	0.00
57	0.01	0.03	0.00	0.00	0.00	0.00	0.13	0.03	0.07	0.01	27.38	0.00	0.00
118	0.02	0.07	0.00	0.00	0.00	0.00	0.27	0.06	0.15	0.01	56.68	0.00	0.00
27	0.00	0.02	0.00	0.00	0.00	0.00	0.06	0.01	0.03	0.00	12.97	0.00	0.00
72	0.01	0.04	0.00	0.00	0.00	0.00	0.16	0.03	0.09	0.01	34.58	0.00	0.00
41	0.01	0.02	0.00	0.00	0.00	0.00	0.09	0.02	0.05	0.01	19.69	0.00	0.00
41	0.01	0.02	0.00	0.00	0.00	0.00	0.09	0.02	0.05	0.01	19.69	0.00	0.00
41	0.01	0.02	0.00	0.00	0.00	0.00	0.09	0.02	0.05	0.01	19.69	0.00	0.00
41	0.01	0.02	0.00	0.00	0.00	0.00	0.09	0.02	0.05	0.01	19.69	0.00	0.00
41	0.01	0.02	0.00	0.00	0.00	0.00	0.09	0.02	0.05	0.01	19.69	0.00	0.00
41	0.01	0.02	0.00	0.00	0.00	0.00	0.09	0.02	0.05	0.01	19.69	0.00	0.00
41	0.01	0.02	0.00	0.00	0.00	0.00	0.09	0.02	0.05	0.01	19.69	0.00	0.00
41	0.01	0.02	0.00	0.00	0.00	0.00	0.09	0.02	0.05	0.01	19.69	0.00	0.00
41	0.01	0.02	0.00	0.00	0.00	0.00	0.09	0.02	0.05	0.01	19.69	0.00	0.00
41	0.01	0.02	0.00	0.00	0.00	0.00	0.09	0.02	0.05	0.01	19.69	0.00	0.00
41	0.01	0.02	0.00	0.00	0.00	0.00	0.09	0.02	0.05	0.01	19.69	0.00	0.00
41	0.01	0.02	0.00	0.00	0.00	0.00	0.09	0.02	0.05	0.01	19.69	0.00	0.00
41	0.01	0.02	0.00	0.00	0.00	0.00	0.09	0.02	0.05	0.01	19.69	0.00	0.00
204	0.03	0.12	0.01	0.00	0.01	0.01	0.46	0.10	0.26	0.03	97.99	0.00	0.00
73	0.05	0.17	0.01	0.00	0.01	0.01	0.55	0.12	0.09	0.01	140.25	0.00	0.00
125	0.08	0.30	0.02	0.00	0.02	0.01	0.94	0.20	0.16	0.02	240.16	0.01	0.00
187	0.44	1.68	0.08	0.01	0.10	0.07	6.38	1.34	3.53	0.35	1347.30	0.03	0.00
57	0.04	0.14	0.01	0.00	0.01	0.01	0.43	0.09	0.07	0.01	109.51	0.00	0.00
118	0.07	0.28	0.01	0.00	0.02	0.01	0.89	0.19	0.15	0.01	226.71	0.01	0.00
27	0.02	0.06	0.00	0.00	0.00	0.00	0.20	0.04	0.03	0.00	51.87	0.00	0.00
72	0.04	0.17	0.01	0.00	0.01	0.01	0.54	0.11	0.09	0.01	138.33	0.00	0.00

Landscape (assume the remaining activities under this category, assume duration is 34.05 weeks/5 for each individual item)

Boardwalk Loop

Floating Wetlands

Small Amphitheater

Boat Launch

Levee Cutoff Walls

41	0.03	0.10	0.00	0.00	0.01	0.00	0.31	0.06	0.05	0.01	78.77	0.00	0.00		
41	0.03	0.10	0.00	0.00	0.01	0.00	0.31	0.06	0.05	0.01	78.77	0.00	0.00		
41	0.03	0.10	0.00	0.00	0.01	0.00	0.31	0.06	0.05	0.01	78.77	0.00	0.00		
41	0.03	0.10	0.00	0.00	0.01	0.00	0.31	0.06	0.05	0.01	78.77	0.00	0.00		
204	0.13	0.49	0.02	0.00	0.03	0.02	1.53	0.32	0.26	0.03	391.94	0.01	0.00		
TOTAL 2017	0.99	3.81	0.19	0.02	0.22	0.17	13.15	2.76	4.84	0.48	3056.28	0.07	0.00		
TOTAL 2018	0.45	1.75	0.09	0.01	0.10	0.08	6.65	1.40	3.68	0.37	1403.49	0.03	0.00		
TOTAL 2022	0.00	0.02	0.00	0.00	0.00	0.00	0.05	0.01	0.03	0.00	10.40	0.00	0.00		
TOTAL 2023	0.05	0.21	0.01	0.00	0.01	0.01	0.68	0.14	0.37	0.04	143.04	0.00	0.00		
TOTAL 2024	0.05	0.21	0.01	0.00	0.01	0.01	0.73	0.15	0.40	0.04	153.85	0.00	0.00		
TOTAL 2025	0.532	2.049	0.103	0.011	0.119	0.091	7.793	1.636	4.314	0.431	1645.711	0.038	0.002		
TOTAL 2026	0.05	0.21	0.01	0.00	0.01	0.01	0.79	0.17	0.44	0.04	166.13	0.00	0.00		

Table 22. Heavy Construction Equipment Emissions, Interior Drainage Plan Phase II - West Levee

Equipment and Activity	FUEL	HP	Emission Factors										Emissions										Emission, tons (total)											
			Load Factor	ROG (lb/hr)	CO (lb/hr)	NOX (lb/hr)	SOX (lb/hr)	PM10 (lb/hr)	PM2.5 (lb/hr)	CO2 (lb/hr)	CH4 (lb/hr)	N2O (lb/hr)	No of Equipment	Hrs Per Day	Days in Service	ROG (lb/day)	CO (lb/day)	NOX (lb/day)	SOX (lb/day)	PM10 (lb/day)	PM2.5 (lb/day)	CO2 (lb/day)	CH4 (lb/day)	N2O (lb/day)	ROG tons (total)	CO tons (total)	NOX tons (total)	SOX tons (total)	PM10 tons (total)	PM2.5 tons (total)	CO2 tons (total)	CH4 tons (total)	N2O tons (total)	
Charlie Pump Station																																		
Demolition of Existing Pump Station																																		
Equipment																																		
Excavator	DIESEL	208	0.43	0.0925	0.2713	0.8284	0.0013	0.0266	0.0255	112.2	0.0083	0.0787	1	8	15	0.74	2.17	6.63	0.01	0.23	0.20	897.27	0.07	0.63	0.006	0.016	0.050	0.000	0.002	0.002	7	0.001	0.005	
Dump Truck	DIESEL	381	0.57	0.1960	0.5949	1.4165	0.0027	0.0505	0.0449	272.3	0.0177	0.1346	2	8	15	3.14	9.52	22.66	0.04	0.81	0.72	457.34	0.28	2.15	0.024	0.071	0.170	0.000	0.006	0.005	33	0.002	0.016	
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	112.2	0.0095	0.0704	2	8	15	1.68	10.65	11.85	0.02	0.65	0.58	1795.55	0.15	1.13	0.013	0.080	0.089	0.000	0.005	0.004	13	0.001	0.008	
Concrete Trucks	DIESEL	358	0.59	0.2932	1.2456	2.3951	0.0026	0.0895	0.0877	264.9	0.0265	0.2275	4	8	15	9.30	39.96	76.64	0.08	3.15	2.81	8475.92	0.85	7.25	0.070	0.239	0.575	0.001	0.024	0.021	64	0.008	0.055	
Subtotal																14.94	42.69	117.79	0.16	4.84	4.31	15526.06	1.35	11.19	0.11	0.47	0.88	0.00	0.04	0.03	116.45	0.01	0.08	
Road Surfacing																																		
Equipment																																		
Grader	DIESEL	162	0.61	0.1299	0.7319	0.9534	0.0014	0.0526	0.0468	123.9	0.0117	0.0906	4	8	3	4.16	23.42	30.51	0.04	1.68	1.50	3965.49	0.38	2.90	0.006	0.035	0.046	0.000	0.003	0.002	6	0.001	0.004	
Roller Compactor	DIESEL	84	0.56	0.0857	0.4000	0.5498	0.0007	0.0454	0.0404	59.0	0.0077	0.0522	2	8	3	1.37	6.40	8.80	0.01	0.73	0.65	943.82	0.12	0.84	0.002	0.010	0.013	0.000	0.001	0.001	1	0.000	0.001	
CAT 416 Rubber Tire Backhoe	DIESEL	87	0.55	0.0577	0.3480	0.3870	0.0006	0.0293	0.0261084	51.7	0.0052	0.0368	4	8	3	1.85	11.14	12.39	0.02	0.94	0.84	1655.30	0.17	1.18	0.008	0.033	0.017	0.019	0.000	0.001	0.001	2	0.000	0.002
Skid Steer Loader	DIESEL	37	0.55	0.0378	0.2138	0.2052	0.0003	0.0113	0.0101	25.5	0.0034	0.0195	2	8	3	0.61	3.42	3.28	0.01	0.18	0.16	408.31	0.05	0.31	0.001	0.005	0.005	0.000	0.000	0.000	1	0.000	0.000	
Concrete Trucks	DIESEL	235	0.57	0.1252	0.3702	0.9818	0.0019	0.0328	0.0291649	166.5	0.0113	0.0933	4	8	3	4.00	11.81	13.42	0.06	1.05	0.93	5329.45	0.36	2.98	0.006	0.018	0.047	0.000	0.002	0.001	8	0.001	0.004	
4000 Gallon Water Truck	DIESEL	235	0.57	0.1252	0.3702	0.9818	0.0019	0.0328	0.0291649	166.5	0.0113	0.0933	2	8	3	2.00	5.92	15.71	0.03	0.52	0.47	2664.73	0.18	1.49	0.003	0.009	0.024	0.000	0.001	0.001	4	0.000	0.002	
Subtotal																13.99	62.15	102.10	0.17	5.10	4.54	14967.09	1.26	9.70	0.02	0.09	0.15	0.00	0.01	0.01	22.45	0.00	0.01	
Levee Construction																																		
Equipment																																		
Backhoes	DIESEL	358	0.59	0.2932	1.2456	2.3951	0.0026	0.0895	0.0877	264.9	0.0265	0.2275	2	8	88	4.69	19.93	38.32	0.04	1.58	1.40	4237.96	0.42	3.64	0.026	0.877	1.686	0.002	0.069	0.062	186	0.019	0.160	
Roller Compactor	DIESEL	84	0.56	0.0857	0.4000	0.5498	0.0007	0.0454	0.0404	59.0	0.0077	0.0522	2	8	88	1.37	6.40	8.80	0.01	0.73	0.65	943.82	0.12	0.84	0.002	0.282	0.387	0.000	0.032	0.028	42	0.008	0.037	
4000 Gallon Water Truck	DIESEL	235	0.57	0.1252	0.3702	0.9818	0.0019	0.0328	0.0291649	166.5	0.0113	0.0933	2	8	88	2.00	5.92	15.71	0.03	0.52	0.47	2664.73	0.18	1.49	0.006	0.261	0.691	0.001	0.023	0.021	117	0.008	0.066	
Subtotal																8.06	32.25	62.83	0.08	2.83	2.52	7846.51	0.73	5.97	0.35	1.42	2.76	0.00	0.12	0.11	345.25	0.03	0.26	
New Charlie Pump Station Construction																																		
Equipment																																		
CAT 416 Rubber Tire Backhoe	DIESEL	87	0.55	0.0577	0.3480	0.3870	0.0006	0.0293	0.0261084	51.7	0.0052	0.0368	1	8	62	0.46	2.78	3.10	0.00	0.23	0.21	413.82	0.04	0.29	0.014	0.086	0.096	0.000	0.007	0.006	13	0.001	0.009	
Dump Truck	DIESEL	381	0.57	0.1960	0.5949	1.4165	0.0027	0.0505	0.0449	272.3	0.0177	0.1346	1	8	62	1.57	4.76	11.33	0.02	0.40	0.36	2178.67	0.14	1.08	0.049	0.148	0.351	0.001	0.013	0.011	68	0.004	0.033	
4000 Gallon Water Truck	DIESEL	235	0.57	0.1252	0.3702	0.9818	0.0019	0.0328	0.0291649	166.5	0.0113	0.0933	1	8	62	1.00	2.96	7.85	0.01	0.26	0.23	1332.36	0.09	0.75	0.031	0.262	0.243	0.000	0.008	0.007	41	0.003	0.023	
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	112.2	0.0095	0.0704	1	8	62	0.84	5.32	5.93	0.01	0.32	0.29	897.77	0.08	0.56	0.028	0.165	0.184	0.000	0.010	0.009	28	0.002	0.017	
Skid Steer Loader	DIESEL	37	0.55	0.0378	0.2138	0.2052	0.0003	0.0113	0.0101	25.5	0.0034	0.0195	1	8	62	0.30	1.71	1.64	0.00	0.09	0.08	204.15	0.03	0.16	0.009	0.053	0.051	0.000	0.003	0.003	6	0.001	0.005	
Tractor	DIESEL	69	0.75	0.2065	0.6134	1.5945	0.0027	0.0567	0.0505	272.3	0.0186	0.1515	1	8	62	0.84	5.32	5.93	0.01	0.26	0.23	1332.36	0.09	0.75	0.031	0.468	0.516	0.000	0.014	0.013	16	0.003	0.011	
Hand Held Compactor	DIESEL	8	0.5	0.0050	0.0263	0.0314	0.0001	0.0012	0.0011	4.3	0.0005	0.0030	1	8	62	0.04	0.25	0.25	0.00	0.01	0.01	36.51	0.00	0.02	0.001	0.007	0.007	0.000	0.000	0.000	1	0.000	0.001	
Air Compressor	DIESEL	78	0.48	0.0691	0.3182	0.4334	0.0006	0.0375	0.0334	47.0	0.0062	0.0412	1	8	62	0.55	2.55	3.47	0.00	0.30	0.27	375.60	0.05	0.33	0.017	0.079	0.107	0.000	0.009	0.008	12	0.002	0.010	
Paver	DIESEL	89	0.62	0.1235	0.4989	0.7477	0.0008	0.0566	0.0562	69.2	0.0111	0.0710	1	8	62	0.99	3.99	5.98	0.01	0.51	0.45	5537.57	0.09	0.57	0.031	1.23	1.85	0.000	0.016	0.014	77	0.003	0.018	
Subtotal																6.67	27.95	45.20	0.07	2.61	2.32	6509.63	0.60	4.29	0.21	0.87	1.40	0.00	0.08	0.07	291.50	0.02	0.13	
Delta Pump Station																																		
Mod/Demol/Reface																																		
Equipment																																		
CAT 416 Rubber Tire Backhoe	DIESEL	87	0.55	0.0577	0.3480	0.3870	0.0006	0.0293	0.0261084	51.7	0.0052	0.0368	4	8	6	1.85	11.14	12.39	0.02	0.94	0.84	1655.30	0.17	1.18	0.006	0.033	0.037	0.000	0.003	0.003	5	0.000	0.004	
Dump Truck	DIESEL	381	0.57	0.1960	0.5949	1.4165	0.0027	0.0505	0.0449	272.3	0.0177	0.1346	1	8	6	1.57	4.76	11.33	0.02	0.40	0.36	2178.67	0.14	1.08	0.009	0.029	0.031	0.000	0.001	0.000	11	0.000	0.001	
4000 Gallon Water Truck	DIESEL	235	0.57	0.1252	0.3702	0.9818	0.0019	0.0328	0.0291649	166.5	0.0113	0.0933	2	8	6	2.00	5.92	15.71	0.03	0.52	0.47	2664.73	0.18	1.49	0.006	0.018	0.047	0.000	0.002	0.001	8	0.001	0.004	
Subtotal																4.45	20.48	31.38	0.05	1.64	1.46	4728.33	0.40	2.98	0.01	0.06	0.09	0.00	0.00	0.00	14.18	0.00	0.01	
Site Work																																		
Equipment																																		
CAT 416 Rubber Tire Backhoe	DIESEL	87	0.55	0.0577	0.3480	0.3870	0.0006	0.0293	0.0261084	51.7	0.0052	0.0368	1	8	312	0.51	2.80	3.40	0.00	0.27	0.24	413.82	0.05	0.32	0.079	0.437	0.531	0.001	0.042	0.037	65	0.007	0.050	
Dump Truck	DIESEL	381	0.57	0.1960	0.5949	1.4165	0.0027	0.0505	0.0449	272.3	0.0177	0.1346	1	8	312	1.57	4.76	11.33	0.02	0.40	0.36	2178.67	0.14	1.08	0.009	0.029	0.031	0.000	0.001	0.000				

Table 23. Worker Vehicle Emissions, Interior Drainage Plan Phase II - West Level

Construction Phase	Vehicle Class	No. of Daily Workers Per phase	Speed (mph)	VMT (mi/vehicle-day)	CO			NO _x			ROG			SOx			PM10			PM2.5			CO2			CH4			N2O		
					Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Hot-Soak (g/trip)	Resting Loss (g/hr)	Running Evaporative (g/mi)	Diurnal Evaporative (g/hr)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Tire Wear (g/mi)	Brake Wear (g/mi)	Running Exhaust (g/mi)	Tire Wear (g/mi)	Brake Wear (g/mi)	Running Exhaust (g/mi)	Tire Wear (g/mi)	Brake Wear (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	
Charlie Pump Station																															
Demolition of Existing Pump Station	Light-Duty Truck, catalyst	9	35	80	3.279952	0.515311	0.132459	0.079	0.045	0.069	0.02	0.005612	0.01254	0.008	0.0125	0.011566	0.002	0.0053	452.8343	0.004791	0.00										
Road Surfacing	Light-Duty Truck, catalyst	18	35	80	3.279952	0.515311	0.132459	0.079	0.045	0.069	0.02	0.005612	0.01254	0.008	0.0125	0.011566	0.002	0.0053	452.8343	0.004791	0.00										
Levee Construction	Light-Duty Truck, catalyst	15	35	80	3.279952	0.515311	0.132459	0.079	0.045	0.069	0.02	0.005612	0.01254	0.008	0.0125	0.011566	0.002	0.0053	452.8343	0.004791	0.00										
New Charlie Pump Station Construction	Light-Duty Truck, catalyst	15	35	80	3.279952	0.515311	0.132459	0.079	0.045	0.069	0.02	0.005612	0.01254	0.008	0.0125	0.011566	0.002	0.0053	452.8343	0.004791	0.00										
Delta Pump Station																															
Mob/Demob/Fence	Light-Duty Truck, catalyst	9	35	80	3.018328	0.444534	0.114635	0.07	0.038	0.066	0.017	0.005391	0.012099	0.008	0.0125	0.011149	0.002	0.0053	435.6252	0.004286	0.00										
Site Work	Light-Duty Truck, catalyst	10	35	80	3.018328	0.444534	0.114635	0.07	0.038	0.066	0.017	0.005391	0.012099	0.008	0.0125	0.011149	0.002	0.0053	435.6252	0.004286	0.00										
New Delta Pump Station Construction	Light-Duty Truck, catalyst	15	35	80	3.018328	0.444534	0.114635	0.07	0.038	0.066	0.017	0.005391	0.012099	0.008	0.0125	0.011149	0.002	0.0053	435.6252	0.004286	0.00										
Facility Renovations	Light-Duty Truck, catalyst	10	35	80	3.018328	0.444534	0.114635	0.07	0.038	0.066	0.017	0.005391	0.012099	0.008	0.0125	0.011149	0.002	0.0053	435.6252	0.004286	0.00										
Eagle Ford Sump Improvements	Light-Duty Truck, catalyst	10	35	80	3.435217	0.558174	0.005065	0.084	0.049	0.071	0.021	0.005579	0.012818	0.008	0.0125	0.011825	0.002	0.0053	448.9316	0.033	0.00										
Trinity-Portland Pump Station																															
Mob/Demob/Fence	Light-Duty Truck, catalyst	9	35	80	3.018328	0.444534	0.114635	0.07	0.038	0.066	0.017	0.005391	0.012099	0.008	0.0125	0.011149	0.002	0.0053	435.6252	0.004286	0.00										
Road Surfacing	Light-Duty Truck, catalyst	18	35	80	3.018328	0.444534	0.114635	0.07	0.038	0.066	0.017	0.005391	0.012099	0.008	0.0125	0.011149	0.002	0.0053	435.6252	0.004286	0.00										
Levee Construction	Light-Duty Truck, catalyst	15	35	80	3.018328	0.444534	0.114635	0.07	0.038	0.066	0.017	0.005391	0.012099	0.008	0.0125	0.011149	0.002	0.0053	435.6252	0.004286	0.00										
New Trinity-Portland Pump Station	Light-Duty Truck, catalyst	15	35	80	3.018328	0.444534	0.114635	0.07	0.038	0.066	0.017	0.005391	0.012099	0.008	0.0125	0.011149	0.002	0.0053	435.6252	0.004286	0.00										

Assume startup after 8 hours
Assume 45 minutes run time total

Assume k = 0.016 PM10
Assume 6 miles in addition for track-out for PM10
Emission Factors
PM10, LDT

Charlie Pump Station
Demolition of Existing Pump Station
Road Surfacing
Levee Construction
9.81231E-05 New Charlie Pump Station Construction
Delta Pump Station
Mob/Demob/Fence
Site Work
New Delta Pump Station Construction
Facility Renovations
Eagle Ford Sump Improvements
Trinity-Portland Pump Station Construction
Mob/Demob/Fence
Road Surfacing
Levee Construction
New Trinity-Portland Pump Station Construction

Emissions, lbs/day											
CO	NOx	VOCs	SOx	PM10	PM2.5	Paved Road Fugitive Dust PM10	Paved Road Fugitive Dust PM2.5	CO2	CH4	N2O	
5.21	0.82	0.29	0.01	0.05	0.03	0.08	0.02	718.80	0.01	0.01	
10.41	1.64	0.58	0.02	0.10	0.06	0.15	0.03	1437.60	0.02	0.01	
8.68	1.36	0.48	0.01	0.09	0.05	0.13	0.03	1198.00	0.01	0.01	
8.68	1.36	0.48	0.01	0.09	0.05	0.13	0.03	1198.00	0.01	0.01	
4.79	0.71	0.26	0.01	0.05	0.03	0.08	0.02	691.48	0.01	0.00	
5.32	0.78	0.28	0.01	0.06	0.03	0.08	0.02	768.32	0.01	0.01	
7.99	1.18	0.43	0.01	0.09	0.05	0.13	0.03	1152.47	0.01	0.01	
5.32	0.78	0.28	0.01	0.06	0.03	0.08	0.02	768.32	0.01	0.01	
6.06	0.98	0.10	0.01	0.06	0.03	0.08	0.02	791.78	0.06	0.01	
4.79	0.71	0.26	0.01	0.05	0.03	0.08	0.02	691.48	0.01	0.00	
9.58	1.41	0.51	0.02	0.10	0.06	0.15	0.03	1382.97	0.01	0.01	
7.99	1.18	0.43	0.01	0.09	0.05	0.13	0.03	1152.47	0.01	0.01	
7.99	1.18	0.43	0.01	0.09	0.05	0.13	0.03	1152.47	0.01	0.01	

Construction Days	Total Emissions, tons											
	CO	NOx	VOCs	SOx	PM10	PM2.5	Paved Road Fugitive Dust PM10	Paved Road Fugitive Dust PM2.5	CO2	CH4	N2O	
Charlie Pump Station												
Demolition of Existing Pump Station	15	0.04	0.01	0.00217	6.68E-05	0.00039	0.00022	0.00057	0.00012	5	0.00006	0.00004
Road Surfacing	3	0.02	0.00	0.00087	2.67E-05	0.00016	0.00009	0.00023	0.00005	2	0.00002	0.00002
Levee Construction	88	0.38	0.06	0.02119	6.53E-04	0.00385	0.00220	0.00557	0.00117	53	0.00056	0.00044
New Charlie Pump Station Construction	62	0.27	0.04	0.01493	4.60E-04	0.00271	0.00155	0.00392	0.00082	37	0.00039	0.00031
Delta Pump Station												
Mob/Demob/Fence	6	0.01	0.00	0.00077	2.57E-05	0.00016	0.00009	0.00023	0.00005	2	0.00002	0.00001
Site Work	312	0.83	0.12	0.04427	1.48E-03	0.00897	0.00508	0.01316	0.00276	120	0.00118	0.00084
New Delta Pump Station Construction	30	0.12	0.02	0.00638	2.14E-04	0.00129	0.00073	0.00190	0.00040	17	0.00017	0.00012
Facility Renovations	12	0.03	0.00	0.00170	5.70E-05	0.00034	0.00020	0.00051	0.00011	5	0.00005	0.00003
Eagle Ford Sump Improvements	312	0.95	0.15	0.01556	1.54E-03	0.00917	0.00526	0.01316	0.00276	124	0.00908	0.00114
Trinity-Portland Pump Station Construction												
Mob/Demob/Fence	6	0.01	0.00	0.00077	2.57E-05	0.00016	0.00009	0.00023	0.00005	2	0.00002	0.00001
Road Surfacing	3	0.01	0.00	0.00077	2.57E-05	0.00016	0.00009	0.00023	0.00005	2	0.00002	0.00001
Levee Construction	78	0.31	0.05	0.01660	5.56E-04	0.00336	0.00190	0.00494	0.00104	45	0.00044	0.00032
New Trinity-Portland Pump Station Construction	338	1.35	0.20	0.07193	2.41E-03	0.01457	0.00825	0.02139	0.00449	195	0.00192	0.00137
TOTAL 2016		0.71	0.12	0.01	0.00	0.01	0.00	0.01	0.00	92.64	0.01	0.00
TOTAL 2017		0.37	0.06	0.01	0.00	0.00	0.00	0.01	0.00	48.90	0.00	0.00
TOTAL 2018		0.57	0.09	0.03	0.00	0.01	0.00	0.01	0.00	79.38	0.00	0.00
TOTAL 2019		2.065	0.304	0.110	0.004	0.022	0.013	0.033	0.007	298.099	0.003	0.002
TOTAL 2020		0.435	0.071	0.007	0.001	0.004	0.002	0.006	0.001	56.818	0.004	0.001

Table 24. Construction Truck Emissions, Interior Drainage Plan Phase II - West Levee

Construction Phase	Vehicle Class	Peak No. of Trucks per day	Speed (mph)	VMT (mi/vehicle-day)	CO		NO _x		ROG		SO _x		PM10		PM2.5		CO ₂		CH ₄		N ₂ O		
					Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Tire Wear (g/mi)	Brake Wear (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)
Charlie Pump Station	Heavy Duty Truck, Diesel																						
Demolition of Existing Pump Station	Heavy Duty Truck, Diesel	20	35	80	1.6135149	5.9825691	0.3057337	0.015408	0.3102148	0.036	0.0125	0.301107	0.009	0.0053	2178.231743	0.0433313	0.00						
Road Surfacing	Heavy Duty Truck, Diesel	20	35	80	1.6135149	5.9825691	0.3057337	0.015408	0.3102148	0.036	0.0125	0.301107	0.009	0.0053	2178.231743	0.0433313	0.00						
Levee Construction	Heavy Duty Truck, Diesel	20	35	80	1.6135149	5.9825691	0.3057337	0.015408	0.3102148	0.036	0.0125	0.301107	0.009	0.0053	2178.231743	0.0433313	0.00						
New Charlie Pump Station Construction	Heavy Duty Truck, Diesel	20	35	80	1.6135149	5.9825691	0.3057337	0.015408	0.3102148	0.036	0.0125	0.301107	0.009	0.0053	2178.231743	0.0433313	0.00						
Delta Pump Station																							
Mobile/Demob/Fence	Heavy Duty Truck, Diesel	20	35	80	1.2512529	4.6837296	0.2388455	0.0151788	0.2306205	0.036	0.0125	0.2238325	0.009	0.0053	2178.62608	0.0461638	0.00						
Site Work	Heavy Duty Truck, Diesel	20	35	80	1.2512529	4.6837296	0.2388455	0.0151788	0.2306205	0.036	0.0125	0.2238325	0.009	0.0053	2178.62608	0.0461638	0.00						
New Delta Pump Station Construction	Heavy Duty Truck, Diesel	20	35	80	1.2512529	4.6837296	0.2388455	0.0151788	0.2306205	0.036	0.0125	0.2238325	0.009	0.0053	2178.62608	0.0461638	0.00						
Facility Renovations	Heavy Duty Truck, Diesel	20	35	80	1.2512529	4.6837296	0.2388455	0.0151788	0.2306205	0.036	0.0125	0.2238325	0.009	0.0053	2178.62608	0.0461638	0.00						
Eagle Ford Sump Improvements	Heavy Duty Truck, Diesel	20	35	80	1.8289733	6.7606577	0.3441237	0.015105	0.3578864	0.036	0.0125	0.3472714	0.009	0.0053	2117.790543	0.0417419	0.00						
Trinity-Portland Pump Station Construction																							
Mobile/Demob/Fence	Heavy Duty Truck, Diesel	20	35	80	1.2512529	4.6837296	0.2388455	0.0151788	0.2306205	0.036	0.0125	0.2238325	0.009	0.0053	2178.62608	0.0461638	0.00						
Road Surfacing	Heavy Duty Truck, Diesel	20	35	80	1.2512529	4.6837296	0.2388455	0.0151788	0.2306205	0.036	0.0125	0.2238325	0.009	0.0053	2178.62608	0.0461638	0.00						
Levee Construction	Heavy Duty Truck, Diesel	20	35	80	1.2512529	4.6837296	0.2388455	0.0151788	0.2306205	0.036	0.0125	0.2238325	0.009	0.0053	2178.62608	0.0461638	0.00						
New Trinity-Portland Pump Station Construction	Heavy Duty Truck, Diesel	20	35	80	1.2512529	4.6837296	0.2388455	0.0151788	0.2306205	0.036	0.0125	0.2238325	0.009	0.0053	2178.62608	0.0461638	0.00						
Subtotal																							

MOVES2010 Emission Factors, Dallas County

Paved Road Fugitive Dust
Assume silt loading for 10,000 ADT roadways = 0.03 g/m³

Assume k = 0.016 PM10
Assume 6 miles in addition for track-out for PM10
Emission Factors
PM10, LDT 0.81231E-05
PM10, MDT 0.008944829
PM10, HDT 0.017495628

Unpaved Road Fugitive Dust
For LDT assume 2 tons/vehicle, MDT assume 13 tons/vehicle, HDT assume 20 tons/vehicle

k = 1.5 for PM10, 0.15 for PM2.5
s = 8.5, a = 0.9, b = 0.45
Assume 61% control efficiency for watering 3x daily

Emission Factors
PM10, LDT 0.357378738
PM10, MDT 0.029735596
PM10, HDT 1.007230136
PM2.5, LDT 0.035737874
PM2.5, MDT 0.06297356
PM2.5, HDT 0.100723014
Assume 0.25 miles each way of unpaved road travel

CO	NO _x	VOCs	SO _x	PM10	PM2.5	Emissions, lbs/day		Unpaved Road Fugitive Dust PM10	Unpaved Road Fugitive Dust PM2.5	CO ₂	CH ₄	N ₂ O
						Paved Road Fugitive Dust PM10	Paved Road Fugitive Dust PM2.5					
5.69	21.10	1.08	0.05	1.27	1.11	30.09	6.32	5.04	0.50	7684.92	0.16	0.01
5.69	21.10	1.08	0.05	1.27	1.11	30.09	6.32	5.04	0.50	7684.92	0.16	0.01
5.69	21.10	1.08	0.05	1.27	1.11	30.09	6.32	5.04	0.50	7684.92	0.16	0.01
5.69	21.10	1.08	0.05	1.27	1.11	30.09	6.32	5.04	0.50	7684.92	0.16	0.01
4.41	16.52	0.84	0.05	0.98	0.84	30.09	6.32	5.04	0.50	7684.92	0.16	0.01
4.41	16.52	0.84	0.05	0.98	0.84	30.09	6.32	5.04	0.50	7684.92	0.16	0.01
4.41	16.52	0.84	0.05	0.98	0.84	30.09	6.32	5.04	0.50	7684.92	0.16	0.01
4.41	16.52	0.84	0.05	0.98	0.84	30.09	6.32	5.04	0.50	7684.92	0.16	0.01
6.45	23.85	1.21	0.05	1.43	1.28	30.09	6.32	5.04	0.50	7470.33	0.15	0.01
4.41	16.52	0.84	0.05	0.98	0.84	30.09	6.32	5.04	0.50	7684.92	0.16	0.01
4.41	16.52	0.84	0.05	0.98	0.84	30.09	6.32	5.04	0.50	7684.92	0.16	0.01
4.41	16.52	0.84	0.05	0.98	0.84	30.09	6.32	5.04	0.50	7684.92	0.16	0.01
4.41	16.52	0.84	0.05	0.98	0.84	30.09	6.32	5.04	0.50	7684.92	0.16	0.01
6.45	24.03	1.27	0.05	1.43	1.28	30.09	6.32	5.04	0.50	7684.92	0.16	0.01

Charlie Pump Station
Demolition of Existing Pump Station
Road Surfacing
Levee Construction
New Charlie Pump Station Construction
Delta Pump Station
Mobile/Demob/Fence
Site Work
New Delta Pump Station Construction
Facility Renovations
Eagle Ford Sump Improvements
Trinity-Portland Pump Station Construction
Mobile/Demob/Fence
Road Surfacing
Levee Construction
New Trinity-Portland Pump Station Construction

Construction Days/Total Deliveries	Total Emissions, tons												
	CO	NO _x	VOCs	SO _x	PM10	PM2.5	Paved Road Fugitive Dust PM10	Paved Road Fugitive Dust PM2.5	Unpaved Road Fugitive Dust PM10	Unpaved Road Fugitive Dust PM2.5	CO ₂	CH ₄	N ₂ O
15	0.04	0.16	0.01	0.00	0.01	0.01	0.23	0.05	0.04	0.00	57.63	0.00	0.00
3	0.01	0.03	0.00	0.00	0.00	0.00	0.05	0.01	0.01	0.00	11.53	0.00	0.00
88	0.25	0.93	0.05	0.00	0.06	0.05	1.32	0.28	0.22	0.02	338.08	0.01	0.00
62	0.18	0.65	0.03	0.00	0.04	0.03	0.93	0.20	0.16	0.02	238.19	0.00	0.00
6	0.01	0.05	0.00	0.00	0.00	0.00	0.09	0.02	0.02	0.00	23.05	0.00	0.00
312	0.69	2.58	0.13	0.01	0.15	0.13	4.69	0.99	0.79	0.08	1198.85	0.03	0.00
30	0.07	0.25	0.01	0.00	0.01	0.01	0.45	0.09	0.08	0.01	115.27	0.00	0.00
12	0.03	0.10	0.01	0.00	0.01	0.01	0.18	0.04	0.03	0.00	46.11	0.00	0.00
312	1.01	3.72	0.19	0.01	0.22	0.20	4.69	0.99	0.79	0.08	1165.37	0.02	0.00
6	0.01	0.05	0.00	0.00	0.00	0.00	0.09	0.02	0.02	0.00	23.05	0.00	0.00
3	0.01	0.02	0.00	0.00	0.00	0.00	0.05	0.01	0.01	0.00	11.53	0.00	0.00
78	0.17	0.64	0.03	0.00	0.04	0.03	1.17	0.25	0.20	0.02	299.71	0.01	0.00
338	0.75	2.79	0.14	0.01	0.17	0.14	5.09	1.07	0.85	0.09	1296.75	0.03	0.00
TOTAL 2016	0.75	2.79	0.14	0.01	0.17	0.15	3.52	0.74	0.59	0.06	874.03	0.02	0.00
TOTAL 2017	0.35	1.30	0.07	0.00	0.08	0.07	1.71	0.36	0.29	0.03	427.65	0.01	0.00
TOTAL 2018	0.38	1.40	0.07	0.00	0.08	0.07	1.99	0.42	0.33	0.03	509.11	0.01	0.00
TOTAL 2019	1.389	5.200	0.265	0.017	0.310	0.264	9.472	1.989	1.585	0.159	2418.905	0.051	0.002
TOTAL 2020	0.463	1.711	0.087	0.004	0.103	0.092	2.159	0.453	0.361	0.036	536.071	0.011	0.000

Charlie Pump Station
Demolition of Existing Pump Station
Road Surfacing
Levee Construction
New Charlie Pump Station Construction
Delta Pump Station
Mobile/Demob/Fence
Site Work
New Delta Pump Station Construction
Facility Renovations
Eagle Ford Sump Improvements
Trinity-Portland Pump Station Construction
Mobile/Demob/Fence
Road Surfacing
Levee Construction
New Trinity-Portland Pump Station Construction

Table 26. Worker Vehicle Emissions, BVP Ecosystem and Recreation Improvements - Wetland:

Construction Phase	Vehicle Class	No. of Daily Workers Per phase	Speed (mph)	VMT (mi/vehicle-day)	CO	NO _x	ROG					SO _x	PM10			PM2.5			CO2	CH4	N2O
					Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Hot-Soak (g/trip)	Resting Loss (g/hr)	Running Evaporative (g/mi)	Diurnal Evaporative (g/hr)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Tire Wear (g/mi)	Brake Wear (g/mi)	Running Exhaust (g/mi)	Tire Wear (g/mi)	Brake Wear (g/mi)	Running Exhaust (g/mi)	Tire Wear (g/mi)	Brake Wear (g/mi)
Marshlands	Light-Duty Truck, catalyst	15	35	80	3.018328	0.444534	0.114635	0.07	0.038	0.066	0.017	0.005391	0.012099	0.008	0.0125	0.011149	0.002	0.0053	435.6252	0.004286	0.003055
Hampton and Biofiltration Wetlands	Light-Duty Truck, catalyst	15	35	80	2.818514	0.402178	0.106177	0.061	0.03	0.063	0.016	0.005297	0.011969	0.008	0.0125	0.011032	0.002	0.0053	427.9689	0.00391	0.002876
Corinth Wetlands	Light-Duty Truck, catalyst	15	35	80	2.818514	0.402178	0.106177	0.061	0.03	0.063	0.016	0.005297	0.011969	0.008	0.0125	0.011032	0.002	0.0053	427.9689	0.00391	0.002876
Cypress Wetlands	Light-Duty Truck, catalyst	25	35	80	2.824266	0.389368	0.103185	0.054	0.024	0.062	0.012	0.005209	0.011827	0.008	0.0125	0.010892	0.002	0.0053	420.8597	0.003946	0.002716

Assume startup after 8 hours
Assume 45 minutes run time total

Emissions, lbs/day											
CO	NO _x	VOCs	SO _x	PM10	PM2.5	Paved Road Fugitive Dust PM10	Paved Road Fugitive Dust PM2.5	CO2	CH4	N2O	
7.99	1.18	0.43	0.01	0.09	0.05	0.00	0.00	1152.47	0.01	0.01	
7.46	1.06	0.39	0.01	0.09	0.05	0.00	0.00	1132.22	0.01	0.01	
7.46	1.06	0.39	0.01	0.09	0.05	0.00	0.00	1132.22	0.01	0.01	
12.45	1.72	0.64	0.02	0.14	0.08	0.00	0.00	1855.68	0.02	0.01	

Total Emissions, tons											
Construction Days	CO	NO _x	VOCs	SO _x	PM10	PM2.5	Paved Road Fugitive Dust PM10	Paved Road Fugitive Dust PM2.5	CO2	CH4	N2O
250	1.00	0.15	0.05320	1.78E-03	0.01078	0.00610	0.00000	0.00000	144	0.00142	0.00101
250	0.93	0.13	0.04937	1.75E-03	0.01074	0.00606	0.00000	0.00000	142	0.00129	0.00095
125	0.47	0.07	0.02468	8.76E-04	0.00537	0.00303	0.00000	0.00000	71	0.00065	0.00048
125	0.78	0.11	0.03972	1.44E-03	0.00891	0.00501	0.00000	0.00000	116	0.00109	0.00075

Table 27. Construction Truck Emissions, BVP Ecosystem and Recreation Improvements - Wetlands

Construction Phase	Vehicle Class	Peak No. of Trucks per day	Speed (mph)	VMT (mi/vehicle-day)	CO	NO _x	ROG	SO _x	PM10			PM2.5			CO2	CH4	N2O
					Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Tire Wear (g/mi)	Brake Wear (g/mi)	Running Exhaust (g/mi)	Tire Wear (g/mi)	Brake Wear (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)
WDL Wetland Complex	Heavy Duty Truck, Diesel	10	35	80	1.2512529	4.6837296	0.2388455	0.0151788	0.2306205	0.036	0.0125	0.2238325	0.009	0.0053	2178.62608	0.0461638	0.0018938
Playing Field Complex	Heavy Duty Truck, Diesel	10	35	80	1.0664606	4.0320132	0.2052264	0.0150826	0.1982743	0.036	0.0125	0.1924519	0.009	0.0053	2178.42186	0.0454297	0.0020004
Corinth Wetlands	Heavy Duty Truck, Diesel	10	35	80	1.0664606	4.0320132	0.2052264	0.0150826	0.1982743	0.036	0.0125	0.1924519	0.009	0.0053	2178.42186	0.0454297	0.0020004
Cypress Wetlands	Heavy Duty Truck, Diesel	10	35	80	0.9787303	3.6993065	0.1882928	0.0150375	0.1703331	0.036	0.0125	0.1652896	0.009	0.0053	2178.51789	0.0481179	0.00204
Subtotal																	

MOVES2010 Emission Factors, Dallas County

Paved Road Fugitive Dust
Assume silt loading for 10,000 ADT roadways = 0.03 g/m³

Assume k = 0.016 PM10
Assume 6 miles in addition for track-out for PM10
Emission Factors
PM10, LDT 9.81231E-05
PM10, MDT 0.008944829
PM10, HDT 0.017495628

Emissions, lbs/day													
CO	NO _x	VOCs	SO _x	PM10	PM2.5	Paved Road Fugitive Dust PM10	Paved Road Fugitive Dust PM2.5	Unpaved Road Fugitive Dust PM10	Unpaved Road Fugitive Dust PM2.5	CO2	CH4	N2O	
2.21	8.26	0.42	0.03	0.49	0.42	7.69	1.62	2.07	0.21	3842.46	0.08	0.00	
1.88	7.11	0.36	0.03	0.44	0.36	7.69	1.62	2.07	0.21	3842.10	0.08	0.00	
1.88	7.11	0.36	0.03	0.44	0.36	7.69	1.62	2.07	0.21	3842.10	0.08	0.00	
1.73	6.52	0.33	0.03	0.39	0.32	7.69	1.62	2.07	0.21	3842.27	0.08	0.00	
7.69	29.01	1.48	0.11	1.75	1.47	30.77	6.46	8.30	0.83	15368.92	0.33	0.01	

Unpaved Road Fugitive Dust
For LDT assume 2 tons/vehicle, MDT assume 13 tons/vehicle, HDT assume 20 tons/vehicle

k = 1.5 for PM10, 0.15 for PM2.5
s = 8.5, a = 0.9, b = 0.45
Assume 61% control efficiency for watering 3x daily
Emission Factors
PM10, LDT 0.357378738
PM10, MDT 0.829735596
PM10, HDT 1.007230136
PM2.5, LDT 0.035737874
PM2.5, MDT 0.08297356
PM2.5, HDT 0.100723014
Assume 0.25 miles each way of unpaved road travel

Total Emissions, tons													
Construction Days/Total Deliveries	CO	NO _x	VOCs	SO _x	PM10	PM2.5	Paved Road Fugitive Dust PM10	Paved Road Fugitive Dust PM2.5	Unpaved Road Fugitive Dust PM10	Unpaved Road Fugitive Dust PM2.5	CO2	CH4	N2O
250	0.03	0.10	0.01	0.00	0.01	0.00	0.96157	0.20193	0.25929	0.02593	480	0.01018	0.00042
250	0.02	0.09	0.00	0.00	0.00	0.00	0.96157	0.20193	0.25929	0.02593	480	0.01002	0.00044
125	0.01	0.04	0.00	0.00	0.00	0.00	0.48078	0.10096	0.12965	0.01296	240	0.00501	0.00022
125	0.01	0.04	0.00	0.00	0.00	0.00	0.48078	0.10096	0.12965	0.01296	240	0.00530	0.00022
	0.07	0.28	0.01	0.00	0.01	0.00	2.88	0.61	0.78	0.08	1440.84	0.03	0.00

Table 28. Heavy Construction Equipment Emissions, BVP Ecosystem and Recreation Improvements - Recreational Facilities

Equipment and Activity	FUEL	HP	Load Factor	Emission Factors								Emissions										Emission, tons (total)											
				ROG (lb/hr)	CO (lb/hr)	NOX (lb/hr)	SOX (lb/hr)	PM10 (lb/hr)	PM2.5 (lb/hr)	CO2 (lb/hr)	CH4 (lb/hr)	N2O (lb/hr)	No of Equipment	Hrs Per Day	Days in Service	ROG lbs/day	CO lbs/day	NOX lbs/day	SOX lbs/day	PM10 lbs/day	PM2.5 lbs/day	CO2 lbs/day	CH4 lbs/day	N2O lbs/day	ROG tons (total)	CO tons (total)	NOX tons (total)	SOX tons (total)	PM10 tons (total)	PM2.5 tons (total)	CO2 tons (total)	CH4 tons (total)	N2O tons (total)
Project 4 - Recreational Facilities																																	
Duration: 24 months																																	
Equipment																																	
Graders	DIESEL	162	0.61	0.1299	0.7319	0.9534	0.0014	0.0526	0.0468	123.9	0.0117	0.0906	2	8	250	2.08	11.71	15.25	0.02	0.84	0.75	1982.74	0.19	1.45	0.260	1.464	1.907	0.003	0.105	0.094	248	0.023	0.181
Crane	DIESEL	208	0.43	0.0857	0.4000	0.5498	0.0007	0.0454	0.0404	59.0	0.0077	0.0522	1	8	250	0.69	3.20	4.40	0.01	0.36	0.32	471.91	0.06	0.42	0.088	0.400	0.550	0.001	0.045	0.040	59	0.008	0.052
Backhoes	DIESEL	358	0.59	0.0577	0.3480	0.3870	0.0006	0.0293	0.02861084	51.7	0.0052	0.0368	2	8	250	0.92	5.57	6.19	0.01	0.47	0.42	827.65	0.08	0.59	0.115	0.696	0.774	0.001	0.059	0.052	103	0.010	0.074
CAT 416 Rubber Tire Backhoe	DIESEL	87	0.55	0.0378	0.2138	0.2052	0.0003	0.0113	0.0101	25.5	0.0034	0.0195	2	8	250	0.61	3.44	3.26	0.01	0.18	0.18	408.31	0.05	0.31	0.078	0.428	0.410	0.001	0.023	0.020	51	0.007	0.038
Air Compressor	DIESEL	78	0.48	0.1252	0.3702	0.9818	0.0019	0.0328	0.0291649	166.5	0.0113	0.0933	4	8	250	4.00	11.85	31.42	0.06	1.05	0.93	5329.45	0.36	2.98	0.501	1.481	3.927	0.007	0.131	0.117	666	0.045	0.373
4000 Gallon Water Truck	DIESEL	235	0.57	0.1252	0.3702	0.9818	0.0019	0.0328	0.0291649	166.5	0.0113	0.0933	2	8	250	2.00	5.92	15.71	0.03	0.52	0.47	2664.73	0.18	1.49	0.250	0.740	1.964	0.004	0.066	0.058	333	0.023	0.187
Subtotal															10.30	41.67	76.25	0.13	3.43	3.05	11684.79	0.93	7.24	1.29	5.21	9.53	0.02	0.43	0.38	1460.60	0.12	0.91	

Table 29. Worker Vehicle Emissions, BVP Ecosystem and Recreation Improvements - Recreational Facilities

Construction Phase	Vehicle Class	No. of Daily Workers Per phase	Speed (mph)	VMT (mi/vehicle-day)	CO	NO _x	ROG					SO _x	PM10			PM2.5			CO ₂	CH ₄	N ₂ O
					Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Hot-Soak (g/trip)	Resting Loss (g/hr)	Running Evaporative (g/mi)	Diurnal Evaporative (g/hr)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Tire Wear (g/mi)	Brake Wear (g/mi)	Running Exhaust (g/mi)	Tire Wear (g/mi)	Brake Wear (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)
Play Fields	Light-Duty Truck, catalyst	15	35	80	2.750149	0.367153	0.09862	0.046	0.017	0.061	0.01	0.005128	0.011742	0.008	0.0125	0.010819	0.002	0.0053	414.4503	0.003872	0.002504

Assume startup after 8 hours
Assume 45 minutes run time total

Emissions, lbs/day											
CO	NO _x	VOCs	SO _x	PM10	PM2.5	Paved Road Fugitive Dust PM10	Paved Road Fugitive Dust PM2.5	CO ₂	CH ₄	N ₂ O	
7.28	0.97	0.36	0.01	0.09	0.05	0.00	0.00	1096.45	0.01	0.01	

Total Emissions, tons											
Construction Days	CO	NO _x	VOCs	SO _x	PM10	PM2.5	Paved Road Fugitive Dust PM10	Paved Road Fugitive Dust PM2.5	CO ₂	CH ₄	N ₂ O
250	0.91	0.12	0.04549	1.70E-03	0.01066	0.00599	0.00000	0.00000	137	0.00128	0.00083

Table 30. Construction Truck Emissions, BVP Ecosystem and Recreation Improvements - Recreational Facilities

Construction Phase	Vehicle Class	Peak No. of Trucks per day	Speed (mph)	VMT (mi/vehicle-day)	CO	NO _x	ROG	SO _x	PM10			PM2.5			CO ₂	CH ₄	N ₂ O
					Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Tire Wear (g/mi)	Brake Wear (g/mi)	Running Exhaust (g/mi)	Tire Wear (g/mi)	Brake Wear (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)
Play Fields	Heavy Duty Truck, Diesel	10	35	80	0.8718074	3.3167243	0.168176	0.014974	0.1467441	0.036	0.0125	0.1421508	0.009	0.0053	2178.446793	0.0488703	0.002041
Subtotal																	

MOVES2010 Emission Factors, Dallas County

Paved Road Fugitive Dust
 Assume silt loading for 10,000 ADT roadways = 0.03 g/m³
 Assume k = 0.016 PM10
 Assume 6 miles in addition for track-out for PM10
 Emission Factors
 PM10, LDT 9.81231E-05
 PM10, MDT 0.008944829
 PM10, HDT 0.017495628

Emissions, lbs/day												
CO	NO _x	VOCs	SO _x	PM10	PM2.5	Paved Road Fugitive Dust PM10	Paved Road Fugitive Dust PM2.5	Unpaved Road Fugitive Dust PM10	Unpaved Road Fugitive Dust PM2.5	CO ₂	CH ₄	N ₂ O
1.54	5.85	0.30	0.03	0.34	0.28	7.69	1.62	2.07	0.21	3842.14	0.09	0.00
1.54	5.85	0.30	0.03	0.34	0.28	7.69	1.62	2.07	0.21	3842.14	0.09	0.00

Unpaved Road Fugitive Dust
 For LDT assume 2 tons/vehicle, MDT assume 13 tons/vehicle, HDT assume 20 tons/vehicle
 k = 1.5 for PM10, 0.15 for PM2.5
 s = 8.5, a = 0.9, b = 0.45
 Assume 61% control efficiency for watering 3x daily
 Emission Factors
 PM10, LDT 0.357378738
 PM10, MDT 0.829735596
 PM10, HDT 1.007230136
 PM2.5, LDT 0.035737874
 PM2.5, MDT 0.08297356
 PM2.5, HDT 0.100723014
 Assume 0.25 miles each way of unpaved road travel

Total Emissions, tons													
Construction Days/Total Deliveries	CO	NO _x	VOCs	SO _x	PM10	PM2.5	Paved Road Fugitive Dust PM10	Paved Road Fugitive Dust PM2.5	Unpaved Road Fugitive Dust PM10	Unpaved Road Fugitive Dust PM2.5	CO ₂	CH ₄	N ₂ O
250	0.02	0.07	0.00	0.00	0.00	0.00	0.96157	0.20193	0.25929	0.02593	480	0.01077	0.00045
	0.02	0.07	0.00	0.00	0.00	0.00	0.96	0.20	0.26	0.03	480.27	0.01	0.00

Table 31. Heavy Construction Equipment Emissions, BVP Ecosystem and Recreation Improvements - General Elements

Equipment and Activity	FUEL	HP	Load Factor	Emission Factors										Emissions										Emission, tons (total)									
				ROG (lb/hr)	CO (lb/hr)	NOX (lb/hr)	SOX (lb/hr)	PM10 (lb/hr)	PM2.5 (lb/hr)	CO2 (lb/hr)	CH4 (lb/hr)	N2O (lb/hr)	No of Equipment	Hrs Per Day	Days in Service	ROG (lb/day)	CO (lb/day)	NOX (lb/day)	SOX (lb/day)	PM10 (lb/day)	PM2.5 (lb/day)	CO2 (lb/day)	CH4 (lb/day)	N2O (lb/day)	ROG (tons total)	CO (tons total)	NOX (tons total)	SOX (tons total)	PM10 (tons total)	PM2.5 (tons total)	CO2 (tons total)	CH4 (tons total)	N2O (tons total)
Project 3 - General Elements																																	
Duration: 30 months																																	
Parking																																	
Generator	DIESEL	162	0.61	0.1299	0.7319	0.9534	0.0014	0.0526	0.0468	123.9	0.0117	0.0906	4	8	250	4.16	23.42	30.51	0.04	1.68	1.50	3965.49	0.38	2.90	5.20	2.928	3.813	0.006	0.210	0.187	496	0.047	0.362
Roller Compactor	DIESEL	84	0.56	0.0857	0.4500	0.5498	0.0007	0.0454	0.0404	59.0	0.0077	0.0522	2	8	250	1.37	6.40	8.80	0.01	0.73	0.65	943.82	0.12	0.84	1.171	0.800	1.100	0.001	0.091	0.081	118	0.015	0.104
CAT 416 Rubber Tire Backhoe	DIESEL	87	0.55	0.0577	0.3480	0.3870	0.0006	0.0293	0.0261984	51.7	0.0052	0.0368	4	8	250	1.85	11.14	12.39	0.02	0.94	0.84	1655.30	0.17	1.18	2.231	1.392	1.548	0.002	0.117	0.104	207	0.021	0.147
Skid Steer Loader	DIESEL	37	0.55	0.0378	0.2138	0.2052	0.0003	0.0113	0.0101	25.5	0.0034	0.0195	2	8	250	0.61	3.42	3.28	0.01	0.18	0.16	408.31	0.05	0.31	0.076	0.428	0.410	0.001	0.023	0.020	51	0.007	0.059
Concrete Trucks	DIESEL	235	0.57	0.1252	0.3702	0.9818	0.0019	0.0328	0.0291648	166.5	0.0113	0.0933	4	8	250	4.00	11.85	31.42	0.06	1.05	0.93	5329.45	0.38	2.98	5.501	1.481	1.927	0.007	0.131	0.117	666	0.045	0.373
4000 Gallon Water Truck	DIESEL	235	0.57	0.1252	0.3702	0.9818	0.0019	0.0328	0.0291648	166.5	0.0113	0.0933	2	8	250	2.00	5.92	15.71	0.03	0.52	0.47	2664.73	0.18	1.49	2.500	0.740	1.984	0.004	0.066	0.058	333	0.023	0.182
Subtotal															13.99	62.15	102.10	0.17	5.10	4.54	14907.99	1.26	9.70	1.78	7.77	12.76	0.02	0.64	0.57	1870.89	0.16	1.21	
Lighting																																	
CAT 416 Rubber Tire Backhoe	DIESEL	87	0.55	0.0577	0.3480	0.3870	0.0006	0.0293	0.0261984	51.7	0.0052	0.0368	4	8	250	1.85	11.14	12.39	0.02	0.94	0.84	1655.30	0.17	1.18	2.231	1.392	1.548	0.002	0.117	0.104	207	0.021	0.147
Skid Steer Loader	DIESEL	37	0.55	0.0378	0.2138	0.2052	0.0003	0.0113	0.0101	25.5	0.0034	0.0195	2	8	250	0.61	3.42	3.28	0.01	0.18	0.16	408.31	0.05	0.31	0.076	0.428	0.410	0.001	0.023	0.020	51	0.007	0.059
Subtotal															2.45	14.58	15.67	0.02	1.12	1.00	2063.60	0.22	1.48	0.31	1.82	1.96	0.00	0.14	0.12	287.95	0.03	0.19	
Vehicle Access and Roads																																	
Generator	DIESEL	162	0.61	0.1299	0.7319	0.9534	0.0014	0.0526	0.0468	123.9	0.0117	0.0906	4	8	250	4.16	23.42	30.51	0.04	1.68	1.50	3965.49	0.38	2.90	5.20	2.928	3.813	0.006	0.210	0.187	496	0.047	0.362
Roller Compactor	DIESEL	84	0.56	0.0857	0.4500	0.5498	0.0007	0.0454	0.0404	59.0	0.0077	0.0522	2	8	250	1.37	6.40	8.80	0.01	0.73	0.65	943.82	0.12	0.84	1.171	0.800	1.100	0.001	0.091	0.081	118	0.015	0.104
CAT 416 Rubber Tire Backhoe	DIESEL	87	0.55	0.0577	0.3480	0.3870	0.0006	0.0293	0.0261984	51.7	0.0052	0.0368	4	8	250	1.85	11.14	12.39	0.02	0.94	0.84	1655.30	0.17	1.18	2.231	1.392	1.548	0.002	0.117	0.104	207	0.021	0.147
Skid Steer Loader	DIESEL	37	0.55	0.0378	0.2138	0.2052	0.0003	0.0113	0.0101	25.5	0.0034	0.0195	2	8	250	0.61	3.42	3.28	0.01	0.18	0.16	408.31	0.05	0.31	0.076	0.428	0.410	0.001	0.023	0.020	51	0.007	0.059
Concrete Trucks	DIESEL	235	0.57	0.1252	0.3702	0.9818	0.0019	0.0328	0.0291648	166.5	0.0113	0.0933	4	8	250	4.00	11.85	31.42	0.06	1.05	0.93	5329.45	0.38	2.98	5.501	1.481	1.927	0.007	0.131	0.117	666	0.045	0.373
4000 Gallon Water Truck	DIESEL	235	0.57	0.1252	0.3702	0.9818	0.0019	0.0328	0.0291648	166.5	0.0113	0.0933	2	8	250	2.00	5.92	15.71	0.03	0.52	0.47	2664.73	0.18	1.49	2.500	0.740	1.984	0.004	0.066	0.058	333	0.023	0.182
Subtotal															13.99	62.15	102.10	0.17	5.10	4.54	14907.99	1.26	9.70	1.78	7.77	12.76	0.02	0.64	0.57	1870.89	0.16	1.21	
Trails																																	
Roller Compactor	DIESEL	84	0.56	0.0857	0.4500	0.5498	0.0007	0.0454	0.0404	59.0	0.0077	0.0522	2	8	250	1.37	6.40	8.80	0.01	0.73	0.65	943.82	0.12	0.84	1.171	0.800	1.100	0.001	0.091	0.081	118	0.015	0.104
CAT 416 Rubber Tire Backhoe	DIESEL	87	0.55	0.0577	0.3480	0.3870	0.0006	0.0293	0.0261984	51.7	0.0052	0.0368	4	8	250	1.85	11.14	12.39	0.02	0.94	0.84	1655.30	0.17	1.18	2.231	1.392	1.548	0.002	0.117	0.104	207	0.021	0.147
Skid Steer Loader	DIESEL	37	0.55	0.0378	0.2138	0.2052	0.0003	0.0113	0.0101	25.5	0.0034	0.0195	2	8	250	0.61	3.42	3.28	0.01	0.18	0.16	408.31	0.05	0.31	0.076	0.428	0.410	0.001	0.023	0.020	51	0.007	0.059
Concrete Trucks	DIESEL	235	0.57	0.1252	0.3702	0.9818	0.0019	0.0328	0.0291648	166.5	0.0113	0.0933	4	8	250	4.00	11.85	31.42	0.06	1.05	0.93	5329.45	0.38	2.98	5.501	1.481	1.927	0.007	0.131	0.117	666	0.045	0.373
4000 Gallon Water Truck	DIESEL	235	0.57	0.1252	0.3702	0.9818	0.0019	0.0328	0.0291648	166.5	0.0113	0.0933	2	8	250	2.00	5.92	15.71	0.03	0.52	0.47	2664.73	0.18	1.49	2.500	0.740	1.984	0.004	0.066	0.058	333	0.023	0.182
Subtotal															8.83	38.73	71.59	0.13	3.42	3.04	11001.60	0.89	6.80	1.23	4.84	8.95	0.02	0.43	0.38	1375.20	0.11	0.85	
Embankment Trail																																	
Roller Compactor	DIESEL	84	0.56	0.0857	0.4500	0.5498	0.0007	0.0454	0.0404	59.0	0.0077	0.0522	2	8	250	1.37	6.40	8.80	0.01	0.73	0.65	943.82	0.12	0.84	1.171	0.800	1.100	0.001	0.091	0.081	118	0.015	0.104
CAT 416 Rubber Tire Backhoe	DIESEL	87	0.55	0.0577	0.3480	0.3870	0.0006	0.0293	0.0261984	51.7	0.0052	0.0368	4	8	250	1.85	11.14	12.39	0.02	0.94	0.84	1655.30	0.17	1.18	2.231	1.392	1.548	0.002	0.117	0.104	207	0.021	0.147
Skid Steer Loader	DIESEL	37	0.55	0.0378	0.2138	0.2052	0.0003	0.0113	0.0101	25.5	0.0034	0.0195	2	8	250	0.61	3.42	3.28	0.01	0.18	0.16	408.31	0.05	0.31	0.076	0.428	0.410	0.001	0.023	0.020	51	0.007	0.059
Concrete Trucks	DIESEL	235	0.57	0.1252	0.3702	0.9818	0.0019	0.0328	0.0291648	166.5	0.0113	0.0933	4	8	250	4.00	11.85	31.42	0.06	1.05	0.93	5329.45	0.38	2.98	5.501	1.481	1.927	0.007	0.131	0.117	666	0.045	0.373
4000 Gallon Water Truck	DIESEL	235	0.57	0.1252	0.3702	0.9818	0.0019	0.0328	0.0291648	166.5	0.0113	0.0933	2	8	250	2.00	5.92	15.71	0.03	0.52	0.47	2664.73	0.18	1.49	2.500	0.740	1.984	0.004	0.066	0.058	333	0.023	0.182
Subtotal															5.82	26.88	40.17	0.07	2.37	2.11	5672.15	0.53	3.82	0.73	3.38	5.02	0.01	0.30	0.26	709.02	0.07	0.48	
Sidewalks																																	
Roller Compactor	DIESEL	84	0.56	0.0857	0.4500	0.5498	0.0007	0.0454	0.0404	59.0	0.0077	0.0522	2	8	250	1.37	6.40	8.80	0.01	0.73	0.65	943.82	0.12	0.84	1.171	0.800	1.100	0.001	0.091	0.081	118	0.015	0.104
CAT 416 Rubber Tire Backhoe	DIESEL	87	0.55	0.0577	0.3480	0.3870	0.0006	0.0293	0.0261984	51.7	0.0052	0.0368	4	8	250	1.85	11.14	12.39	0.02	0.94	0.84	1655.30	0.17	1.18	2.231	1.392	1.548	0.002	0.117	0.104	207	0.021	0.147
Skid Steer Loader	DIESEL	37	0.55	0.0378	0.2138	0.2052	0.0003	0.0113	0.0101	25.5	0.0034	0.0195	2	8	250	0.61	3.42	3.28	0.01	0.18	0.16	408.31	0.05	0.31	0.076	0.428	0.410	0.001	0.023	0.020	51	0.007	0.059
Concrete Trucks	DIESEL																																

Table 32. Worker Vehicle Emissions, BVP Ecosystem and Recreation Improvements - General Elements

Construction Phase	Vehicle Class	No. of Daily Workers Per phase	Speed (mph)	VMT (mi/vehicle-day)	CO	NO _x	ROG				SO _x	PM10			PM2.5		Brake Wear	CO2	CH4	N2O	
					Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Hot-Soak (g/trip)	Resting Loss (g/hr)	Running Evaporative (g/mi)	Diurnal Evaporative (g/hr)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Tire Wear (g/mi)	Brake Wear (g/mi)	Running Exhaust (g/mi)	Tire Wear (g/mi)	Brake Wear (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)
Parking	Light-Duty Truck, catalyst	15	35	80	3.018328	0.444534	0.114635	0.07	0.038	0.066	0.017	0.005391	0.012099	0.008	0.0125	0.011149	0.002	0.0053	435.6252	0.004286	0.003055
Lighting	Light-Duty Truck, catalyst	15	35	80	3.018328	0.444534	0.114635	0.07	0.038	0.066	0.017	0.005391	0.012099	0.008	0.0125	0.011149	0.002	0.0053	435.6252	0.004286	0.003055
Vehicular Access and Roads	Light-Duty Truck, catalyst	15	35	80	3.018328	0.444534	0.114635	0.07	0.038	0.066	0.017	0.005391	0.012099	0.008	0.0125	0.011149	0.002	0.0053	435.6252	0.004286	0.003055
Trails	Light-Duty Truck, catalyst	15	35	80	2.818514	0.402178	0.106177	0.061	0.03	0.063	0.016	0.005297	0.011969	0.008	0.0125	0.011032	0.002	0.0053	427.9689	0.00391	0.002876
Equestrian Trail	Light-Duty Truck, catalyst	15	35	80	2.818514	0.402178	0.106177	0.061	0.03	0.063	0.016	0.005297	0.011969	0.008	0.0125	0.011032	0.002	0.0053	427.9689	0.00391	0.002876
Sidewalks	Light-Duty Truck, catalyst	15	35	80	2.818514	0.402178	0.106177	0.061	0.03	0.063	0.016	0.005297	0.011969	0.008	0.0125	0.011032	0.002	0.0053	427.9689	0.00391	0.002876
Boardwalks	Light-Duty Truck, catalyst	15	35	80	2.818514	0.402178	0.106177	0.061	0.03	0.063	0.016	0.005297	0.011969	0.008	0.0125	0.011032	0.002	0.0053	427.9689	0.00391	0.002876
Boat Docks	Light-Duty Truck, catalyst	15	35	80	2.824266	0.389368	0.103185	0.054	0.024	0.062	0.012	0.005209	0.011827	0.008	0.0125	0.010892	0.002	0.0053	420.8597	0.003946	0.002716
Restroom Trailers	Light-Duty Truck, catalyst	15	35	80	3.018328	0.444534	0.114635	0.07	0.038	0.066	0.017	0.005391	0.012099	0.008	0.0125	0.011149	0.002	0.0053	435.6252	0.004286	0.003055
Stair Access to Floodway	Light-Duty Truck, catalyst	15	35	80	2.824266	0.389368	0.103185	0.054	0.024	0.062	0.012	0.005209	0.011827	0.008	0.0125	0.010892	0.002	0.0053	420.8597	0.003946	0.002716
Wetland Garden	Light-Duty Truck, catalyst	15	35	80	2.678204	0.347289	0.094284	0.044	0.015	0.06	0.01	0.005057	0.011646	0.008	0.0125	0.010722	0.002	0.0053	408.5823	0.00375	0.002297
Observation Decks/Blinds	Light-Duty Truck, catalyst	15	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.002115
Pedestrian Bridges	Light-Duty Truck, catalyst	15	35	80	2.818514	0.402178	0.106177	0.061	0.03	0.063	0.016	0.005297	0.011969	0.008	0.0125	0.011032	0.002	0.0053	427.9689	0.00391	0.002876

Assume startup after 8 hours
Assume 45 minutes run time total

Emissions, lbs/day											
CO	NO _x	VOCs	SO _x	PM10	PM2.5	Paved Road Fugitive Dust PM10	Paved Road Fugitive Dust PM2.5	CO2	CH4	N2O	
7.99	1.18	0.43	0.01	0.09	0.05	0.00	0.00	1152.47	0.01	0.01	
7.99	1.18	0.43	0.01	0.09	0.05	0.00	0.00	1152.47	0.01	0.01	
7.99	1.18	0.43	0.01	0.09	0.05	0.00	0.00	1152.47	0.01	0.01	
7.46	1.06	0.39	0.01	0.09	0.05	0.00	0.00	1132.22	0.01	0.01	
7.46	1.06	0.39	0.01	0.09	0.05	0.00	0.00	1132.22	0.01	0.01	
7.46	1.06	0.39	0.01	0.09	0.05	0.00	0.00	1132.22	0.01	0.01	
7.47	1.03	0.38	0.01	0.09	0.05	0.00	0.00	1113.41	0.01	0.01	
7.99	1.18	0.43	0.01	0.09	0.05	0.00	0.00	1152.47	0.01	0.01	
7.47	1.03	0.38	0.01	0.09	0.05	0.00	0.00	1113.41	0.01	0.01	
7.09	0.92	0.35	0.01	0.09	0.05	0.00	0.00	1080.93	0.01	0.01	
6.89	0.87	0.34	0.01	0.08	0.05	0.00	0.00	1066.75	0.01	0.01	
7.46	1.06	0.39	0.01	0.09	0.05	0.00	0.00	1132.22	0.01	0.01	

Construction Days	Total Emissions, tons										
	CO	NO _x	VOCs	SO _x	PM10	PM2.5	Paved Road Fugitive Dust PM10	Paved Road Fugitive Dust PM2.5	CO2	CH4	N2O
250	1.00	0.15	0.05320	1.78E-03	0.01078	0.00610	0.00000	0.00000	144	0.00142	0.00101
125	0.50	0.07	0.02660	8.91E-04	0.00539	0.00305	0.00000	0.00000	72	0.00071	0.00051
250	1.00	0.15	0.05320	1.78E-03	0.01078	0.00610	0.00000	0.00000	144	0.00142	0.00101
250	0.93	0.13	0.04937	1.75E-03	0.01074	0.00606	0.00000	0.00000	142	0.00129	0.00095
250	0.93	0.13	0.04937	1.75E-03	0.01074	0.00606	0.00000	0.00000	142	0.00129	0.00095
250	0.93	0.13	0.04937	1.75E-03	0.01074	0.00606	0.00000	0.00000	142	0.00129	0.00095
250	0.93	0.13	0.04937	1.75E-03	0.01074	0.00606	0.00000	0.00000	142	0.00129	0.00095
250	1.00	0.15	0.05320	1.78E-03	0.01078	0.00610	0.00000	0.00000	144	0.00142	0.00101
125	0.47	0.06	0.02383	8.61E-04	0.00535	0.00301	0.00000	0.00000	70	0.00065	0.00045
125	0.44	0.06	0.02188	8.36E-04	0.00532	0.00298	0.00000	0.00000	68	0.00062	0.00038
125	0.43	0.05	0.02121	8.26E-04	0.00529	0.00296	0.00000	0.00000	67	0.00059	0.00035
250	0.93	0.13	0.04937	1.75E-03	0.01074	0.00606	0.00000	0.00000	142	0.00129	0.00095

Table 33. Construction Truck Emissions, BVP Ecosystem and Recreation Improvements - General Elements

Construction Phase	Vehicle Class	Peak No. of Trucks per day	Speed (mph)	VMT (mi/vehicle-day)	CO	NO _x	ROG	SOx	PM10			PM2.5			CO2	CH4	N2O
					Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Tire Wear (g/mi)	Brake Wear (g/mi)	Running Exhaust (g/mi)	Tire Wear (g/mi)	Brake Wear (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)
West End Parking	Heavy Duty Truck, Diesel	10	35	80	1.2512529	4.6837296	0.2388455	0.0151788	0.2306205	0.036	0.0125	0.2238325	0.009	0.0053	2178.62608	0.0461638	0.0018938
Lighting	Heavy Duty Truck, Diesel	10	35	80	1.2512529	4.6837296	0.2388455	0.0151788	0.2306205	0.036	0.0125	0.2238325	0.009	0.0053	2178.62608	0.0461638	0.0018938
Vehicular Access and Roads	Heavy Duty Truck, Diesel	10	35	80	1.2512529	4.6837296	0.2388455	0.0151788	0.2306205	0.036	0.0125	0.2238325	0.009	0.0053	2178.62608	0.0461638	0.0018938
Trails	Heavy Duty Truck, Diesel	10	35	80	1.0664606	4.0320132	0.2052264	0.0150826	0.1982743	0.036	0.0125	0.1924519	0.009	0.0053	2178.421857	0.0454297	0.0020004
Equestrian Trail	Heavy Duty Truck, Diesel	10	35	80	1.0664606	4.0320132	0.2052264	0.0150826	0.1982743	0.036	0.0125	0.1924519	0.009	0.0053	2178.421857	0.0454297	0.0020004
Sidewalks	Heavy Duty Truck, Diesel	10	35	80	1.0664606	4.0320132	0.2052264	0.0150826	0.1982743	0.036	0.0125	0.1924519	0.009	0.0053	2178.421857	0.0454297	0.0020004
Boardwalks	Heavy Duty Truck, Diesel	10	35	80	1.0664606	4.0320132	0.2052264	0.0150826	0.1982743	0.036	0.0125	0.1924519	0.009	0.0053	2178.421857	0.0454297	0.0020004
Boat Docks	Heavy Duty Truck, Diesel	10	35	80	0.9787303	3.6993065	0.1882928	0.0150375	0.1703331	0.036	0.0125	0.1652896	0.009	0.0053	2178.517895	0.0481179	0.00204
Restroom Trailers	Heavy Duty Truck, Diesel	10	35	80	1.2512529	4.6837296	0.2388455	0.0151788	0.2306205	0.036	0.0125	0.2238325	0.009	0.0053	2178.62608	0.0461638	0.0018938
Stair Access to Floodway	Heavy Duty Truck, Diesel	10	35	80	0.9787303	3.6993065	0.1882928	0.0150375	0.1703331	0.036	0.0125	0.1652896	0.009	0.0053	2178.517895	0.0481179	0.00204
Wetland Garden	Heavy Duty Truck, Diesel	10	35	80	0.8718074	3.3167243	0.168176	0.014974	0.1467441	0.036	0.0125	0.1421508	0.009	0.0053	2178.446793	0.0488703	0.002041
Observation Decks/Blinds	Heavy Duty Truck, Diesel	10	35	80	0.7814572	2.9913811	0.1512598	0.0149234	0.1263655	0.036	0.0125	0.1225734	0.009	0.0053	2178.467845	0.0494997	0.0020673
Pedestrian Bridges	Heavy Duty Truck, Diesel	10	35	80	1.0664606	4.0320132	0.2052264	0.0150826	0.1982743	0.036	0.0125	0.1924519	0.009	0.0053	2178.421857	0.0454297	0.0020004
Subtotal																	

MOVES2010 Emission Factors, Dallas County

Paved Road Fugitive Dust
Assume silt loading for 10,000 ADT roadways = 0.03 g/m³

Emissions, lbs/day												
CO	NO _x	VOCs	SO _x	PM10	PM2.5	Paved Road Fugitive Dust PM10	Paved Road Fugitive Dust PM2.5	Unpaved Road Fugitive Dust PM10	Unpaved Road Fugitive Dust PM2.5	CO2	CH4	N2O
2.21	8.26	0.42	0.03	0.49	0.42	7.69	1.62	2.07	0.21	3842.46	0.08	0.00
2.21	8.26	0.42	0.03	0.49	0.42	7.69	1.62	2.07	0.21	3842.46	0.08	0.00
2.21	8.26	0.42	0.03	0.49	0.42	7.69	1.62	2.07	0.21	3842.46	0.08	0.00
1.88	7.11	0.36	0.03	0.44	0.36	7.69	1.62	2.07	0.21	3842.10	0.08	0.00
1.88	7.11	0.36	0.03	0.44	0.36	7.69	1.62	2.07	0.21	3842.10	0.08	0.00
1.88	7.11	0.36	0.03	0.44	0.36	7.69	1.62	2.07	0.21	3842.10	0.08	0.00
1.88	7.11	0.36	0.03	0.44	0.36	7.69	1.62	2.07	0.21	3842.10	0.08	0.00
1.73	6.52	0.33	0.03	0.39	0.32	7.69	1.62	2.07	0.21	3842.27	0.08	0.00
2.21	8.26	0.42	0.03	0.49	0.42	7.69	1.62	2.07	0.21	3842.46	0.08	0.00
1.73	6.52	0.33	0.03	0.39	0.32	7.69	1.62	2.07	0.21	3842.27	0.08	0.00
1.54	5.85	0.30	0.03	0.34	0.28	7.69	1.62	2.07	0.21	3842.14	0.09	0.00
1.38	5.28	0.27	0.03	0.31	0.24	7.69	1.62	2.07	0.21	3842.18	0.09	0.00
1.88	7.11	0.36	0.03	0.44	0.36	7.69	1.62	2.07	0.21	3842.10	0.08	0.00
24.60	92.77	4.72	0.35	5.57	4.65	100.00	21.00	26.97	2.70	49949.19	1.07	0.05

Assume k = 0.016 PM10
Assume 6 miles in addition for track-out for PM10
Emission Factors
PM10, LDT 9.81231E-05
PM10, MDT 0.008944829
PM10, HDT 0.017495628

Unpaved Road Fugitive Dust
For LDT assume 2 tons/vehicle, MDT assume 13 tons/vehicle, HDT assume 20 tons/vehicle

k = 1.5 for PM10, 0.15 for PM2.5
s = 8.5, a = 0.9, b = 0.45
Assume 61% control efficiency for watering 3x daily
Emission Factors
PM10, LDT 0.357378738
PM10, MDT 0.829735596
PM10, HDT 1.007230136
PM2.5, LDT 0.035737874
PM2.5, MDT 0.08297356
PM2.5, HDT 0.100723014

Total Emissions, tons													
Construction Days/Total Deliveries	CO	NO _x	VOCs	SO _x	PM10	PM2.5	Paved Road Fugitive Dust PM10	Paved Road Fugitive Dust PM2.5	Unpaved Road Fugitive Dust PM10	Unpaved Road Fugitive Dust PM2.5	CO2	CH4	N2O
250	0.03	0.10	0.01	0.00	0.01	0.00	0.96157	0.20193	0.25929	0.02593	480	0.01018	0.00042
125	0.01	0.05	0.00	0.00	0.00	0.00	0.48078	0.10096	0.12965	0.01296	240	0.00509	0.00021
250	0.03	0.10	0.01	0.00	0.01	0.00	0.96157	0.20193	0.25929	0.02593	480	0.01018	0.00042
250	0.02	0.09	0.00	0.00	0.00	0.00	0.96157	0.20193	0.25929	0.02593	480	0.01002	0.00044
250	0.02	0.09	0.00	0.00	0.00	0.00	0.96157	0.20193	0.25929	0.02593	480	0.01002	0.00044
250	0.02	0.09	0.00	0.00	0.00	0.00	0.96157	0.20193	0.25929	0.02593	480	0.01002	0.00044
250	0.02	0.08	0.00	0.00	0.00	0.00	0.96157	0.20193	0.25929	0.02593	480	0.01061	0.00045
250	0.03	0.10	0.01	0.00	0.01	0.00	0.96157	0.20193	0.25929	0.02593	480	0.01018	0.00042
125	0.01	0.04	0.00	0.00	0.00	0.00	0.48078	0.10096	0.12965	0.01296	240	0.00530	0.00022
125	0.01	0.04	0.00	0.00	0.00	0.00	0.48078	0.10096	0.12965	0.01296	240	0.00539	0.00022
125	0.01	0.03	0.00	0.00	0.00	0.00	0.48078	0.10096	0.12965	0.01296	240	0.00546	0.00023
250	0.02	0.09	0.00	0.00	0.00	0.00	0.96157	0.20193	0.25929	0.02593	480	0.01002	0.00044
0.26	1.00	0.05	0.00	0.00	0.05	0.01	10.58	2.22	2.85	0.29	5283.08	0.11	0.00

**Table 34. Fugitive Dust Emissions
Activity Assumptions for Fugitive Dust Sources
Flood Risk Management
277K Levee Raise**

Total cubic yards	260000	
Total Haul Trucks	26000	
Daily (assume 250 days)	104	
Fugitive Dust emissions from WRAP Fugitive Dust Handbook, 2006		
Transfer operations (drop operation)		
$E = k \times (0.0032) \times (U/5)^{1.3}/(M/2)^{1.4}$	0.000208165	PM10
Assume U - wind speed = 12 mph	4.37146E-05	PM2.5
Assume M - moisture content = 15%		
k = .35 for PM10		
Assume PM2.5 is 21% of PM10		
Assume material is 1.35 tons/cy (approximate)		
Assume 4 drops per truckload (pile, pickup, drop off, pile)		Total
PM10 Emissions, total	292.2630929	292.2631
PM10 Emissions, lbs/day (max, assume 5x average)	5.845261858	5.845262
PM2.5 Emissions, total	61.37524951	61.37525
PM2.5 Emissions, lbs/day	1.22750499	1.227505

Levee Widening

Assumption: Levee widening will require 10% of levee raise cubic yards

Total cubic yards	26000	
Total Haul Trucks	2600	
Daily (assume 250 days)	10	Total
PM10 Emissions, total	29.22630929	29.22631
PM10 Emissions, lbs/day (max, assume 5x average)	0.584526186	0.584526
PM2.5 Emissions, total	6.137524951	6.137525
PM2.5 Emissions, lbs/day	0.122750499	0.12275

Embankment Removals

Assumption: Embankment earthmoving is 5% of levee raise cubic yards

Total cubic yards	13000	
Total Haul Trucks	1300	
Daily (assume 250 days)	5	Total
PM10 Emissions, total	14.61315465	14.61315
PM10 Emissions, lbs/day (max, assume 5x average)	0.292263093	0.292263
PM2.5 Emissions, total	3.068762475	3.068762
PM2.5 Emissions, lbs/day	0.06137525	0.061375

Lakes

West Dallas Lake
Based on assumptions from traffic impact analysis

Total cubic yards	790275.2632	
Daily (assume 200 days)	3951.376316	Total
PM10 Emissions, total	888.3395872	888.3396

PM10 Emissions, lbs/day (max, assume 5x average)	22.20848968	22.20849
PM2.5 Emissions, total	186.5513133	186.5513
PM2.5 Emissions, lbs/day	4.663782833	4.663783
 Urban Lake		
Based on assumptions from traffic impact analysis		
Total cubic yards	317600.8254	
 Daily (assume 200 days)		
PM10 Emissions, total	1588.004127	Total
PM10 Emissions, lbs/day	357.0115367	357.0115
PM2.5 Emissions, total	8.925288417	8.925288
PM2.5 Emissions, lbs/day	74.97242271	74.97242
	1.874310568	1.874311
 Natural Lake		
Based on assumptions from traffic impact analysis		
Total cubic yards	918728.8735	
 Daily (assume 200 days)		
PM10 Emissions, total	4593.644367	Total
PM10 Emissions, lbs/day (max, assume 5x average)	1032.732854	1032.733
PM2.5 Emissions, total	25.81832136	25.81832
PM2.5 Emissions, lbs/day	216.8738994	216.8739
	5.421847485	5.421847

For all other construction activities - assume grading is required, total disturbance per activity is 2 acres

Total Acreage of Disturbance

Amount per day	2
Emission Factor (uncontrolled), lbs/acre-day	20
PM10 Emissions, uncontrolled, lbs/day	40
Control Efficiency	0.61
PM10 Emissions, controlled, lbs/day	15.6
PM10 Emissions, uncontrolled, tons/year	1.26
Control Efficiency	0.61
PM10 Emissions, controlled, tons/year	0.4914
Assume PM2.5 is 21% of PM10	
PM2.5 Emissions, uncontrolled, lbs/day	8.4
Control Efficiency	0.61
PM2.5 Emissions, controlled, lbs/day	3.276
PM2.5 Emissions, uncontrolled, tons/year	0.2646
Control Efficiency	0.61
PM2.5 Emissions, controlled, tons/year	0.103194

Assume that wet activities do not generate fugitive dust. These activities include:

Nonstructural flood control improvements

Wetlands construction

Boat Dock

Weir for river connection

Levee cutoff walls

Whitewater Course

Boat Launch
Water Maze
Fountain Bubblers/Aerators
Fountain Plaza
Canoe Path
River Modification
Pump Station Outfalls
Sump Pond
Gardens/plantings would generate minor fugitive dust.

Table 35. Dredge Emissions

Equipment	FUEL	HP	Load Factor	Emission Factors ^a					Emissions							Emission, tons (total)							
				CO (g/hp-hr)	VOC (g/hp-hr)	NOX (g/hp-hr)	SOX (g/hp-hr)	PM10 (g/hp-hr)	No of Equipment	Hrs Per Day	Days in Service	CO lbs/hr	VOC lbs/hr	NOX lbs/hr	SOX lbs/hr	PM10 lbs/hr	PM2.5 lbs/hr	CO tons (total)	VOC tons (total)	NOX tons (total)	SOX tons (total)	PM10 tons (total)	PM2.5 tons (total)
Dredging Equipment																							
Main genset	DIESEL	2,935	51	1.83E+00	5.30E-01	6.25E+00	6.00E-03	1.84E-01	1	8	40	6.04	1.75	20.63	0.02	0.61	0.54	0.966	1.399	0.413	0.000	0.012	0.011
Aux genset	DIESEL	550	74	1.49E+00	4.60E-01	4.80E+00	3.00E-03	1.64E-01	1	8	40	1.34	0.41	4.31	0.00	0.15	0.13	0.214	0.330	0.086	0.000	0.003	0.003
Spud winch	DIESEL	250	51	1.39E+00	4.80E-01	5.23E+00	6.00E-03	1.72E-01	1	8	40	0.39	0.13	1.47	0.00	0.05	0.04	0.063	0.108	0.029	0.000	0.001	0.001
												7.77	2.30	26.40	0.02	0.80	0.71	1.24	1.84	0.53	0.00	0.02	0.01

TOTAL

Assumptions:

Notes:

(a) Emission factors from OFFROAD Model, SDAB, for Dredging Equipment
Work Days/Week 5

Assumptions: Dredge will be similar to the Manson "Valhalla" Clamshell Dredge

Dredge	Engine	Model Year	Max hp	*Assumed Hours of Operation per day
Valhalla	Main genset	2000	2,935	18
Valhalla	Aux genset	2000	550	24
Valhalla	Spud winch	2000	250	6

Table 36. Heavy Construction Equipment Emissions, Lakes, Alternative 3

Equipment and Activity	FUEL	HP	Load Factor	Emission Factors										Emissions										Emission, tons (total)											
				ROG (lb/hr)	CO (lb/hr)	NOX (lb/hr)	SOX (lb/hr)	PM10 (lb/hr)	PM2.5 (lb/hr)	CO2 (lb/hr)	CH4 (lb/hr)	N2O (lb/hr)	No of Equipment	Hrs Per Day	Days in Service	ROG (lb/day)	CO (lb/day)	NOX (lb/day)	SOX (lb/day)	PM10 (lb/day)	PM2.5 (lb/day)	CO2 (lb/day)	CH4 (lb/day)	N2O (lb/day)	ROG (tons (total))	CO (tons (total))	NOX (tons (total))	SOX (tons (total))	PM10 (tons (total))	PM2.5 (tons (total))	CO2 (tons (total))	CH4 (tons (total))	N2O (tons (total))		
West Dallas Lake - Contract 7																																			
Utility Relocations - City Owned Utility																																			
Dump Truck	DIESEL	381	0.57	0.1960	0.5949	1.4166	0.0027	0.0505	0.0449	0.272.3	0.0177	0.1346	4	8	185	6.27	19.04	45.33	0.09	1.62	1.44	8714.68	0.57	4.31	0.611	1.856	4.419	0.008	0.153	0.140	850	0.056	0.420		
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	0.112.2	0.0095	0.0704	2	8	195	1.68	10.65	11.85	0.02	0.65	0.58	1795.55	0.15	1.13	0.164	1.036	1.156	0.002	0.063	0.066	173	0.015	0.110		
Bulldozers	DIESEL	358	0.59	0.2932	1.2456	2.3951	0.0026	0.0985	0.0877	0.264.9	0.0265	0.2275	4	8	195	9.38	39.96	76.64	0.08	3.15	2.81	8475.92	0.85	7.28	1.031	3.886	7.473	0.008	0.274	0.274	826	0.083	0.710		
Subtotal															17.33	69.54	133.82	0.19	5.42	4.82	18986.15	1.56	12.71	1.69	6.78	13.05	0.02	0.53	0.47	1851.15	0.15	1.24			
Utility Relocations - Franchised Owned Utility																																			
Dump Truck	DIESEL	381	0.57	0.1960	0.5949	1.4166	0.0027	0.0505	0.0449	0.272.3	0.0177	0.1346	4	8	49	6.27	19.04	45.33	0.09	1.62	1.44	8714.68	0.57	4.31	0.154	0.466	1.111	0.002	0.040	0.035	214	0.014	1.05		
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	0.112.2	0.0095	0.0704	2	8	49	1.68	10.65	11.85	0.02	0.65	0.58	1795.55	0.15	1.13	0.041	0.261	0.290	0.002	0.016	0.014	44	0.004	0.028		
Bulldozers	DIESEL	358	0.59	0.2932	1.2456	2.3951	0.0026	0.0985	0.0877	0.264.9	0.0265	0.2275	4	8	49	9.38	39.96	76.64	0.08	3.15	2.81	8475.92	0.85	7.28	0.230	0.977	1.978	0.002	0.071	0.069	206	0.021	1.78		
Subtotal															17.33	69.54	133.82	0.19	5.42	4.82	18986.15	1.56	12.71	0.42	1.70	3.28	0.00	0.13	0.12	465.16	0.04	0.31			
Bridge Pier Modifications - Westmoreland Bridge																																			
Crane	DIESEL	208	0.43	0.0925	0.2713	0.8284	0.0013	0.0286	0.0255	0.112.2	0.0083	0.0787	2	8	302	1.48	4.34	13.25	0.02	0.46	0.41	1794.54	0.13	1.26	0.223	0.655	2.001	0.003	0.069	0.062	271	0.020	0.190		
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	0.112.2	0.0095	0.0704	2	8	302	1.68	10.65	11.85	0.02	0.65	0.58	1795.55	0.15	1.13	0.254	1.607	1.790	0.003	0.098	0.087	271	0.023	0.170		
Bulldozers	DIESEL	358	0.59	0.2932	1.2456	2.3951	0.0026	0.0985	0.0877	0.264.9	0.0265	0.2275	4	8	302	9.38	39.96	76.64	0.08	3.15	2.81	8475.92	0.85	7.28	1.417	6.018	11.573	0.013	0.476	0.424	1280	0.128	1.099		
Subtotal															12.54	14.85	101.75	0.12	4.26	3.79	12066.01	0.13	0.97	1.89	8.28	15.36	0.02	0.64	0.57	1821.97	0.123	1.46			
West Dallas Lake Erosion/Sediment Control and Clearing																																			
Dump Truck	DIESEL	381	0.57	0.1960	0.5949	1.4166	0.0027	0.0505	0.0449	0.272.3	0.0177	0.1346	4	8	73	6.27	19.04	45.33	0.09	1.62	1.44	8714.68	0.57	4.31	0.229	0.695	1.654	0.003	0.059	0.052	318	0.021	0.157		
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	0.112.2	0.0095	0.0704	2	8	73	1.68	10.65	11.85	0.02	0.65	0.58	1795.55	0.15	1.13	0.061	0.389	0.433	0.001	0.024	0.021	66	0.006	0.041		
Bulldozers	DIESEL	358	0.59	0.2932	1.2456	2.3951	0.0026	0.0985	0.0877	0.264.9	0.0265	0.2275	4	8	73	9.38	39.96	76.64	0.08	3.15	2.81	8475.92	0.85	7.28	0.343	1.455	2.797	0.003	0.115	0.103	309	0.031	0.265		
Subtotal															17.33	69.54	133.82	0.19	5.42	4.82	18986.15	1.56	12.71	0.63	2.54	4.88	0.01	0.20	0.18	692.99	0.06	0.46			
Rough Grade Lake																																			
Dump Truck	DIESEL	162	0.61	0.1299	0.7319	0.9534	0.0014	0.0526	0.0468	123.9	0.0117	0.0906	2	8	125	2.08	11.71	15.25	0.02	0.84	0.75	1982.74	0.19	1.45	0.130	0.732	0.953	0.001	0.053	0.047	124	0.012	0.091		
Excavator	DIESEL	381	0.57	0.1960	0.5949	1.4166	0.0027	0.0505	0.0449	0.272.3	0.0177	0.1346	4	8	125	6.27	19.04	45.33	0.09	1.62	1.44	8714.68	0.57	4.31	0.392	1.190	2.833	0.005	0.101	0.090	545	0.035	0.268		
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	0.112.2	0.0095	0.0704	2	8	125	1.68	10.65	11.85	0.02	0.65	0.58	1795.55	0.15	1.13	0.105	0.665	0.741	0.001	0.040	0.036	112	0.009	0.070		
Bulldozers	DIESEL	358	0.59	0.2932	1.2456	2.3951	0.0026	0.0985	0.0877	0.264.9	0.0265	0.2275	4	8	125	9.38	39.96	76.64	0.08	3.15	2.81	8475.92	0.85	7.28	0.586	2.491	4.780	0.005	0.167	0.175	536	0.053	0.455		
Subtotal															19.41	81.25	149.08	0.21	6.26	5.57	20969.89	1.75	14.16	1.21	5.88	9.32	0.01	0.39	0.35	1310.56	0.11	0.89			
Lake																																			
Lake Bottom																																			
Dredge	DIESEL			2.2967	7.7667	26.4021	0.0242	0.8027	0.7144				1	8	187	28.37	62.13	211.22	0.19	6.42	5.72	0.00	0.00	0.00	1.718	5.809	19.749	0.010	0.600	0.534	0.0	0.000	0.000		
Dump Truck	DIESEL	381	0.57	0.1960	0.5949	1.4166	0.0027	0.0505	0.0449	0.272.3	0.0177	0.1346	16	8	187	15.08	76.15	181.31	0.34	6.46	5.75	34858.73	2.26	17.22	2.345	7.120	16.952	0.032	0.804	0.808	3259	0.212	1.610		
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	0.112.2	0.0095	0.0704	16	8	187	13.46	85.16	94.82	0.18	5.19	4.51	14364.36	1.21	9.01	1.259	7.963	8.866	0.018	0.431	0.431	1343	0.114	0.842		
Bulldozers	DIESEL	358	0.59	0.2932	1.2456	2.3951	0.0026	0.0985	0.0877	0.264.9	0.0265	0.2275	16	8	187	37.52	159.44	306.57	0.33	12.61	11.22	33903.69	3.39	29.12	3.509	14.908	28.664	0.001	1.179	1.049	3170	0.317	2.723		
Roller Compactor	DIESEL	84	0.56	0.0857	0.4000	0.5498	0.0007	0.0454	0.0404	59.0	0.0077	0.0522	8	8	187	10.97	51.19	70.37	0.02	0.58	0.52	7550.56	0.99	6.69	1.025	4.787	6.580	0.008	0.444	0.484	706	0.093	0.625		
4000 Gallon Water Truck	DIESEL	235	0.57	0.1252	0.3702	0.9818	0.0019	0.0328	0.0291649	166.5	0.0113	0.0933	8	8	187	8.01	23.69	62.83	0.12	2.10	1.87	10656.91	0.72	5.97	0.749	2.215	5.875	0.011	0.196	0.175	997	0.068	0.558		
Subtotal															113.42	497.77	927.13	1.24	38.59	34.54	101336.25	8.56	68.01	10.60	42.90	86.69	0.12	3.61	3.21	9474.94	0.90	6.36			
Lake Slides																																			
Edge Wetlands																																			
Dump Truck	DIESEL	381	0.57	0.1960	0.5949	1.4166	0.0027	0.0505	0.0449	0.272.3	0.0177	0.1346	16	8	57	25.08	76.15	181.31	0.34	6.46	5.75	34858.73	2.26	17.22	0.715	2.170	5.167	0.010	0.184	0.164	993	0.065	0.491		
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	0.112.2	0.0095	0.0704	4	8	57	3.37	21.29	23.71	0.04	1.30	1.15	3891.09	0.30	2.25	0.096	0.607	0.676	0.001	0.037	0.033	102	0.009	0.064		
CAT 416 Rubber Tire Backhoe	DIESEL	87	0.55	0.0577	0.3480	0.3870	0.0006	0.0293	0.0261084	51.7	0.0052	0.0368	16	8	57	7.38	44.54	49.64	0.08	3.75	3.34	6621.19	0.67	4.71	0.210	1.269	1.412	0.002	0.070	0.065	189	0.019	0.134		
Skid Steer Loader	DIESEL	37	0.55	0.0378	0.2138	0.2052	0.0003	0.0113	0.0101	25.5	0.0034	0.0195	4	8	57	1.21	6.94	6.57	0.01	0.36	0.32	915.61	0.11	0.82	0.035	0.195									

CAT 416 Rubber Tire Backhoe		DIESEL	87	0.55	0.0634	0.3503	0.4252	0.0006	0.0037	0.0300	51.7	0.0057	0.0404	4	8	41	2.03	11.21	13.61	0.02	1.08	0.98	1655.30	0.18	1.29	0.042	1.20	0.279	0.000	0.022	0.020	34	0.004	0.026		
Skid Steer Loader		DIESEL	37	0.55	0.0443	0.2196	0.2161	0.0003	0.0134	0.0120	25.5	0.0040	0.0205	2	8	41	0.71	3.51	3.46	0.01	0.21	0.19	408.31	0.06	0.33	0.015	0.072	0.071	0.000	0.004	0.004	8	0.001	0.007		
Air Compressor		DIESEL	78	0.48	0.0758	0.3216	0.4682	0.0006	0.0416	0.0370	47.0	0.0068	0.0445	4	8	41	2.42	10.29	14.98	0.02	1.33	1.18	1502.41	0.22	1.42	0.051	0.211	0.307	0.000	0.027	0.024	31	0.004	0.023		
Subtotal																	5.96	29.12	37.11	0.05	3.04	2.70	4155.00	0.54	3.53	0.12	0.60	0.76	0.00	0.06	0.06	85.18	0.01	0.07		
Lane Buoys																																				
Skid Steer Loader		DIESEL	37	0.55	0.0443	0.2196	0.2161	0.0003	0.0134	0.0120	25.5	0.0040	0.0205	2	8	41	0.71	3.51	3.46	0.01	0.21	0.19	408.31	0.06	0.33	0.015	0.072	0.071	0.000	0.004	0.004	8	0.001	0.007		
Air Compressor		DIESEL	78	0.48	0.0758	0.3216	0.4682	0.0006	0.0416	0.0370	47.0	0.0068	0.0445	4	8	41	2.42	10.29	14.98	0.02	1.33	1.18	1502.41	0.22	1.42	0.051	0.211	0.307	0.000	0.027	0.024	31	0.004	0.023		
Subtotal																		5.96	29.12	37.11	0.05	3.04	2.70	4155.00	0.54	3.53	0.12	0.60	0.76	0.00	0.06	0.06	85.18	0.01	0.07	
Lanes Cutoff Walls																																				
CAT 416 Rubber Tire Backhoe		DIESEL	87	0.55	0.0577	0.3480	0.3870	0.0006	0.0293	0.0261084	51.7	0.0052	0.0368	4	8	204	1.85	11.14	12.39	0.02	0.94	0.84	1655.30	0.17	1.18	0.188	1.136	1.263	0.002	0.096	0.085	169	0.017	0.120		
Dump Truck		DIESEL	381	0.57	0.1960	0.5949	1.4166	0.0027	0.0505	0.0449	272.3	0.0177	0.1346	4	8	204	6.27	19.04	45.33	0.09	1.62	1.44	8714.68	0.57	4.31	0.640	1.942	4.623	0.009	0.165	0.147	889	0.058	0.439		
Excavator		DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	112.2	0.0095	0.0704	1	8	204	0.84	5.32	5.93	0.01	0.32	0.29	897.77	0.08	0.56	0.086	0.543	0.605	0.001	0.033	0.029	92	0.008	0.057		
Bulldozers		DIESEL	358	0.59	0.2932	1.2456	2.3951	0.0026	0.0985	0.0877	264.9	0.0265	0.2275	2	8	204	4.69	19.93	38.32	0.04	1.58	1.40	4237.96	0.42	3.64	0.478	2.039	3.929	0.004	0.161	0.143	432	0.043	0.371		
Subtotal																	13.65	55.43	101.96	0.16	4.45	3.96	15505.71	1.23	9.69	1.39	5.65	10.40	0.02	0.45	0.40	1581.58	0.13	0.99		
Deep Water Well																																				
Excavator		DIESEL	157	0.57	0.0998	0.5137	0.6331	0.0009	0.0519	0.0462	73.6	0.0090	0.0601	1	8	180	0.80	4.11	5.07	0.01	0.41	0.37	588.98	0.07	0.48	0.072	0.370	0.456	0.001	0.037	0.033	53	0.006	0.043		
CAT 416 Rubber Tire Backhoe		DIESEL	87	0.55	0.0634	0.3503	0.4252	0.0006	0.0037	0.0300	51.7	0.0057	0.0404	4	8	180	2.03	11.21	13.61	0.02	1.08	0.98	1655.30	0.18	1.29	0.183	1.009	1.225	0.002	0.087	0.086	149	0.016	0.116		
Skid Steer Loader		DIESEL	37	0.55	0.0443	0.2196	0.2161	0.0003	0.0134	0.0120	25.5	0.0040	0.0205	2	8	180	0.71	3.51	3.46	0.01	0.21	0.19	408.31	0.06	0.33	0.064	0.316	0.311	0.000	0.019	0.017	37	0.006	0.030		
Air Compressor		DIESEL	78	0.48	0.0758	0.3216	0.4682	0.0006	0.0416	0.0370	47.0	0.0068	0.0445	4	8	180	2.42	10.29	14.98	0.02	1.33	1.18	1502.41	0.22	1.42	0.218	0.926	1.349	0.002	0.120	0.107	135	0.020	0.128		
Subtotal																	5.96	29.12	37.11	0.05	3.04	2.70	4155.00	0.54	3.53	0.54	2.62	3.34	0.00	0.27	0.24	373.95	0.05	0.32		
Urban Lake																																				
Erosion/Sediment Control and Clearing																																				
Dump Truck		DIESEL	381	0.57	0.1960	0.5949	1.4166	0.0027	0.0505	0.0449	272.3	0.0177	0.1346	4	8	73	6.27	19.04	45.33	0.09	1.62	1.44	8714.68	0.57	4.31	0.229	0.696	1.654	0.003	0.099	0.052	318	0.021	0.157		
Excavator		DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	112.2	0.0095	0.0704	1	8	73	1.69	10.08	11.85	0.02	0.65	0.59	1795.55	0.15	1.13	0.081	0.389	0.433	0.001	0.024	0.021	66	0.006	0.041		
Bulldozers		DIESEL	358	0.59	0.2932	1.2456	2.3951	0.0026	0.0985	0.0877	264.9	0.0265	0.2275	4	8	73	9.38	39.96	76.64	0.08	3.15	2.81	8475.92	0.85	7.28	0.342	1.455	2.797	0.003	0.115	0.102	309	0.031	0.266		
Subtotal																	17.33	69.54	133.82	0.19	5.42	4.82	18986.15	1.56	12.71	0.63	2.54	4.88	0.01	0.20	0.18	692.99	0.06	0.46		
Rough Grade Lake																																				
Graders		DIESEL	162	0.61	0.1299	0.7319	0.9534	0.0014	0.0526	0.0468	123.9	0.0117	0.0906	2	8	125	2.08	11.71	15.25	0.02	0.84	0.75	1982.74	0.19	1.45	0.130	0.732	0.953	0.001	0.053	0.047	124	0.012	0.091		
Dump Truck		DIESEL	381	0.57	0.1960	0.5949	1.4166	0.0027	0.0505	0.0449	272.3	0.0177	0.1346	4	8	125	6.27	19.04	45.33	0.09	1.62	1.44	8714.68	0.57	4.31	0.392	1.190	2.833	0.005	0.101	0.090	545	0.033	0.268		
Excavator		DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	112.2	0.0095	0.0704	1	8	125	1.69	10.08	11.85	0.02	0.65	0.59	1795.55	0.15	1.13	0.081	0.389	0.433	0.001	0.040	0.036	112	0.008	0.068		
Bulldozers		DIESEL	358	0.59	0.2932	1.2456	2.3951	0.0026	0.0985	0.0877	264.9	0.0265	0.2275	4	8	125	9.38	39.96	76.64	0.08	3.15	2.81	8475.92	0.85	7.28	0.342	1.455	2.797	0.003	0.115	0.102	309	0.031	0.266		
Subtotal																	19.41	81.25	149.08	0.21	6.26	5.57	20968.89	1.75	14.16	1.21	5.08	9.32	0.01	0.39	0.35	1310.56	0.11	0.89		
Lake																																				
Lake Bottom																																				
Dredge		DIESEL	2	2.967	7.7667	26.4021	0.0242	0.8027	0.7144				1	8	187	18.37	62.13	211.22	0.19	8.42	5.72		0.00	0.00	0.00	1.718	5.809	19.749	0.018	0.600	0.534	0	0.000	0.000		
Dump Truck		DIESEL	381	0.57	0.1960	0.5949	1.4166	0.0027	0.0505	0.0449	272.3	0.0177	0.1346	4	8	187	6.27	19.04	45.33	0.09	1.62	1.44	8714.68	0.57	4.31	0.392	1.190	2.833	0.005	0.101	0.090	545	0.033	0.268		
Excavator		DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	112.2	0.0095	0.0704	1	8	187	1.69	10.08	11.85	0.02	0.65	0.59	1795.55	0.15	1.13	0.081	0.389	0.433	0.001	0.024	0.021	66	0.006	0.041		
Bulldozers		DIESEL	358	0.59	0.2932	1.2456	2.3951	0.0026	0.0985	0.0877	264.9	0.0265	0.2275	4	8	187	9.38	39.96	76.64	0.08	3.15															

Restroom Trailers																																	
CAT 416 Rubber Tire Backhoe	DIESEL	87	0.55	0.0577	0.3480	0.3870	0.0006	0.0293	0.0261084	51.7	0.0052	0.0368	4	8	41	1.85	11.14	12.39	0.02	0.94	0.84	1655.30	0.17	1.18	0.038	0.228	0.254	0.000	0.019	0.017	34	0.003	0.024
Skid Steer Loader	DIESEL	37	0.55	0.0378	0.2138	0.2052	0.0003	0.0113	0.0101	25.5	0.0034	0.0195	2	8	41	0.61	3.42	3.28	0.01	0.18	0.16	408.31	0.05	0.31	0.012	0.070	0.067	0.000	0.004	0.003	8	0.001	0.006
Concrete Trucks	DIESEL	235	0.57	0.1252	0.3702	0.9818	0.0019	0.0328	0.0291649	166.5	0.0113	0.0933	4	8	41	4.00	11.85	31.42	0.06	1.05	0.93	5329.45	0.36	2.98	0.082	0.243	0.644	0.001	0.021	0.019	109	0.007	0.061
4000 Gallon Water Truck	DIESEL	235	0.57	0.1252	0.3702	0.9818	0.0019	0.0328	0.0291649	166.5	0.0113	0.0933	2	8	41	2.00	5.92	15.71	0.03	0.52	0.47	2664.73	0.18	1.49	0.041	0.121	0.322	0.001	0.011	0.010	55	0.004	0.031
Subtotal																8.46	32.33	62.79	0.11	2.69	2.40	10057.78	0.76	5.97	0.17	0.66	2.29	0.00	0.06	0.05	206.18	0.02	0.12
Rock Plantings/Landscaping																																	
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	112.2	0.0095	0.0704	1	8	41	0.84	5.32	5.93	0.01	0.32	0.29	897.77	0.08	0.56	0.017	0.109	0.121	0.000	0.007	0.006	18	0.002	0.012
CAT 416 Rubber Tire Backhoe	DIESEL	87	0.55	0.0577	0.3480	0.3870	0.0006	0.0293	0.0261084	51.7	0.0052	0.0368	4	8	41	1.85	11.14	12.39	0.02	0.94	0.84	1655.30	0.17	1.18	0.038	0.228	0.254	0.000	0.019	0.017	34	0.003	0.024
Skid Steer Loader	DIESEL	37	0.55	0.0378	0.2138	0.2052	0.0003	0.0113	0.0101	25.5	0.0034	0.0195	2	8	41	0.61	3.42	3.28	0.01	0.18	0.16	408.31	0.05	0.31	0.012	0.070	0.067	0.000	0.004	0.003	8	0.001	0.006
Subtotal																3.29	19.86	21.60	0.03	1.44	1.29	2961.38	0.30	2.05	0.07	0.41	0.44	0.00	0.03	0.03	60.71	0.01	0.04
Loop Trail																																	
Roller Compactor	DIESEL	84	0.56	0.0857	0.4000	0.5498	0.0007	0.0454	0.0404	59.0	0.0077	0.0522	2	8	41	1.37	6.40	8.80	0.01	0.73	0.65	943.82	0.12	0.84	0.028	0.131	0.180	0.000	0.015	0.013	19	0.003	0.017
CAT 416 Rubber Tire Backhoe	DIESEL	87	0.55	0.0577	0.3480	0.3870	0.0006	0.0293	0.0261084	51.7	0.0052	0.0368	4	8	41	1.85	11.14	12.39	0.02	0.94	0.84	1655.30	0.17	1.18	0.038	0.228	0.254	0.000	0.019	0.017	34	0.003	0.024
Skid Steer Loader	DIESEL	37	0.55	0.0378	0.2138	0.2052	0.0003	0.0113	0.0101	25.5	0.0034	0.0195	2	8	41	0.61	3.42	3.28	0.01	0.18	0.16	408.31	0.05	0.31	0.012	0.070	0.067	0.000	0.004	0.003	8	0.001	0.006
Concrete Trucks	DIESEL	235	0.57	0.1252	0.3702	0.9818	0.0019	0.0328	0.0291649	166.5	0.0113	0.0933	4	8	41	4.00	11.85	31.42	0.06	1.05	0.93	5329.45	0.36	2.98	0.082	0.243	0.644	0.001	0.021	0.019	109	0.007	0.061
4000 Gallon Water Truck	DIESEL	235	0.57	0.1252	0.3702	0.9818	0.0019	0.0328	0.0291649	166.5	0.0113	0.0933	2	8	41	2.00	5.92	15.71	0.03	0.52	0.47	2664.73	0.18	1.49	0.041	0.121	0.322	0.001	0.011	0.010	55	0.004	0.031
Subtotal																9.83	38.73	71.59	0.13	3.42	3.04	11001.60	0.89	6.80	0.20	0.79	1.47	0.00	0.07	0.06	225.53	0.02	0.14
Cypress Planting/Landscaping																																	
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	112.2	0.0095	0.0704	1	8	41	0.84	5.32	5.93	0.01	0.32	0.29	897.77	0.08	0.56	0.017	0.109	0.121	0.000	0.007	0.006	18	0.002	0.012
CAT 416 Rubber Tire Backhoe	DIESEL	87	0.55	0.0577	0.3480	0.3870	0.0006	0.0293	0.0261084	51.7	0.0052	0.0368	4	8	41	1.85	11.14	12.39	0.02	0.94	0.84	1655.30	0.17	1.18	0.038	0.228	0.254	0.000	0.019	0.017	34	0.003	0.024
Skid Steer Loader	DIESEL	37	0.55	0.0378	0.2138	0.2052	0.0003	0.0113	0.0101	25.5	0.0034	0.0195	2	8	41	0.61	3.42	3.28	0.01	0.18	0.16	408.31	0.05	0.31	0.012	0.070	0.067	0.000	0.004	0.003	8	0.001	0.006
Subtotal																3.29	19.86	21.60	0.03	1.44	1.29	2961.38	0.30	2.05	0.07	0.41	0.44	0.00	0.03	0.03	60.71	0.01	0.04
Stone Curb w/ Safety Bench																																	
CAT 416 Rubber Tire Backhoe	DIESEL	87	0.55	0.0577	0.3480	0.3870	0.0006	0.0293	0.0261084	51.7	0.0052	0.0368	4	8	41	1.85	11.14	12.39	0.02	0.94	0.84	1655.30	0.17	1.18	0.038	0.228	0.254	0.000	0.019	0.017	34	0.003	0.024
Skid Steer Loader	DIESEL	37	0.55	0.0378	0.2138	0.2052	0.0003	0.0113	0.0101	25.5	0.0034	0.0195	2	8	41	0.61	3.42	3.28	0.01	0.18	0.16	408.31	0.05	0.31	0.012	0.070	0.067	0.000	0.004	0.003	8	0.001	0.006
Concrete Trucks	DIESEL	235	0.57	0.1252	0.3702	0.9818	0.0019	0.0328	0.0291649	166.5	0.0113	0.0933	4	8	41	4.00	11.85	31.42	0.06	1.05	0.93	5329.45	0.36	2.98	0.082	0.243	0.644	0.001	0.021	0.019	109	0.007	0.061
4000 Gallon Water Truck	DIESEL	235	0.57	0.1252	0.3702	0.9818	0.0019	0.0328	0.0291649	166.5	0.0113	0.0933	2	8	41	2.00	5.92	15.71	0.03	0.52	0.47	2664.73	0.18	1.49	0.041	0.121	0.322	0.001	0.011	0.010	55	0.004	0.031
Subtotal																8.46	32.33	62.79	0.11	2.69	2.40	10057.78	0.76	5.97	0.17	0.66	2.29	0.00	0.06	0.05	206.18	0.02	0.12
Water Maze																																	
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	112.2	0.0095	0.0704	1	8	41	0.84	5.32	5.93	0.01	0.32	0.29	897.77	0.08	0.56	0.017	0.109	0.121	0.000	0.007	0.006	18	0.002	0.012
CAT 416 Rubber Tire Backhoe	DIESEL	87	0.55	0.0577	0.3480	0.3870	0.0006	0.0293	0.0261084	51.7	0.0052	0.0368	4	8	41	1.85	11.14	12.39	0.02	0.94	0.84	1655.30	0.17	1.18	0.038	0.228	0.254	0.000	0.019	0.017	34	0.003	0.024
Skid Steer Loader	DIESEL	37	0.55	0.0378	0.2138	0.2052	0.0003	0.0113	0.0101	25.5	0.0034	0.0195	2	8	41	0.61	3.42	3.28	0.01	0.18	0.16	408.31	0.05	0.31	0.012	0.070	0.067	0.000	0.004	0.003	8	0.001	0.006
Air Compressor	DIESEL	78	0.48	0.0758	0.3216	0.4682	0.0006	0.0416	0.0370	47.0	0.0068	0.0445	4	8	41	2.42	10.29	14.98	0.05	1.33	1.18	1502.41	0.22	1.42	0.050	0.211	0.307	0.000	0.027	0.024	31	0.004	0.029
Subtotal																5.72	30.17	36.58	0.05	2.77	2.47	4463.78	0.52	3.47	0.12	0.62	0.75	0.00	0.06	0.05	91.51	0.01	0.07
Fountain Bubbler/Aerators																																	
CAT 416 Rubber Tire Backhoe	DIESEL	87	0.55	0.0577	0.3480	0.3870	0.0006	0.0293	0.0261084	51.7	0.0052	0.0368	4	8	41	1.85	11.14	12.39	0.02	0.94	0.84	1655.30	0.17	1.18	0.038	0.228	0.254	0.000	0.019	0.017	34	0.003	0.024
Skid Steer Loader	DIESEL	37	0.55	0.0378	0.2138	0.2052	0.0003	0.0113	0.0101	25.5	0.0034	0.0195	2	8	41	0.61	3.42	3.28	0.01	0.18	0.16	408.31	0.05	0.31	0.012	0.070	0.067	0.000	0.004	0.003	8	0.001	0.006
Subtotal																2.45	14.56	15.87	0.02	1.12	1.00	2063.60	0.25	1.49	0.05	0.30	0.32	0.00	0.02	0.02	42.30	0.00	0.03
Fountain Plaza																																	
Roller Compactor	DIESEL	84	0.56	0.0857	0.4000	0.5498	0.0007	0.0454	0.0404	59.0	0.0077	0.0522	2	8	41	1.37	6.40	8.80	0.01	0.73	0.65	943.82	0.12	0.84	0.028	0.131	0.180	0.000	0.015	0.013	19	0.003	0.017
CAT 416 Rubber Tire Backhoe	DIESEL	87	0.55	0.0577	0.3480	0.3870	0.0006	0.0293	0.0261084	51.7	0.0052	0.0368	4	8	41	1.85	11.14	1															

Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	112.2	0.0095	0.0704	2	8	125	1.68	10.65	11.85	0.02	0.65	0.58	1795.55	0.15	1.13	0.106	0.665	0.741	0.001	0.040	0.036	112	0.009	0.070
Bulldozers	DIESEL	358	0.59	0.2932	1.2456	2.3951	0.0026	0.0895	0.0877	264.9	0.0265	0.2275	4	8	125	8.39	39.86	76.64	0.08	3.15	2.81	8475.92	0.85	7.29	0.871	3.727	4.790	0.008	0.197	0.175	530	0.053	0.455
Subtotal																19.41	81.25	148.08	0.21	6.26	5.57	20968.89	1.78	14.16	1.21	5.88	9.32	0.01	0.30	0.35	1310.56	0.11	0.89
Lake																																	
Lake Bottom																																	
Dredge	DIESEL			2.2967	7.7667	26.4021	0.0242	0.8027	0.7144				1	8	187	18.37	62.13	211.22	0.19	6.42	5.72	0.00	0.00	0.00	1.718	5.809	19.749	0.018	0.800	0.534	0	0.000	0.000
Dump Truck	DIESEL	381	0.57	0.1960	0.5949	1.4165	0.0027	0.0505	0.0449	272.3	0.0177	0.1346	4	8	187	6.27	19.04	45.33	0.09	1.62	1.44	8714.68	0.57	4.31	0.586	1.780	4.238	0.008	0.151	0.134	815	0.053	0.403
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	112.2	0.0095	0.0704	4	8	187	3.37	21.29	23.71	0.04	1.30	1.18	3991.09	0.30	2.25	0.315	1.991	2.217	0.004	0.121	0.108	338	0.028	0.211
Bulldozers	DIESEL	358	0.59	0.2932	1.2456	2.3951	0.0026	0.0895	0.0877	264.9	0.0265	0.2275	4	8	187	9.39	39.86	76.64	0.08	3.15	2.81	8475.92	0.85	7.29	0.871	3.727	4.790	0.008	0.205	0.262	792	0.079	0.681
Roller Compactor	DIESEL	84	0.56	0.0857	0.4000	0.5498	0.0007	0.0454	0.0404	59.0	0.0077	0.0522	4	8	187	2.74	12.80	17.59	0.02	1.45	1.29	1897.64	0.25	1.67	0.256	1.197	1.645	0.002	0.126	0.121	176	0.023	0.156
4000 Gallon Water Truck	DIESEL	235	0.57	0.1252	0.3702	0.9818	0.0019	0.0328	0.0291649	166.5	0.0113	0.0933	2	8	187	2.00	5.92	15.71	0.03	0.52	0.47	2664.73	0.18	1.49	0.187	0.554	1.469	0.003	0.049	0.044	249	0.017	0.140
Subtotal																42.13	161.04	390.19	0.45	14.46	12.87	25334.06	2.14	17.00	3.94	15.06	36.48	0.04	1.35	1.20	2368.73	0.20	1.59
Lake Sides																																	
Lake Wetlands																																	
Dump Truck	DIESEL	381	0.57	0.1960	0.5949	1.4165	0.0027	0.0505	0.0449	272.3	0.0177	0.1346	4	8	57	6.27	19.04	45.33	0.09	1.62	1.44	8714.68	0.57	4.31	0.179	0.543	1.292	0.002	0.046	0.041	248	0.016	0.123
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	112.2	0.0095	0.0704	1	8	57	0.84	5.32	5.93	0.01	0.32	0.29	897.77	0.08	0.56	0.024	0.152	0.169	0.000	0.009	0.008	26	0.002	0.016
CAT 416 Rubber Tire Backhoe	DIESEL	87	0.55	0.0577	0.3480	0.3870	0.0006	0.0293	0.0261084	51.7	0.0052	0.0368	4	8	57	1.85	11.14	12.39	0.02	0.94	0.84	1655.30	0.17	1.18	0.053	0.317	0.353	0.001	0.027	0.024	47	0.006	0.034
Skid Steer Loader	DIESEL	37	0.55	0.0378	0.2138	0.2052	0.0003	0.0113	0.0101	25.5	0.0034	0.0195	2	8	57	0.61	3.42	3.28	0.01	0.18	0.16	408.31	0.05	0.31	0.017	0.098	0.094	0.000	0.005	0.005	12	0.002	0.005
Subtotal																9.56	38.92	66.92	0.12	3.06	2.72	11676.06	0.86	6.36	0.27	1.11	1.91	0.00	0.09	0.08	332.77	0.02	0.18
Overflow Weir 1 and 2 Weir for River Connection																																	
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	112.2	0.0095	0.0704	1	8	118	0.84	5.32	5.93	0.01	0.32	0.29	897.77	0.08	0.56	0.050	0.314	0.350	0.001	0.019	0.017	53	0.004	0.033
CAT 416 Rubber Tire Backhoe	DIESEL	87	0.55	0.0577	0.3480	0.3870	0.0006	0.0293	0.0261084	51.7	0.0052	0.0368	4	8	118	1.85	11.14	12.39	0.02	0.94	0.84	1655.30	0.17	1.18	0.109	0.657	0.731	0.001	0.055	0.049	98	0.010	0.069
Skid Steer Loader	DIESEL	37	0.55	0.0378	0.2138	0.2052	0.0003	0.0113	0.0101	25.5	0.0034	0.0195	2	8	118	0.61	3.42	3.28	0.01	0.18	0.16	408.31	0.05	0.31	0.036	0.202	0.194	0.000	0.011	0.010	24	0.003	0.018
Air Compressor	DIESEL	78	0.48	0.0691	0.3182	0.4334	0.0006	0.0375	0.0334	47.0	0.0062	0.0412	4	8	118	2.21	10.18	13.87	0.02	1.20	1.07	1502.41	0.20	1.32	0.130	0.601	0.618	0.001	0.071	0.063	59	0.012	0.078
Subtotal																5.90	30.96	35.45	0.05	2.64	2.35	4463.78	0.50	3.37	0.32	1.77	2.09	0.00	0.16	0.14	263.36	0.03	0.20
Lake Drain																																	
Dump Truck	DIESEL	381	0.57	0.1960	0.5949	1.4165	0.0027	0.0505	0.0449	272.3	0.0177	0.1346	4	8	27	6.27	19.04	45.33	0.09	1.62	1.44	8714.68	0.57	4.31	0.085	0.257	0.612	0.001	0.022	0.019	118	0.008	0.058
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	112.2	0.0095	0.0704	1	8	27	0.84	5.32	5.93	0.01	0.32	0.29	897.77	0.08	0.56	0.011	0.072	0.080	0.000	0.004	0.002	12	0.001	0.008
CAT 416 Rubber Tire Backhoe	DIESEL	87	0.55	0.0577	0.3480	0.3870	0.0006	0.0293	0.0261084	51.7	0.0052	0.0368	4	8	27	1.85	11.14	12.39	0.02	0.94	0.84	1655.30	0.17	1.18	0.025	0.150	0.167	0.000	0.013	0.011	22	0.002	0.016
Skid Steer Loader	DIESEL	37	0.55	0.0378	0.2138	0.2052	0.0003	0.0113	0.0101	25.5	0.0034	0.0195	2	8	27	0.61	3.42	3.28	0.01	0.18	0.16	408.31	0.05	0.31	0.018	0.096	0.044	0.000	0.002	0.002	6	0.001	0.004
Subtotal																9.56	38.92	66.92	0.12	3.06	2.72	11676.06	0.86	6.36	0.13	0.53	0.90	0.00	0.04	0.04	157.63	0.01	0.09
Lake Edge Treatment and Planting																																	
Dump Truck	DIESEL	381	0.57	0.1960	0.5949	1.4165	0.0027	0.0505	0.0449	272.3	0.0177	0.1346	4	8	72	6.27	19.04	45.33	0.09	1.62	1.44	8714.68	0.57	4.31	0.226	0.686	1.632	0.003	0.058	0.052	314	0.020	0.158
Excavator	DIESEL	157	0.57	0.1052	0.6653	0.7408	0.0013	0.0405	0.0360	112.2	0.0095	0.0704	1	8	72	0.84	5.32	5.93	0.01	0.32	0.29	897.77	0.08	0.56	0.030	0.192	0.213	0.000	0.012	0.010	32	0.003	0.020
CAT 416 Rubber Tire Backhoe	DIESEL	87	0.55	0.0577	0.3480	0.3870	0.0006	0.0293	0.0261084	51.7	0.0052	0.0368	4	8	72	1.85	11.14	12.39	0.02	0.94	0.84	1655.30	0.17	1.18	0.064	0.401	0.446	0.001	0.034	0.034	62	0.006	0.042
Skid Steer Loader	DIESEL	37	0.55	0.0378	0.2138	0.2052	0.0003	0.0113	0.0101	25.5	0.0034	0.0195	2	8	72	0.61	3.42	3.28	0.01	0.18	0.16	408.31	0.05	0.31	0.022	0.123	0.118	0.000	0.007	0.006	15	0.002	0.011
Subtotal																9.56	38.92	66.92	0.12	3.06	2.72	11676.06	0.86	6.36	0.34	1.40	2.41	0.00	0.11	0.10	420.34	0.03	0.23
Landscape (assume the remaining activities under this category, assume duration is 34.05 weeks/5 for each individual item)																																	
Boardwalk Loop																																	
Roller Compactor	DIESEL	84	0.56	0.0857	0.4000	0.5498	0.0007	0.0454	0.0404	59.0	0.0077	0.0522	2	8	41	1.37	6.40	8.80	0.01	0.73	0.65	943.82	0.12	0.84	0.028	0.131	0.180	0.000	0.015	0.013	19	0.003	0.017
CAT 416 Rubber Tire Backhoe	DIESEL	87	0.55	0.0577	0.3480	0.3870	0.0006	0.0293	0.0261084	51.7	0.0052	0.0368	4	8	41	1.85	11.14	12.39	0.02	0.94	0.84	1655.30	0.17	1.18	0.038	0.228	0.254	0.000	0.019	0.017	34	0.003	0.024
Skid Steer Loader	DIESEL	37	0.55	0.0378	0.2138	0.2052	0.0003	0.0113	0.0101	25.5	0.0034	0.0195	2	8	41	0.61	3.42	3.28	0.01	0.18	0.16	408.31	0.05	0.31	0.012	0.070	0.067	0.000	0.004	0.003	8	0.001	0.006
Concrete Trucks	DIESEL	235	0.57	0.1252	0.3702	0.9818	0.0019	0.0328	0.0291649	166.5	0.0113	0.0933	4	8																			

Table 37. Worker Vehicle Emissions, BVP Ecosystem and Recreation Improvements - Lakes, Alternative 3

Construction Phase	Vehicle Class	No. of Daily Workers Per phase	Speed (mph)	VMT (mi/vehicle- day)	CO		NO _x		ROG		Hot-Soak (g/trip)	Resting Loss (g/hr)	Running Evaporative (g/mi)	Diurnal Evaporative (g/hr)	SO _x		PM10		PM2.5		CO ₂		CH ₄		N ₂ O			
					Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)					Running Exhaust (g/mi)	Running Exhaust (g/mi)	Tire Wear (g/mi)	Brake Wear (g/mi)	Running Exhaust (g/mi)	Tire Wear (g/mi)	Brake Wear (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)			
West Dallas Lake - Contract 7																												
Utility Relocations - City owned Utility	Light-Duty Truck, catalyst	20	35	80	2.750149	0.367153	0.09862	0.046	0.017	0.061	0.01	0.005128	0.011742	0.008	0.0125	0.010819	0.002	0.0053	414.4503	0.003872	0.00							
Utility Relocations - Franchised Owned Utility	Light-Duty Truck, catalyst	20	35	80	2.678204	0.347289	0.094284	0.044	0.015	0.06	0.01	0.005057	0.011646	0.008	0.0125	0.010722	0.002	0.0053	408.5823	0.00375	0.00							
Bridge Pier Modifications - Westmoreland Bridge	Light-Duty Truck, catalyst	30	35	80	2.678204	0.347289	0.094284	0.044	0.015	0.06	0.01	0.005057	0.011646	0.008	0.0125	0.010722	0.002	0.0053	408.5823	0.00375	0.00							
West Dallas Lake																												
Erosion/Sediment Control and Clearing	Light-Duty Truck, catalyst	20	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00							
Rough Grade Lake	Light-Duty Truck, catalyst	20	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00							
Lake Bottom	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00							
Lake Sides	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00							
Overflow Weir 1 and 2 Weir for River Connection	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00							
Lake Drain	Light-Duty Truck, catalyst	20	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00							
Lake Edge Treatment and Planting	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00							
Landscape (assume the remaining activities under this category, assume duration is 34.05 weeks/5 for each individual item)																												
Paved Loop Trail	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00							
West End Parking	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00							
Lighting	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00							
Boat Dock	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00							
Lane Buoys	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00							
Levee Cutoff Walls	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00							
Deep Water Well	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00							
Urban Lake																												
Erosion/Sediment Control and Clearing	Light-Duty Truck, catalyst	20	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00							
Rough Grade Lake	Light-Duty Truck, catalyst	20	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00							
Lake Bottom	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00							
Lake Sides	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00							
Overflow Weir 1 and 2 Weir for River Connection	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00							
Lake Drain	Light-Duty Truck, catalyst	20	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00							
Lake Edge Treatment and Planting	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00							
Landscape (assume the remaining activities under this category, assume duration is 34.05 weeks/5 for each individual item)																												
Pavilion	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00							
Whitewater Course	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00							
Boat Launch	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00							
Restroom Trailers	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00							
Rock Plantings/Landscaping	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00							
Loop Trail	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00							
Cypress Planting/Landscaping	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00							
Stone Curb w/ Safety Bench	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00							
Water Maze	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00							
Fountain Bubblers/Aerators	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00							
Fountain Plaza	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00							

Canoe Path	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00
Skate Path	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00
Amphitheater	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00
Levee Cutoff Walls	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00
Natural Lake																					
Erosion/Sediment Control and Clearing	Light-Duty Truck, catalyst	20	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00
Rough Grade Lake	Light-Duty Truck, catalyst	20	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00
Lake Bottom	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00
Lake Sides	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00
Overflow Weir 1 and 2 Weir for River Connection	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00
Lake Drain	Light-Duty Truck, catalyst	20	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00
Lake Edge Treatment and Planting	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00
Landscape (assume the remaining activities under this category, assume duration is 34.05 weeks/5 for each individual item)																					
Boardwalk Loop	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00
Floating Wetlands	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00
Small Amphitheater	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00
Boat Launch	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00
Levee Cutoff Walls	Light-Duty Truck, catalyst	40	35	80	2.60437	0.328866	0.090196	0.044	0.015	0.06	0.01	0.004993	0.011517	0.008	0.0125	0.010614	0.002	0.0053	403.2226	0.003578	0.00

Table 38. Construction Truck Emissions, BVP Ecosystem and Recreation Improvements - Lakes, Alternative 3

Construction Phase	Vehicle Class	Peak No. of Trucks per day	Speed (mph)	VMT (mi/vehicle-day)	CO	NO _x	ROG	SO _x	PM10		PM2.5		CO2	CH4	N2O		
					Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Tire Wear (g/mi)	Brake Wear (g/mi)	Running Exhaust (g/mi)	Tire Wear (g/mi)	Brake Wear (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)	Running Exhaust (g/mi)
West Dallas Lake - Contract 7																	
Utility Relocations - City owned Utility	Heavy Duty Truck, Diesel	10	35	20	0.871807363	3.316724334	0.16817599	0.014974	0.14674414	0.036	0.0125	0.142150806	0.009	0.0053	2178.467845	0.04887025	0.00
Utility Relocations - Franchised Owned Utility	Heavy Duty Truck, Diesel	10	35	20	0.781457199	2.991381103	0.15125977	0.01492336	0.12636546	0.036	0.0125	0.122573398	0.009	0.0053	2178.467845	0.04949967	0.00
Bridge Pier Modifications - Westmoreland Bridge	Heavy Duty Truck, Diesel	10	35	20	0.781457199	2.991381103	0.15125977	0.01492336	0.12636546	0.036	0.0125	0.122573398	0.009	0.0053	2178.467845	0.04949967	0.00
West Dallas Lake																	
Erosion/Sediment Control and Clearing	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Rough Grade Lake	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Lake Bottom	Heavy Duty Truck, Diesel	300	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Lake Sides	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Overflow Weir 1 and 2 Weir for River Connection	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Lake Drain	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Lake Edge Treatment and Planting	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Landscape (assume the remaining activities under this category, assume duration is 34.05 weeks/5 for each individual item)																	
Paved Loop Trail	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
West End Parking	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Lighting	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Boat Dock	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Lane Buoys	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Levee Cutoff Walls	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Deep Water Well	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Urban Lake																	
Erosion/Sediment Control and Clearing	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Rough Grade Lake	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Lake Bottom	Heavy Duty Truck, Diesel	300	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Lake Sides	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Overflow Weir 1 and 2 Weir for River Connection	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Lake Drain	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Lake Edge Treatment and Planting	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Landscape (assume the remaining activities under this category, assume duration is 34.05 weeks/5 for each individual item)																	
Pavilion	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Whitewater Course	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Boat Launch	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Restroom Trailers	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Rock Plantings/Landscaping	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Loop Trail	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Cypress Planting/Landscaping	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Stone Curb w/ Safety Bench	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Water Maze	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Fountain Bubblers/Aeratots	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Fountain Plaza	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Canoe Path	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Skate Path	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Amphitheater	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Levee Cutoff Walls	Heavy Duty Truck, Diesel	10	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Natural Lake																	
Erosion/Sediment Control and Clearing	Heavy Duty Truck, Diesel	10	35	80	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Rough Grade Lake	Heavy Duty Truck, Diesel	10	35	80	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Lake Bottom	Heavy Duty Truck, Diesel	300	35	20	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Lake Sides	Heavy Duty Truck, Diesel	10	35	80	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Overflow Weir 1 and 2 Weir for River Connection	Heavy Duty Truck, Diesel	10	35	80	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Lake Drain	Heavy Duty Truck, Diesel	10	35	80	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Lake Edge Treatment and Planting	Heavy Duty Truck, Diesel	10	35	80	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Landscape (assume the remaining activities under this category, assume duration is 34.05 weeks/5 for each individual item)																	
Boardwalk Loop	Heavy Duty Truck, Diesel	10	35	80	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Floating Wetlands	Heavy Duty Truck, Diesel	10	35	80	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125	0.105905613	0.009	0.0053	2178.682864	0.05007875	0.00
Small Amphitheater	Heavy Duty Truck, Diesel	10	35	80	0.704446822	2.712676256	0.13680044	0.01490895	0.10917075	0.036	0.0125						

West Dallas Lake - Contract 7
 Utility Relocations - City owned Utility
 Utility Relocations - Franchised Owned Utility
 Bridge Pier Modifications - Westmoreland Bridge
 West Dallas Lake Erosion/Sediment Control and Clearing
 Rough Grade Lake
 Lake Bottom
 Lake Sides
 Overflow Weir 1 and 2 Weir for River Connection
 Lake Drain
 Lake Edge Treatment and Planting Landscape (assume the remaining activities under this category, assume duration is 34.05 weeks/5 for each individual item)
 Paved Loop Trail
 West End Parking Lighting
 Boat Dock
 Lane Buoys
 Levee Cutoff Walls
 Deep Water Well
 Urban Lake Erosion/Sediment Control and Clearing
 Rough Grade Lake
 Lake Bottom
 Lake Sides
 Overflow Weir 1 and 2 Weir for River Connection
 Lake Drain

k = 1.5 for PM10, 0.15 for PM2.5
 s = 8.5, a = 0.9, b = 0.45

Assume 61% control efficiency for watering 3x daily
 Emission Factors

Total Emissions, tons													
Construction Days/Total Deliveries	CO	NOx	VOCs	SOx	PM10	PM2.5	Paved Road Fugitive Dust PM10	Paved Road Fugitive Dust PM2.5	Unpaved Road Fugitive Dust PM10	Unpaved Road Fugitive Dust PM2.5	CO2	CH4	N2O
195	0.04	0.14	0.01	0.00	0.01	0.01	0.44	0.09	0.25	0.02	93.65	0.00	0.00
49	0.01	0.03	0.00	0.00	0.00	0.00	0.11	0.02	0.06	0.01	23.53	0.00	0.00
302	0.05	0.20	0.01	0.00	0.01	0.01	0.69	0.14	0.38	0.04	145.04	0.00	0.00
73	0.01	0.04	0.00	0.00	0.00	0.00	0.17	0.03	0.09	0.01	35.06	0.00	0.00
125	0.02	0.07	0.00	0.00	0.00	0.00	0.28	0.06	0.16	0.02	60.04	0.00	0.00
187	0.87	3.36	0.17	0.02	0.20	0.15	12.76	2.68	7.06	0.71	2694.59	0.06	0.00
57	0.01	0.03	0.00	0.00	0.00	0.00	0.13	0.03	0.07	0.01	27.38	0.00	0.00
118	0.02	0.07	0.00	0.00	0.00	0.00	0.27	0.06	0.15	0.01	56.68	0.00	0.00
27	0.00	0.02	0.00	0.00	0.00	0.00	0.06	0.01	0.03	0.00	12.97	0.00	0.00
72	0.01	0.04	0.00	0.00	0.00	0.00	0.16	0.03	0.09	0.01	34.58	0.00	0.00
41	0.01	0.02	0.00	0.00	0.00	0.00	0.09	0.02	0.05	0.01	19.69	0.00	0.00
41	0.01	0.02	0.00	0.00	0.00	0.00	0.09	0.02	0.05	0.01	19.69	0.00	0.00
41	0.01	0.02	0.00	0.00	0.00	0.00	0.09	0.02	0.05	0.01	19.69	0.00	0.00
41	0.01	0.02	0.00	0.00	0.00	0.00	0.09	0.02	0.05	0.01	19.69	0.00	0.00
204	0.03	0.12	0.01	0.00	0.01	0.01	0.46	0.10	0.26	0.03	97.99	0.00	0.00
180	0.03	0.11	0.01	0.00	0.01	0.00	0.41	0.09	0.23	0.02	86.46	0.00	0.00
73	0.01	0.04	0.00	0.00	0.00	0.00	0.17	0.03	0.09	0.01	35.06	0.00	0.00
125	0.02	0.07	0.00	0.00	0.00	0.00	0.28	0.06	0.16	0.02	60.04	0.00	0.00
187	0.87	3.36	0.17	0.02	0.20	0.15	12.76	2.68	7.06	0.71	2694.59	0.06	0.00
57	0.01	0.03	0.00	0.00	0.00	0.00	0.13	0.03	0.07	0.01	27.38	0.00	0.00
118	0.02	0.07	0.00	0.00	0.00	0.00	0.27	0.06	0.15	0.01	56.68	0.00	0.00
27	0.00	0.02	0.00	0.00	0.00	0.00	0.06	0.01	0.03	0.00	12.97	0.00	0.00

PM10, LDT	0.357378738	Lake Edge Treatment and Planting
		Landscape (assume the remaining activities under this category, assume duration is 34.05 weeks/5 for each individual item)
PM10, MDT	0.829735596	Pavilion
PM10, HDT	1.007230136	Whitewater Course
PM2.5, LDT	0.035737874	Boat Launch
PM2.5, MDT	0.08297356	Restroom
PM2.5, HDT	0.100723014	Trailers
		Rock Plantings/Landscaping
		Loop Trail
		Cypress Planting/Landscaping
		Stone Curb w/ Safety Bench
		Water Maze
		Fountain Bubblers/Aerators
		Fountain Plaza
		Canoe Path
		Skate Path
		Amphitheater
		Levee Cutoff Walls
		Natural Lake
		Erosion/Sediment Control and Clearing
		Rough Grade Lake
		Lake Bottom
		Lake Sides
		Overflow Weir 1 and 2 Weir for River Connection
		Lake Drain
		Lake Edge Treatment and Planting
		Landscape (assume the remaining activities under this category, assume duration is 34.05 weeks/5 for each individual item)
		Boardwalk Loop

Assume 0.25 miles each way of unpaved road travel

72	0.01	0.04	0.00	0.00	0.00	0.00	0.00	0.16	0.03	0.09	0.01	34.58	0.00	0.00
41	0.01	0.02	0.00	0.00	0.00	0.00	0.00	0.09	0.02	0.05	0.01	19.69	0.00	0.00
41	0.01	0.02	0.00	0.00	0.00	0.00	0.00	0.09	0.02	0.05	0.01	19.69	0.00	0.00
41	0.01	0.02	0.00	0.00	0.00	0.00	0.00	0.09	0.02	0.05	0.01	19.69	0.00	0.00
41	0.01	0.02	0.00	0.00	0.00	0.00	0.00	0.09	0.02	0.05	0.01	19.69	0.00	0.00
41	0.01	0.02	0.00	0.00	0.00	0.00	0.00	0.09	0.02	0.05	0.01	19.69	0.00	0.00
41	0.01	0.02	0.00	0.00	0.00	0.00	0.00	0.09	0.02	0.05	0.01	19.69	0.00	0.00
41	0.01	0.02	0.00	0.00	0.00	0.00	0.00	0.09	0.02	0.05	0.01	19.69	0.00	0.00
41	0.01	0.02	0.00	0.00	0.00	0.00	0.00	0.09	0.02	0.05	0.01	19.69	0.00	0.00
41	0.01	0.02	0.00	0.00	0.00	0.00	0.00	0.09	0.02	0.05	0.01	19.69	0.00	0.00
204	0.03	0.12	0.01	0.00	0.01	0.01	0.01	0.46	0.10	0.26	0.03	97.99	0.00	0.00
73	0.05	0.17	0.01	0.00	0.01	0.01	0.01	0.55	0.12	0.09	0.01	140.25	0.00	0.00
125	0.08	0.30	0.02	0.00	0.02	0.01	0.01	0.94	0.20	0.16	0.02	240.16	0.01	0.00
187	0.87	3.36	0.17	0.02	0.20	0.15	12.76	2.68	7.06	0.71	0.01	2694.59	0.06	0.00
57	0.04	0.14	0.01	0.00	0.01	0.01	0.43	0.09	0.07	0.01	0.01	109.51	0.00	0.00
118	0.07	0.28	0.01	0.00	0.02	0.01	0.89	0.19	0.15	0.01	0.01	226.71	0.01	0.00
27	0.02	0.06	0.00	0.00	0.00	0.00	0.20	0.04	0.03	0.00	0.00	51.87	0.00	0.00
72	0.04	0.17	0.01	0.00	0.01	0.01	0.54	0.11	0.09	0.01	0.01	138.33	0.00	0.00
41	0.03	0.10	0.00	0.00	0.01	0.00	0.31	0.06	0.05	0.01	0.01	78.77	0.00	0.00

Floating Wetlands
Small Amphitheater
Boat Launch
Levee Cutoff Walls

41	0.03	0.10	0.00	0.00	0.01	0.00	0.31	0.06	0.05	0.01	78.77	0.00	0.00
41	0.03	0.10	0.00	0.00	0.01	0.00	0.31	0.06	0.05	0.01	78.77	0.00	0.00
41	0.03	0.10	0.00	0.00	0.01	0.00	0.31	0.06	0.05	0.01	78.77	0.00	0.00
204	0.13	0.49	0.02	0.00	0.03	0.02	1.53	0.32	0.26	0.03	391.94	0.01	0.00
TOTAL 2017	1.42	5.48	0.28	0.03	0.32	0.24	19.53	4.10	8.37	0.84	4403.57	0.10	0.00
TOTAL 2018	1.03	3.98	0.20	0.02	0.23	0.18	15.15	3.18	8.39	0.84	3199.89	0.07	0.00
TOTAL 2022	0.00	0.02	0.00	0.00	0.00	0.00	0.05	0.01	0.03	0.00	10.40	0.00	0.00
TOTAL 2023	0.05	0.21	0.01	0.00	0.01	0.01	0.68	0.14	0.37	0.04	143.04	0.00	0.00
TOTAL 2024	0.05	0.21	0.01	0.00	0.01	0.01	0.73	0.15	0.40	0.04	153.85	0.00	0.00
TOTAL 2025	0.968	3.727	0.188	0.020	0.217	0.165	14.173	2.976	7.845	0.785	2993.008	0.069	0.003
TOTAL 2026	0.05	0.21	0.01	0.00	0.01	0.01	0.79	0.17	0.44	0.04	166.13	0.00	0.00

**Table 39. Fugitive Dust Emissions, Alternative 3
Activity Assumptions for Fugitive Dust Sources
Flood Risk Management
277K Levee Raise**

Total cubic yards	260000	
Total Haul Trucks	26000	
Daily (assume 250 days)	104	
Fugitive Dust emissions from WRAP Fugitive Dust Handbook, 2006		
Transfer operations (drop operation)		
$E = k \times (0.0032) \times (U/5)^{1.3}/(M/2)^{1.4}$	0.000208165	PM10
Assume U - wind speed = 12 mph	4.37146E-05	PM2.5
Assume M - moisture content = 15%		
k = .35 for PM10		
Assume PM2.5 is 21% of PM10		
Assume material is 1.35 tons/cy (approximate)		
Assume 4 drops per truckload (pile, pickup, drop off, pile)		Total
PM10 Emissions, total	292.2630929	292.2631
PM10 Emissions, lbs/day (max, assume 5x average)	5.845261858	5.845262
PM2.5 Emissions, total	61.37524951	61.37525
PM2.5 Emissions, lbs/day	1.22750499	1.227505

Levee Widening

Assumption: Levee widening will require 10% of levee raise cubic yards		
Total cubic yards	26000	
Total Haul Trucks	2600	
Daily (assume 250 days)	10	Total
PM10 Emissions, total	29.22630929	29.22631
PM10 Emissions, lbs/day (max, assume 5x average)	0.584526186	0.584526
PM2.5 Emissions, total	6.137524951	6.137525
PM2.5 Emissions, lbs/day	0.122750499	0.12275

Embankment Removals

Assumption: Embankment earthmoving is 5% of levee raise cubic yards		
Total cubic yards	13000	
Total Haul Trucks	1300	
Daily (assume 250 days)	5	Total
PM10 Emissions, total	14.61315465	14.61315
PM10 Emissions, lbs/day (max, assume 5x average)	0.292263093	0.292263
PM2.5 Emissions, total	3.068762475	3.068762
PM2.5 Emissions, lbs/day	0.06137525	0.061375

Lakes

West Dallas Lake		
Based on assumptions from traffic impact analysis		
Total cubic yards	3556238.684	

Daily (assume 200 days)	17781.19342	Total
PM10 Emissions, total	3997.528142	3997.528
PM10 Emissions, lbs/day (max, assume 5x average)	99.93820356	99.9382
PM2.5 Emissions, total	839.4809099	839.4809
PM2.5 Emissions, lbs/day	20.98702275	20.98702

Urban Lake

Based on assumptions from traffic impact analysis

Total cubic yards 1645600.132

Daily (assume 200 days)	8228.000658	Total
PM10 Emissions, total	1849.800708	1849.801
PM10 Emissions, lbs/day	46.24501771	46.24502
PM2.5 Emissions, total	388.4581487	388.4581
PM2.5 Emissions, lbs/day	9.711453718	9.711454

Natural Lake

Based on assumptions from traffic impact analysis

Total cubic yards 968000.0774

Daily (assume 200 days)	4840.000387	Total
PM10 Emissions, total	1088.118064	1088.118
PM10 Emissions, lbs/day (max, assume 5x average)	27.20295159	27.20295
PM2.5 Emissions, total	228.5047934	228.5048
PM2.5 Emissions, lbs/day	5.712619834	5.71262

For all other construction activities - assume grading is required, total disturbance per activity is 2 acres

Total Acreage of Disturbance

Amount per day	2
Emission Factor (uncontrolled), lbs/acre-day	20
PM10 Emissions, uncontrolled, lbs/day	40
Control Efficiency	0.61
PM10 Emissions, controlled, lbs/day	15.6
PM10 Emissions, uncontrolled, tons/year	1.26
Control Efficiency	0.61
PM10 Emissions, controlled, tons/year	0.4914
Assume PM2.5 is 21% of PM10	
PM2.5 Emissions, uncontrolled, lbs/day	8.4
Control Efficiency	0.61
PM2.5 Emissions, controlled, lbs/day	3.276
PM2.5 Emissions, uncontrolled, tons/year	0.2646
Control Efficiency	0.61
PM2.5 Emissions, controlled, tons/year	0.103194

Assume that wet activities do not generate fugitive dust. These activities include:

Nonstructural flood control improvements

Wetlands construction

Boat Dock
Weir for river connection
Levee cutoff walls
Whitewater Course
Boat Launch
Water Maze
Fountain Bubblers/Aerators
Fountain Plaza
Canoe Path
River Modification
Pump Station Outfalls
Sump Pond
Gardens/plantings would generate minor fugitive dust.

Table 40. Summary of Construction Emissions - By Year, Alternative 2

	Emission, tons (total)								
	ROG tons (total)	CO tons (total)	NOX tons (total)	SOX tons (total)	PM10 tons (total)	PM2.5 tons (total)	CO2 tons (total)	CH4 tons (total)	N2O tons (total)
Year 1 (2016)									
IDP2 Improvements									
Heavy Construction Equipment	1.35	4.67	10.17	0.02	0.46	0.41	1572.84	0.12	0.97
Worker Vehicles	0.01	0.71	0.12	0.00	0.02	0.01	92.64	0.01	0.00
Truck Trips	0.14	0.75	2.79	0.01	4.28	0.95	874.03	0.02	0.00
Fugitive Dust					0.4914	0.103194			
Total 2016	1.51	6.13	13.08	0.02	5.24	1.46	2539.51	0.15	0.97

	Emission, tons (total)								
	ROG tons (total)	CO tons (total)	NOX tons (total)	SOX tons (total)	PM10 tons (total)	PM2.5 tons (total)	CO2 tons (total)	CH4 tons (total)	N2O tons (total)
Year 2 (2017)									
Contract 1 - 277K Levee Raise and AT&SF Bridge Removal and Partial 4:1 Side Slope									
Heavy Construction Equipment	12.94	50.10	97.22	0.15	4.16	3.70	14549.84	1.17	9.24
Worker Vehicles	0.40	7.14	1.12	0.01	0.18	0.06	985.11	0.01	0.01
Truck Trips	0.23	1.24	4.58	0.01	7.95	1.73	1668.46	0.03	0.00
Fugitive Dust					0.146132	0.030688			
Lakes - Urban Lake and Natural Lake									
Heavy Construction Equipment	10.89	43.93	88.37	0.12	3.65	3.25	10047.47	0.83	6.52
Worker Vehicles	0.46	9.31	1.18	0.02	0.29	0.10	1441.53	0.01	0.01
Truck Trips	0.19	0.99	3.81	0.02	18.21	3.41	3056.28	0.07	0.00
Fugitive Dust					0.694872	0.145923			
IDP2 Improvements									
Heavy Construction Equipment	0.65	2.38	4.90	0.01	0.22	0.20	725.95	0.06	0.47
Worker Vehicles	0.01	0.37	0.06	0.00	0.01	0.00	48.90	0.00	0.00
Truck Trips	0.07	0.35	1.30	0.00	2.07	0.46	427.65	0.01	0.00
Fugitive Dust					0.4914	0.103194			
Total 2017	25.84	115.80	202.54	0.34	38.07	13.19	32951.20	2.19	16.24

	ROG tons (total)	CO tons (total)	NOX tons (total)	SOX tons (total)	PM10 tons (total)	PM2.5 tons (total)	CO2 tons (total)	CH4 tons (total)	N2O tons (total)
	Year 3 (2018)								
Contract 1 - 277K Levee Raise and AT&SF Bridge Removal and Partial 4:1 Side Slope									
Heavy Construction Equipment	2.77	10.63	20.60	0.03	0.87	0.78	3197.06	0.25	1.96
Worker Vehicles	0.06	1.00	0.16	0.00	0.02	0.01	137.42	0.00	0.00
Truck Trips	0.05	0.24	0.90	0.00	1.55	0.34	327.81	0.01	0.00
Fugitive Dust					0.146132	0.030688			
Contract 2 - Remaining 4:1 Side Slope									
Heavy Construction Equipment	3.73	14.57	28.04	0.04	1.21	1.08	4156.29	0.34	2.66
Worker Vehicles	0.10	1.81	0.28	0.00	0.04	0.02	249.39	0.00	0.00
Truck Trips	0.07	0.37	1.38	0.00	2.37	0.52	501.08	0.01	0.00
Fugitive Dust					0.014613	0.003069			
Contract 3 - River Relocation Top									
Heavy Construction Equipment	4.13	15.87	36.30	0.04	1.34	1.19	3252.61	0.27	2.18
Worker Vehicles	0.10	1.88	0.28	0.00	0.05	0.02	259.51	0.00	0.00
Truck Trips	0.03	0.17	0.63	0.00	1.24	0.27	256.30	0.01	0.00
Fugitive Dust					0.4914	0.103194			
IDP2 Improvements									
Heavy Construction Equipment	0.50	2.02	3.69	0.01	0.18	0.16	484.27	0.04	0.35
Worker Vehicles	0.03	0.57	0.09	0.00	0.01	0.01	79.38	0.00	0.00
Truck Trips	0.07	0.38	1.40	0.00	2.41	0.53	509.11	0.01	0.00
Fugitive Dust					0.4914	0.103194			
Lakes - Urban Lake and Natural Lake									
Heavy Construction Equipment	8.57	34.76	69.65	0.10	2.99	2.66	7476.07	0.62	4.74
Worker Vehicles	0.55	11.26	1.42	0.02	0.35	0.12	1743.07	0.02	0.01
Truck Trips	0.09	0.45	1.75	0.01	10.43	1.84	1403.49	0.03	0.00
Fugitive Dust					0.694872	0.145923			
Total 2018	20.85	95.97	166.57	0.27	26.91	9.91	24032.85	1.61	11.91

Year 4 (2019)	ROG tons (total)	CO tons (total)	NOX tons (total)	SOX tons (total)	PM10 tons (total)	PM2.5 tons (total)	CO2 tons (total)	CH4 tons (total)	N2O tons (total)
Contract 2 - Remaining 4:1 Side Slope									
Heavy Construction Equipment	9.09	35.02	67.87	0.11	2.89	2.57	10418.61	0.82	6.45
Worker Vehicles	0.21	3.79	0.60	0.01	0.09	0.03	522.92	0.01	0.00
Truck Trips	0.04	0.22	0.81	0.00	1.39	0.30	293.62	0.01	0.00
Fugitive Dust					0.014613	0.003069			
Contract 3 - River Relocation Top									
Heavy Construction Equipment	27.28	98.62	275.52	0.29	9.16	8.15	11051.57	0.91	7.40
Worker Vehicles	0.33	6.19	0.91	0.01	0.17	0.06	894.21	0.01	0.01
Truck Trips	0.10	0.51	1.92	0.01	3.62	0.83	894.69	0.02	0.00
Fugitive Dust					0.4914	0.103194			
IDP2 Improvements									
Heavy Construction Equipment	2.91	10.79	21.45	0.03	1.03	0.92	3180.80	0.26	2.04
Worker Vehicles	0.11	2.07	0.30	0.00	0.06	0.02	298.10	0.00	0.00
Truck Trips	0.27	1.39	5.20	0.02	11.37	2.41	2418.90	0.05	0.00
Fugitive Dust					0.4914	0.103194			
Wetlands									
Marshlands									
Heavy Construction Equipment	3.38	12.11	34.77	0.04	1.14	1.02	1186.63	0.10	0.79
Worker Vehicles	0.053204	1.00	0.15	0.00	0.01	0.01	144.06	0.00	0.00
Truck Trips	0.01	0.03	0.10	0.00	1.23	0.23	480.31	0.01	0.00
General Elements									
Parking									
Heavy Construction Equipment	1.75	7.77	12.76	0.02	0.64	0.57	1870.89	0.16	1.21
Worker Vehicles	0.053204	1.00	0.15	0.00	0.01	0.01	144.06	0.00	0.00
Truck Trips	0.01	0.03	0.10	0.00	1.23	0.23	480.31	0.01	0.00
Fugitive Dust					0.4914	0.103194			
Lighting									
Heavy Construction Equipment	0.31	1.82	1.96	0.00	0.14	0.12	257.95	0.03	0.19
Worker Vehicles	0.026602	0.50	0.07	0.00	0.01	0.00	72.03	0.00	0.00
Truck Trips	0.00	0.01	0.05	0.00	0.61	0.11	240.15	0.01	0.00
Fugitive Dust					0.4914	0.103194			
Vehicular Access and Roads									
Heavy Construction Equipment	1.75	7.77	12.76	0.02	0.64	0.57	1870.89	0.16	1.21
Worker Vehicles	0.053204	1.00	0.15	0.00	0.01	0.01	144.06	0.00	0.00
Truck Trips	0.01	0.03	0.10	0.00	1.23	0.23	480.31	0.01	0.00
Fugitive Dust					0.4914	0.103194			
Restroom Trailers									
Heavy Construction Equipment	1.06	4.04	7.85	0.01	0.34	0.30	1257.22	0.10	0.75
Worker Vehicles	0.053204	1.00	0.15	0.00	0.01	0.01	144.06	0.00	0.00
Truck Trips	0.01	0.03	0.10	0.00	1.23	0.23	480.31	0.01	0.00
Fugitive Dust					0.4914	0.103194			
Total 2019	48.84	196.71	445.80	0.58	41.19	19.55	39226.66	2.68	20.06

	ROG tons (total)	CO tons (total)	NOX tons (total)	SOX tons (total)	PM10 tons (total)	PM2.5 tons (total)	CO2 tons (total)	CH4 tons (total)	N2O tons (total)
Year 5 (2020)									
Contract 3 - River Relocation Top									
Heavy Construction Equipment	27.84	102.25	266.89	0.31	9.43	8.39	14871.83	1.21	9.65
Worker Vehicles	0.35	6.62	0.95	0.01	0.19	0.07	994.76	0.01	0.01
Truck Trips	0.17	0.86	3.25	0.01	8.10	1.70	1727.90	0.04	0.00
Fugitive Dust					0.4914	0.103194			
Contract 5 - Hampton Pump Station									
Heavy Construction Equipment	3.78	15.85	25.81	0.04	1.44	1.28	3799.57	0.34	2.45
Worker Vehicles	0.43	3.03	0.43	0.01	0.04	0.02	459.99	0.00	0.00
Truck Trips	0.03	0.14	0.53	0.00	1.11	0.23	235.01	0.00	0.00
Fugitive Dust					0.4914	0.103194			
IDP2 Improvements									
Heavy Construction Equipment	0.52	2.17	3.51	0.01	0.20	0.18	506.06	0.05	0.33
Worker Vehicles	0.01	0.43	0.07	0.00	0.01	0.00	56.82	0.00	0.00
Truck Trips	0.09	0.46	1.71	0.00	2.62	0.58	536.07	0.01	0.00
Fugitive Dust					0.4914	0.103194			
Wetlands									
Hampton and Biofiltration Wetlands									
Heavy Construction Equipment	1.20	4.81	8.98	0.02	0.38	0.34	1401.61	0.11	0.85
Worker Vehicles	0.049365	0.93	0.13	0.00	0.01	0.01	141.53	0.00	0.00
Truck Trips	0.00	0.02	0.09	0.00	1.23	0.23	480.26	0.01	0.00
Fugitive Dust					0.4914	0.103194			
Corinth Wetlands									
Heavy Construction Equipment	1.20	4.86	8.37	0.02	0.38	0.34	1459.51	0.11	0.79
Worker Vehicles	0.024683	0.47	0.07	0.00	0.01	0.00	70.76	0.00	0.00
Truck Trips	0.00	0.01	0.04	0.00	0.61	0.11	240.13	0.01	0.00
General Elements									
Parking									
Heavy Construction Equipment	1.75	7.77	12.76	0.02	0.64	0.57	1870.89	0.16	1.21
Worker Vehicles	0.053204	1.00	0.15	0.00	0.01	0.01	144.06	0.00	0.00
Truck Trips	0.01	0.03	0.10	0.00	1.23	0.23	480.31	0.01	0.00
Fugitive Dust					0.4914	0.103194			
Lighting									
Heavy Construction Equipment	0.31	1.82	1.96	0.00	0.14	0.12	257.95	0.03	0.19
Worker Vehicles	0.026602	0.50	0.07	0.00	0.01	0.00	72.03	0.00	0.00
Truck Trips	0.00	0.01	0.05	0.00	0.61	0.11	240.15	0.01	0.00
Fugitive Dust					0.4914	0.103194			
Vehicular Access and Roads									
Heavy Construction Equipment	1.75	7.77	12.76	0.02	0.64	0.57	1870.89	0.16	1.21
Worker Vehicles	0.053204	1.00	0.15	0.00	0.01	0.01	144.06	0.00	0.00
Truck Trips	0.01	0.03	0.10	0.00	1.23	0.23	480.31	0.01	0.00
Fugitive Dust					0.4914	0.103194			
Trails									
Heavy Construction Equipment	1.23	4.84	8.95	0.02	0.43	0.38	1375.20	0.11	0.85
Worker Vehicles	0.049365	0.93	0.13	0.00	0.01	0.01	141.53	0.00	0.00
Truck Trips	0.00	0.02	0.09	0.00	1.23	0.23	480.26	0.01	0.00
Fugitive Dust					0.4914	0.103194			
Equestrian Trail									
Heavy Construction Equipment	0.73	3.36	5.02	0.01	0.30	0.26	709.02	0.07	0.48
Worker Vehicles	0.049365	0.93	0.13	0.00	0.01	0.01	141.53	0.00	0.00
Truck Trips	0.00	0.02	0.09	0.00	1.23	0.23	480.26	0.01	0.00
Fugitive Dust					0.4914	0.103194			
Sidewalks									
Heavy Construction Equipment	1.23	4.84	8.95	0.02	0.43	0.38	1375.20	0.11	0.85
Worker Vehicles	0.049365	0.93	0.13	0.00	0.01	0.01	141.53	0.00	0.00
Truck Trips	0.00	0.02	0.09	0.00	1.23	0.23	480.26	0.01	0.00
Fugitive Dust					0.4914	0.103194			
Boardwalks									
Heavy Construction Equipment	1.23	4.84	8.95	0.02	0.43	0.38	1375.20	0.11	0.85
Worker Vehicles	0.049365	0.93	0.13	0.00	0.01	0.01	141.53	0.00	0.00
Truck Trips	0.00	0.02	0.09	0.00	1.23	0.23	480.26	0.01	0.00

Fugitive Dust					0.4914	0.103194			
Pedestrian Bridges									
Heavy Construction Equipment	1.23	4.84	8.95	0.02	0.43	0.38	1375.20	0.11	0.85
Worker Vehicles	0.049365	0.93	0.13	0.00	0.01	0.01	141.53	0.00	0.00
Truck Trips	0.00	0.02	0.09	0.00	1.23	0.23	480.26	0.01	0.00
Fugitive Dust					0.4914	0.103194			
Total 2020	45.55	190.35	390.87	0.56	44.35	19.54	41861.21	2.84	20.59

	ROG tons (total)	CO tons (total)	NOX tons (total)	SOX tons (total)	PM10 tons (total)	PM2.5 tons (total)	CO2 tons (total)	CH4 tons (total)	N2O tons (total)
Year 6 (2021)									
Contract 3 - River Relocation Top									
Heavy Construction Equipment	27.46	100.53	267.71	0.30	9.22	8.21	13674.63	1.12	9.02
Worker Vehicles	0.29	5.60	0.78	0.01	0.16	0.06	841.82	0.01	0.01
Truck Trips	0.12	0.61	2.31	0.01	5.93	1.24	1267.19	0.03	0.00
Fugitive Dust					0.4914	0.103194			
Contract 4 - River Relocation Middle									
Heavy Construction Equipment	1.95	7.83	15.06	0.02	0.61	0.54	2136.83	0.18	1.43
Worker Vehicles	0.06	1.12	0.15	0.00	0.03	0.01	167.11	0.00	0.00
Truck Trips	0.02	0.11	0.42	0.00	0.82	0.18	167.68	0.01	0.00
Fugitive Dust					0.4914	0.103194			
Contract 5 - Hampton Pump Station									
Heavy Construction Equipment	2.44	10.18	16.63	0.03	0.94	0.84	2429.74	0.22	1.58
Worker Vehicles	0.26	1.86	0.26	0.00	0.02	0.01	282.34	0.00	0.00
Truck Trips	0.02	0.09	0.33	0.00	0.72	0.15	152.39	0.00	0.00
Fugitive Dust					0.4914	0.103194			
Wetlands									
Cypress Wetlands									
Heavy Construction Equipment	1.20	4.86	8.37	0.02	0.38	0.34	1459.51	0.11	0.79
Worker Vehicles	0.039721	0.78	0.11	0.00	0.01	0.01	115.98	0.00	0.00
Truck Trips	0.00	0.01	0.04	0.00	0.61	0.11	240.14	0.01	0.00
General Elements									
Lighting									
Heavy Construction Equipment	0.31	1.82	1.96	0.00	0.14	0.12	257.95	0.03	0.19
Worker Vehicles	0.026602	0.50	0.07	0.00	0.01	0.00	72.03	0.00	0.00
Truck Trips	0.00	0.01	0.05	0.00	0.61	0.11	240.15	0.01	0.00
Fugitive Dust					0.4914	0.103194			
Trails									
Heavy Construction Equipment	1.23	4.84	8.95	0.02	0.43	0.38	1375.20	0.11	0.85
Worker Vehicles	0.049365	0.93	0.13	0.00	0.01	0.01	141.53	0.00	0.00
Truck Trips	0.00	0.02	0.09	0.00	1.23	0.23	480.26	0.01	0.00
Fugitive Dust					0.4914	0.103194			
Equestrian Trail									
Heavy Construction Equipment	0.73	3.36	5.02	0.01	0.30	0.26	709.02	0.07	0.48
Worker Vehicles	0.049365	0.93	0.13	0.00	0.01	0.01	141.53	0.00	0.00
Truck Trips	0.00	0.02	0.09	0.00	1.23	0.23	480.26	0.01	0.00
Fugitive Dust					0.4914	0.103194			
Sidewalks									
Heavy Construction Equipment	1.23	4.84	8.95	0.02	0.43	0.38	1375.20	0.11	0.85
Worker Vehicles	0.049365	0.93	0.13	0.00	0.01	0.01	141.53	0.00	0.00
Truck Trips	0.00	0.02	0.09	0.00	1.23	0.23	480.26	0.01	0.00
Fugitive Dust					0.4914	0.103194			
Boardwalks									
Heavy Construction Equipment	1.23	4.84	8.95	0.02	0.43	0.38	1375.20	0.11	0.85
Worker Vehicles	0.049365	0.93	0.13	0.00	0.01	0.01	141.53	0.00	0.00
Truck Trips	0.00	0.02	0.09	0.00	1.23	0.23	480.26	0.01	0.00
Fugitive Dust					0.4914	0.103194			
Boat Dock									
Heavy Construction Equipment	0.69	3.76	4.43	0.01	0.33	0.29	557.97	0.06	0.42
Worker Vehicles	0.047665	0.93	0.13	0.00	0.01	0.01	139.18	0.00	0.00
Truck Trips	0.00	0.02	0.08	0.00	1.22	0.23	480.28	0.01	0.00

Stair Access to Floodway									
Heavy Construction Equipment	1.06	4.04	7.85	0.01	0.34	0.30	1257.22	0.10	0.75
Worker Vehicles	0.023832	0.47	0.06	0.00	0.01	0.00	69.59	0.00	0.00
Truck Trips	0.00	0.01	0.04	0.00	0.61	0.11	240.14	0.01	0.00
Fugitive Dust					0.4914	0.103194			
Pedestrian Bridges									
Heavy Construction Equipment	1.23	4.84	8.95	0.02	0.43	0.38	1375.20	0.11	0.85
Worker Vehicles	0.049365	0.93	0.13	0.00	0.01	0.01	141.53	0.00	0.00
Truck Trips	0.00	0.02	0.09	0.00	1.23	0.23	480.26	0.01	0.00
Fugitive Dust					0.4914	0.103194			
Total 2021	41.93	172.65	368.78	0.50	35.84	16.88	35568.67	2.46	18.07

	ROG tons (total)	CO tons (total)	NOX tons (total)	SOX tons (total)	PM10 tons (total)	PM2.5 tons (total)	CO2 tons (total)	CH4 tons (total)	N2O tons (total)
Year 7 (2022)									
Contract 4 - River Relocation Middle									
Heavy Construction Equipment	30.28	112.79	283.94	0.33	10.21	9.09	17986.33	1.48	11.87
Worker Vehicles	0.44	8.87	1.19	0.02	0.26	0.09	1335.13	0.01	0.01
Truck Trips	0.18	0.96	3.60	0.01	8.32	1.76	1765.75	0.03	0.00
Fugitive Dust					0.4914	0.103194			
Contract 7 - West Dallas Lake									
Heavy Construction Equipment	0.19	0.75	1.45	0.00	0.06	0.05	205.66	0.02	0.14
Worker Vehicles	0.01	0.11	0.01	0.00	0.00	0.00	15.84	0.00	0.00
Truck Trips	0.00	0.00	0.02	0.00	0.08	0.01	10.40	0.00	0.00
Fugitive Dust					0.44417	0.093276			
Recreation									
Play Fields									
Heavy Construction Equipment	1.29	5.21	9.53	0.02	0.43	0.38	1460.60	0.12	0.91
Worker Vehicles	0.045489	0.91	0.12	0.00	0.01	0.01	137.06	0.00	0.00
Truck Trips	0.00	0.02	0.07	0.00	1.22	0.23	480.27	0.01	0.00
Fugitive Dust					0.4914	0.103194			
General Elements									
Trails									
Heavy Construction Equipment	1.23	4.84	8.95	0.02	0.43	0.38	1375.20	0.11	0.85
Worker Vehicles	0.049365	0.93	0.13	0.00	0.01	0.01	141.53	0.00	0.00
Truck Trips	0.00	0.02	0.09	0.00	1.23	0.23	480.26	0.01	0.00
Fugitive Dust					0.4914	0.103194			
Equestrian Trail									
Heavy Construction Equipment	0.73	3.36	5.02	0.01	0.30	0.26	709.02	0.07	0.48
Worker Vehicles	0.049365	0.93	0.13	0.00	0.01	0.01	141.53	0.00	0.00
Truck Trips	0.00	0.02	0.09	0.00	1.23	0.23	480.26	0.01	0.00
Fugitive Dust					0.4914	0.103194			
Sidewalks									
Heavy Construction Equipment	1.23	4.84	8.95	0.02	0.43	0.38	1375.20	0.11	0.85
Worker Vehicles	0.049365	0.93	0.13	0.00	0.01	0.01	141.53	0.00	0.00
Truck Trips	0.00	0.02	0.09	0.00	1.23	0.23	480.26	0.01	0.00
Fugitive Dust					0.4914	0.103194			
Boardwalks									
Heavy Construction Equipment	1.23	4.84	8.95	0.02	0.43	0.38	1375.20	0.11	0.85
Worker Vehicles	0.049365	0.93	0.13	0.00	0.01	0.01	141.53	0.00	0.00
Truck Trips	0.00	0.02	0.09	0.00	1.23	0.23	480.26	0.01	0.00
Fugitive Dust					0.4914	0.103194			
Pedestrian Bridges									
Heavy Construction Equipment	1.23	4.84	8.95	0.02	0.43	0.38	1375.20	0.11	0.85
Worker Vehicles	0.049365	0.93	0.13	0.00	0.01	0.01	141.53	0.00	0.00
Truck Trips	0.00	0.02	0.09	0.00	1.23	0.23	480.26	0.01	0.00
Fugitive Dust					0.4914	0.103194			
Total 2022	38.35	157.11	341.86	0.47	32.66	15.39	32715.81	2.23	16.81

Year 8 (2023)	ROG tons (total)	CO tons (total)	NOX tons (total)	SOX tons (total)	PM10 tons (total)	PM2.5 tons (total)	CO2 tons (total)	CH4 tons (total)	N2O tons (total)
Contract 4 - River Relocation Middle									
Heavy Construction Equipment	26.88	98.73	260.61	0.29	9.00	8.01	13858.57	1.14	9.17
Worker Vehicles	0.40	8.07	1.07	0.02	0.24	0.08	1219.99	0.01	0.01
Truck Trips	0.14	0.75	2.82	0.01	6.49	1.37	1380.58	0.03	0.00
Fugitive Dust					0.4914	0.103194			
Contract 7 - West Dallas Lake (Assume All Lakes)									
Heavy Construction Equipment	2.40	9.80	18.72	0.03	0.76	0.68	2566.14	0.22	1.78
Worker Vehicles	0.08	1.61	0.21	0.00	0.05	0.02	243.62	0.00	0.00
Truck Trips	0.01	0.05	0.21	0.00	1.06	0.19	143.04	0.00	0.00
Fugitive Dust					0.44417	0.093276			
Recreation									
Play Fields									
Heavy Construction Equipment	1.29	5.21	9.53	0.02	0.43	0.38	1460.60	0.12	0.91
Worker Vehicles	0.045489	0.91	0.12	0.00	0.01	0.01	137.06	0.00	0.00
Truck Trips	0.00	0.02	0.07	0.00	1.22	0.23	480.27	0.01	0.00
Fugitive Dust					0.4914	0.103194			
General Elements									
Wetland Garden									
Heavy Construction Equipment	1.20	4.86	8.37	0.02	0.38	0.34	1459.51	0.11	0.79
Worker Vehicles	0.021881	0.44	0.06	0.00	0.01	0.00	67.56	0.00	0.00
Truck Trips	0.00	0.01	0.04	0.00	0.61	0.11	240.13	0.01	0.00
Total 2023	32.48	130.46	301.82	0.38	21.68	11.72	23257.07	1.65	12.66

Year 9 (2024)	ROG tons (total)	CO tons (total)	NOX tons (total)	SOX tons (total)	PM10 tons (total)	PM2.5 tons (total)	CO2 tons (total)	CH4 tons (total)	N2O tons (total)
Contract 4 - River Relocation Middle									
Heavy Construction Equipment	28.45	103.73	283.05	0.30	9.52	8.47	12769.46	1.06	8.60
Worker Vehicles	0.36	7.22	0.93	0.01	0.22	0.08	1108.71	0.01	0.01
Truck Trips	0.10	0.54	2.03	0.01	5.05	1.06	1073.74	0.02	0.00
Fugitive Dust					0.4914	0.103194			
Contract 7 - West Dallas Lake (Assume All Lakes)									
Heavy Construction Equipment	2.26	9.60	17.96	0.02	0.75	0.66	2277.94	0.20	1.71
Worker Vehicles	0.10	2.04	0.27	0.00	0.06	0.02	318.91	0.00	0.00
Truck Trips	0.01	0.05	0.21	0.00	1.14	0.20	153.85	0.00	0.00
Fugitive Dust					0.44417	0.093276			
Recreation									
Play Fields									
Heavy Construction Equipment	1.29	5.21	9.53	0.02	0.43	0.38	1460.60	0.12	0.91
Worker Vehicles	0.045489	0.91	0.12	0.00	0.01	0.01	137.06	0.00	0.00
Truck Trips	0.00	0.02	0.07	0.00	1.22	0.23	480.27	0.01	0.00
Fugitive Dust					0.4914	0.103194			
General Elements									
Observation Decks/Blinds									
Heavy Construction Equipment	1.23	4.84	8.95	0.02	0.43	0.38	1375.20	0.11	0.85
Worker Vehicles	0.021205	0.43	0.05	0.00	0.01	0.00	66.67	0.00	0.00
Truck Trips	0.00	0.01	0.03	0.00	0.61	0.11	240.14	0.01	0.00
Fugitive Dust					0.4914	0.103194			
Total 2024	33.87	134.60	323.21	0.39	21.36	12.01	21462.54	1.54	12.07

Year 10 (2025)	ROG tons (total)	CO tons (total)	NOX tons (total)	SOX tons (total)	PM10 tons (total)	PM2.5 tons (total)	CO2 tons (total)	CH4 tons (total)	N2O tons (total)
Contract 4 - River Relocation Middle									
Heavy Construction Equipment	2.82	11.44	24.85	0.03	0.95	0.84	2163.08	0.19	1.64
Worker Vehicles	0.07	1.45	0.18	0.00	0.04	0.02	224.26	0.00	0.00
Truck Trips	0.02	0.09	0.32	0.00	0.71	0.15	147.27	0.00	0.00
Fugitive Dust					0.4914	0.103194			

Contract 6 - River Relocation Bottom									
Heavy Construction Equipment	1.40	5.57	10.57	0.02	0.45	0.40	1541.49	0.13	1.00
Worker Vehicles	0.03	0.71	0.09	0.00	0.02	0.01	109.83	0.00	0.00
Truck Trips	0.01	0.05	0.20	0.00	0.73	0.15	157.11	0.00	0.00
Fugitive Dust					0.4914	0.103194			
Contract 7 - West Dallas Lake (Assume All Lakes)									
Heavy Construction Equipment	14.15	57.99	112.26	0.15	4.90	4.36	13150.71	1.12	8.79
Worker Vehicles	0.30	6.95	0.78	0.01	0.19	0.07	956.32	0.01	0.01
Truck Trips	0.10	0.53	2.05	0.01	12.23	2.16	1645.71	0.04	0.00
Fugitive Dust					0.44417	0.093276			
Total 2025	18.91	84.77	151.30	0.23	21.64	8.45	20095.77	1.50	11.44

	ROG tons (total)	CO tons (total)	NOX tons (total)	SOX tons (total)	PM10 tons (total)	PM2.5 tons (total)	CO2 tons (total)	CH4 tons (total)	N2O tons (total)
Year 11 (2026)									
Contract 6 - River Relocation Bottom									
Heavy Construction Equipment	31.29	117.42	285.23	0.35	10.47	9.32	21063.24	1.72	13.70
Worker Vehicles	0.52	10.47	1.32	0.02	0.32	0.11	1620.73	0.01	0.01
Truck Trips	0.13	0.68	2.62	0.01	9.78	1.99	2106.85	0.05	0.00
Fugitive Dust					0.4914	0.103194			
Contract 7 - West Dallas Lake (Assume All Lakes)									
Heavy Construction Equipment	3.08	14.35	20.97	0.03	1.21	1.08	3167.70	0.28	1.99
Worker Vehicles	0.17	3.05	0.43	0.01	0.11	0.04	530.60	0.00	0.00
Truck Trips	0.01	0.05	0.21	0.00	1.23	0.22	166.13	0.00	0.00
Fugitive Dust					0.44417	0.093276			
Total 2026	35.19	146.03	310.79	0.43	24.06	12.94	28655.25	2.07	15.71

	ROG tons (total)	CO tons (total)	NOX tons (total)	SOX tons (total)	PM10 tons (total)	PM2.5 tons (total)	CO2 tons (total)	CH4 tons (total)	N2O tons (total)
Year 12 (2027)									
Contract 6 - River Relocation Bottom									
Heavy Construction Equipment	35.46	131.87	339.31	0.38	11.84	10.54	19638.57	1.63	13.19
Worker Vehicles	0.48	9.68	1.22	0.02	0.30	0.10	1498.56	0.01	0.01
Truck Trips	0.10	0.54	2.07	0.01	7.74	1.57	1666.28	0.04	0.00
Fugitive Dust					0.4914	0.103194			
Total 2027	36.04	142.09	342.61	0.41	20.36	12.31	22803.40	1.68	13.20

	ROG tons (total)	CO tons (total)	NOX tons (total)	SOX tons (total)	PM10 tons (total)	PM2.5 tons (total)	CO2 tons (total)	CH4 tons (total)	N2O tons (total)
Year 13 (2028)									
Contract 6 - River Relocation Bottom									
Heavy Construction Equipment	4.25	18.12	33.41	0.04	1.40	1.25	4373.83	0.38	3.17
Worker Vehicles	0.09	1.91	0.24	0.00	0.06	0.02	295.50	0.00	0.00
Truck Trips	0.02	0.10	0.38	0.00	1.41	0.29	303.76	0.01	0.00
Fugitive Dust					0.4914	0.103194			
Total 2028	4.36	20.13	34.03	0.05	3.36	1.66	4973.09	0.39	3.18

	ROG tons (total)	CO tons (total)	NOX tons (total)	SOX tons (total)	PM10 tons (total)	PM2.5 tons (total)	CO2 tons (total)	CH4 tons (total)	N2O tons (total)
Year 14 (2029)									
Contract 6 - River Relocation Bottom									
Heavy Construction Equipment	1.40	6.10	11.32	0.01	0.47	0.42	1342.29	0.13	1.08
Worker Vehicles	0.05	1.02	0.13	0.00	0.03	0.01	158.23	0.00	0.00
Truck Trips	0.01	0.03	0.11	0.00	0.40	0.08	85.49	0.00	0.00
Fugitive Dust					0.4914	0.103194			
Total 2028	1.45	7.15	11.55	0.02	1.39	0.62	1586.01	0.13	1.08

Table 41. Summary of Construction Emissions - By Year, Alternative 3

	Emission, tons (total)								
	ROG tons (total)	CO tons (total)	NOX tons (total)	SOX tons (total)	PM10 tons (total)	PM2.5 tons (total)	CO2 tons (total)	CH4 tons (total)	N2O tons (total)
Year 1 (2016)									
IDP2 Improvements									
Heavy Construction Equipment	1.35	4.67	10.17	0.02	0.46	0.41	1572.84	0.12	0.97
Worker Vehicles	0.01	0.71	0.12	0.00	0.02	0.01	92.64	0.01	0.00
Truck Trips	0.14	0.75	2.79	0.01	4.28	0.95	874.03	0.02	0.00
Fugitive Dust					0.4914	0.103194			
Total 2016	1.51	6.13	13.08	0.02	5.24	1.46	2539.51	0.15	0.97

	Emission, tons (total)								
	ROG tons (total)	CO tons (total)	NOX tons (total)	SOX tons (total)	PM10 tons (total)	PM2.5 tons (total)	CO2 tons (total)	CH4 tons (total)	N2O tons (total)
Year 2 (2017)									
Contract 1 - 277K Levee Raise and AT&SF Bridge Removal and Partial 4:1 Side Slope									
Heavy Construction Equipment	12.94	50.10	97.22	0.15	4.16	3.70	14549.84	1.17	9.24
Worker Vehicles	0.40	7.14	1.12	0.01	0.18	0.06	985.11	0.01	0.01
Truck Trips	0.23	1.24	4.58	0.01	7.95	1.73	1668.46	0.03	0.00
Fugitive Dust					0.146132	0.030688			
Lakes - Urban Lake and Natural Lake									
Heavy Construction Equipment	10.89	43.93	88.37	0.12	3.65	3.25	10047.47	0.83	6.52
Worker Vehicles	0.46	9.31	1.18	0.02	0.29	0.10	1441.53	0.01	0.01
Truck Trips	0.28	1.42	5.48	0.03	28.22	5.18	4403.57	0.10	0.00
Fugitive Dust					0.694872	0.145923			
IDP2 Improvements									
Heavy Construction Equipment	0.65	2.38	4.90	0.01	0.22	0.20	725.95	0.06	0.47
Worker Vehicles	0.01	0.37	0.06	0.00	0.01	0.00	48.90	0.00	0.00
Truck Trips	0.07	0.35	1.30	0.00	2.07	0.46	427.65	0.01	0.00
Fugitive Dust					0.4914	0.103194			
Total 2017	25.93	116.24	204.22	0.35	48.08	14.96	34298.50	2.22	16.24

	Emission, tons (total)								
	ROG tons (total)	CO tons (total)	NOX tons (total)	SOX tons (total)	PM10 tons (total)	PM2.5 tons (total)	CO2 tons (total)	CH4 tons (total)	N2O tons (total)
Year 3 (2018)									
Contract 1 - 277K Levee Raise and AT&SF Bridge Removal and Partial 4:1 Side Slope									
Heavy Construction Equipment	2.77	10.63	20.60	0.03	0.87	0.78	3197.06	0.25	1.96
Worker Vehicles	0.06	1.00	0.16	0.00	0.02	0.01	137.42	0.00	0.00
Truck Trips	0.05	0.24	0.90	0.00	1.55	0.34	327.81	0.01	0.00
Fugitive Dust					0.146132	0.030688			
Contract 2 - Remaining 4:1 Side Slope									
Heavy Construction Equipment	3.73	14.57	28.04	0.04	1.21	1.08	4156.29	0.34	2.66
Worker Vehicles	0.10	1.81	0.28	0.00	0.04	0.02	249.39	0.00	0.00
Truck Trips	0.07	0.37	1.38	0.00	2.37	0.52	501.08	0.01	0.00
Fugitive Dust					0.014613	0.003069			
Contract 3 - River Relocation Top									
Heavy Construction Equipment	4.13	15.87	36.30	0.04	1.34	1.19	3252.61	0.27	2.18
Worker Vehicles	0.10	1.88	0.28	0.00	0.05	0.02	259.51	0.00	0.00
Truck Trips	0.03	0.17	0.63	0.00	1.24	0.27	256.30	0.01	0.00
Fugitive Dust					0.4914	0.103194			
IDP2 Improvements									
Heavy Construction Equipment	0.50	2.02	3.69	0.01	0.18	0.16	484.27	0.04	0.35
Worker Vehicles	0.03	0.57	0.09	0.00	0.01	0.01	79.38	0.00	0.00
Truck Trips	0.07	0.38	1.40	0.00	2.41	0.53	509.11	0.01	0.00
Fugitive Dust					0.4914	0.103194			
Lakes - Urban Lake and Natural Lake									
Heavy Construction Equipment	8.57	34.76	69.65	0.10	2.99	2.66	7476.07	0.62	4.74
Worker Vehicles	0.55	11.26	1.42	0.02	0.35	0.12	1743.07	0.02	0.01
Truck Trips	0.20	1.03	3.98	0.02	23.77	4.20	3199.89	0.07	0.00
Fugitive Dust					0.694872	0.145923			
Total 2018	20.96	96.55	168.81	0.29	40.26	12.27	25829.24	1.65	11.91

Year 4 (2019)	ROG tons (total)	CO tons (total)	NOX tons (total)	SOX tons (total)	PM10 tons (total)	PM2.5 tons (total)	CO2 tons (total)	CH4 tons (total)	N2O tons (total)
Contract 2 - Remaining 4:1 Side Slope									
Heavy Construction Equipment	9.09	35.02	67.87	0.11	2.89	2.57	10418.61	0.82	6.45
Worker Vehicles	0.21	3.79	0.60	0.01	0.09	0.03	522.92	0.01	0.00
Truck Trips	0.04	0.22	0.81	0.00	1.39	0.30	293.62	0.01	0.00
Fugitive Dust					0.014613	0.003069			
Contract 3 - River Relocation Top									
Heavy Construction Equipment	27.28	98.62	275.52	0.29	9.16	8.15	11051.57	0.91	7.40
Worker Vehicles	0.33	6.19	0.91	0.01	0.17	0.06	894.21	0.01	0.01
Truck Trips	0.10	0.51	1.92	0.01	3.62	0.83	894.69	0.02	0.00
Fugitive Dust					0.4914	0.103194			
IDP2 Improvements									
Heavy Construction Equipment	2.91	10.79	21.45	0.03	1.03	0.92	3180.80	0.26	2.04
Worker Vehicles	0.11	2.07	0.30	0.00	0.06	0.02	298.10	0.00	0.00
Truck Trips	0.27	1.39	5.20	0.02	11.37	2.41	2418.90	0.05	0.00
Fugitive Dust					0.4914	0.103194			
Wetlands									
Marshlands									
Heavy Construction Equipment	3.38	12.11	34.77	0.04	1.14	1.02	1186.63	0.10	0.79
Worker Vehicles	0.053204	1.00	0.15	0.00	0.01	0.01	144.06	0.00	0.00
Truck Trips	0.01	0.03	0.10	0.00	1.23	0.23	480.31	0.01	0.00
General Elements									
Parking									
Heavy Construction Equipment	1.75	7.77	12.76	0.02	0.64	0.57	1870.89	0.16	1.21
Worker Vehicles	0.053204	1.00	0.15	0.00	0.01	0.01	144.06	0.00	0.00
Truck Trips	0.01	0.03	0.10	0.00	1.23	0.23	480.31	0.01	0.00
Fugitive Dust					0.4914	0.103194			
Lighting									
Heavy Construction Equipment	0.31	1.82	1.96	0.00	0.14	0.12	257.95	0.03	0.19
Worker Vehicles	0.026602	0.50	0.07	0.00	0.01	0.00	72.03	0.00	0.00
Truck Trips	0.00	0.01	0.05	0.00	0.61	0.11	240.15	0.01	0.00
Fugitive Dust					0.4914	0.103194			
Vehicular Access and Roads									
Heavy Construction Equipment	1.75	7.77	12.76	0.02	0.64	0.57	1870.89	0.16	1.21
Worker Vehicles	0.053204	1.00	0.15	0.00	0.01	0.01	144.06	0.00	0.00
Truck Trips	0.01	0.03	0.10	0.00	1.23	0.23	480.31	0.01	0.00
Fugitive Dust					0.4914	0.103194			
Restroom Trailers									
Heavy Construction Equipment	1.06	4.04	7.85	0.01	0.34	0.30	1257.22	0.10	0.75
Worker Vehicles	0.053204	1.00	0.15	0.00	0.01	0.01	144.06	0.00	0.00
Truck Trips	0.01	0.03	0.10	0.00	1.23	0.23	480.31	0.01	0.00
Fugitive Dust					0.4914	0.103194			
Total 2019	48.84	196.71	445.80	0.58	41.19	19.55	39226.66	2.68	20.06

Year 5 (2020)	ROG tons (total)	CO tons (total)	NOX tons (total)	SOX tons (total)	PM10 tons (total)	PM2.5 tons (total)	CO2 tons (total)	CH4 tons (total)	N2O tons (total)
Contract 3 - River Relocation Top									
Heavy Construction Equipment	27.84	102.25	266.89	0.31	9.43	8.39	14871.83	1.21	9.65
Worker Vehicles	0.35	6.62	0.95	0.01	0.19	0.07	994.76	0.01	0.01
Truck Trips	0.17	0.86	3.25	0.01	8.10	1.70	1727.90	0.04	0.00
Fugitive Dust					0.4914	0.103194			
Contract 5 - Hampton Pump Station									
Heavy Construction Equipment	3.78	15.85	25.81	0.04	1.44	1.28	3799.57	0.34	2.45
Worker Vehicles	0.43	3.03	0.43	0.01	0.04	0.02	459.99	0.00	0.00
Truck Trips	0.03	0.14	0.53	0.00	1.11	0.23	235.01	0.00	0.00
Fugitive Dust					0.4914	0.103194			
IDP2 Improvements									
Heavy Construction Equipment	0.52	2.17	3.51	0.01	0.20	0.18	506.06	0.05	0.33
Worker Vehicles	0.01	0.43	0.07	0.00	0.01	0.00	56.82	0.00	0.00
Truck Trips	0.09	0.46	1.71	0.00	2.62	0.58	536.07	0.01	0.00

Fugitive Dust					0.4914	0.103194			
Wetlands									
Hampton and Biofiltration Wetlands									
Heavy Construction Equipment	1.20	4.81	8.98	0.02	0.38	0.34	1401.61	0.11	0.85
Worker Vehicles	0.049365	0.93	0.13	0.00	0.01	0.01	141.53	0.00	0.00
Truck Trips	0.00	0.02	0.09	0.00	1.23	0.23	480.26	0.01	0.00
Fugitive Dust					0.4914	0.103194			
Corinth Wetlands									
Heavy Construction Equipment	1.20	4.86	8.37	0.02	0.38	0.34	1459.51	0.11	0.79
Worker Vehicles	0.024683	0.47	0.07	0.00	0.01	0.00	70.76	0.00	0.00
Truck Trips	0.00	0.01	0.04	0.00	0.61	0.11	240.13	0.01	0.00
General Elements									
Parking									
Heavy Construction Equipment	1.75	7.77	12.76	0.02	0.64	0.57	1870.89	0.16	1.21
Worker Vehicles	0.053204	1.00	0.15	0.00	0.01	0.01	144.06	0.00	0.00
Truck Trips	0.01	0.03	0.10	0.00	1.23	0.23	480.31	0.01	0.00
Fugitive Dust					0.4914	0.103194			
Lighting									
Heavy Construction Equipment	0.31	1.82	1.96	0.00	0.14	0.12	257.95	0.03	0.19
Worker Vehicles	0.026602	0.50	0.07	0.00	0.01	0.00	72.03	0.00	0.00
Truck Trips	0.00	0.01	0.05	0.00	0.61	0.11	240.15	0.01	0.00
Fugitive Dust					0.4914	0.103194			
Vehicular Access and Roads									
Heavy Construction Equipment	1.75	7.77	12.76	0.02	0.64	0.57	1870.89	0.16	1.21
Worker Vehicles	0.053204	1.00	0.15	0.00	0.01	0.01	144.06	0.00	0.00
Truck Trips	0.01	0.03	0.10	0.00	1.23	0.23	480.31	0.01	0.00
Fugitive Dust					0.4914	0.103194			
Trails									
Heavy Construction Equipment	1.23	4.84	8.95	0.02	0.43	0.38	1375.20	0.11	0.85
Worker Vehicles	0.049365	0.93	0.13	0.00	0.01	0.01	141.53	0.00	0.00
Truck Trips	0.00	0.02	0.09	0.00	1.23	0.23	480.26	0.01	0.00
Fugitive Dust					0.4914	0.103194			
Equestrian Trail									
Heavy Construction Equipment	0.73	3.36	5.02	0.01	0.30	0.26	709.02	0.07	0.48
Worker Vehicles	0.049365	0.93	0.13	0.00	0.01	0.01	141.53	0.00	0.00
Truck Trips	0.00	0.02	0.09	0.00	1.23	0.23	480.26	0.01	0.00
Fugitive Dust					0.4914	0.103194			
Sidewalks									
Heavy Construction Equipment	1.23	4.84	8.95	0.02	0.43	0.38	1375.20	0.11	0.85
Worker Vehicles	0.049365	0.93	0.13	0.00	0.01	0.01	141.53	0.00	0.00
Truck Trips	0.00	0.02	0.09	0.00	1.23	0.23	480.26	0.01	0.00
Fugitive Dust					0.4914	0.103194			
Boardwalks									
Heavy Construction Equipment	1.23	4.84	8.95	0.02	0.43	0.38	1375.20	0.11	0.85
Worker Vehicles	0.049365	0.93	0.13	0.00	0.01	0.01	141.53	0.00	0.00
Truck Trips	0.00	0.02	0.09	0.00	1.23	0.23	480.26	0.01	0.00
Fugitive Dust					0.4914	0.103194			
Pedestrian Bridges									
Heavy Construction Equipment	1.23	4.84	8.95	0.02	0.43	0.38	1375.20	0.11	0.85
Worker Vehicles	0.049365	0.93	0.13	0.00	0.01	0.01	141.53	0.00	0.00
Truck Trips	0.00	0.02	0.09	0.00	1.23	0.23	480.26	0.01	0.00
Fugitive Dust					0.4914	0.103194			
Total 2020	45.55	190.35	390.87	0.56	44.35	19.54	41861.21	2.84	20.59

	ROG tons (total)	CO tons (total)	NOX tons (total)	SOX tons (total)	PM10 tons (total)	PM2.5 tons (total)	CO2 tons (total)	CH4 tons (total)	N2O tons (total)
Year 6 (2021)									
Contract 3 - River Relocation Top									
Heavy Construction Equipment	27.46	100.53	267.71	0.30	9.22	8.21	13674.63	1.12	9.02
Worker Vehicles	0.29	5.60	0.78	0.01	0.16	0.06	841.82	0.01	0.01
Truck Trips	0.12	0.61	2.31	0.01	5.93	1.24	1267.19	0.03	0.00

Fugitive Dust					0.4914	0.103194			
Contract 4 - River Relocation Middle									
Heavy Construction Equipment	1.95	7.83	15.06	0.02	0.61	0.54	2136.83	0.18	1.43
Worker Vehicles	0.06	1.12	0.15	0.00	0.03	0.01	167.11	0.00	0.00
Truck Trips	0.02	0.11	0.42	0.00	0.82	0.18	167.68	0.01	0.00
Fugitive Dust					0.4914	0.103194			
Contract 5 - Hampton Pump Station									
Heavy Construction Equipment	2.44	10.18	16.63	0.03	0.94	0.84	2429.74	0.22	1.58
Worker Vehicles	0.26	1.86	0.26	0.00	0.02	0.01	282.34	0.00	0.00
Truck Trips	0.02	0.09	0.33	0.00	0.72	0.15	152.39	0.00	0.00
Fugitive Dust					0.4914	0.103194			
Wetlands									
Cypress Wetlands									
Heavy Construction Equipment	1.20	4.86	8.37	0.02	0.38	0.34	1459.51	0.11	0.79
Worker Vehicles	0.039721	0.78	0.11	0.00	0.01	0.01	115.98	0.00	0.00
Truck Trips	0.00	0.01	0.04	0.00	0.61	0.11	240.14	0.01	0.00
General Elements									
Lighting									
Heavy Construction Equipment	0.31	1.82	1.96	0.00	0.14	0.12	257.95	0.03	0.19
Worker Vehicles	0.026602	0.50	0.07	0.00	0.01	0.00	72.03	0.00	0.00
Truck Trips	0.00	0.01	0.05	0.00	0.61	0.11	240.15	0.01	0.00
Fugitive Dust					0.4914	0.103194			
Trails									
Heavy Construction Equipment	1.23	4.84	8.95	0.02	0.43	0.38	1375.20	0.11	0.85
Worker Vehicles	0.049365	0.93	0.13	0.00	0.01	0.01	141.53	0.00	0.00
Truck Trips	0.00	0.02	0.09	0.00	1.23	0.23	480.26	0.01	0.00
Fugitive Dust					0.4914	0.103194			
Equestrian Trail									
Heavy Construction Equipment	0.73	3.36	5.02	0.01	0.30	0.26	709.02	0.07	0.48
Worker Vehicles	0.049365	0.93	0.13	0.00	0.01	0.01	141.53	0.00	0.00
Truck Trips	0.00	0.02	0.09	0.00	1.23	0.23	480.26	0.01	0.00
Fugitive Dust					0.4914	0.103194			
Sidewalks									
Heavy Construction Equipment	1.23	4.84	8.95	0.02	0.43	0.38	1375.20	0.11	0.85
Worker Vehicles	0.049365	0.93	0.13	0.00	0.01	0.01	141.53	0.00	0.00
Truck Trips	0.00	0.02	0.09	0.00	1.23	0.23	480.26	0.01	0.00
Fugitive Dust					0.4914	0.103194			
Boardwalks									
Heavy Construction Equipment	1.23	4.84	8.95	0.02	0.43	0.38	1375.20	0.11	0.85
Worker Vehicles	0.049365	0.93	0.13	0.00	0.01	0.01	141.53	0.00	0.00
Truck Trips	0.00	0.02	0.09	0.00	1.23	0.23	480.26	0.01	0.00
Fugitive Dust					0.4914	0.103194			
Boat Dock									
Heavy Construction Equipment	0.69	3.76	4.43	0.01	0.33	0.29	557.97	0.06	0.42
Worker Vehicles	0.047665	0.93	0.13	0.00	0.01	0.01	139.18	0.00	0.00
Truck Trips	0.00	0.02	0.08	0.00	1.22	0.23	480.28	0.01	0.00
Stair Access to Floodway									
Heavy Construction Equipment	1.06	4.04	7.85	0.01	0.34	0.30	1257.22	0.10	0.75
Worker Vehicles	0.023832	0.47	0.06	0.00	0.01	0.00	69.59	0.00	0.00
Truck Trips	0.00	0.01	0.04	0.00	0.61	0.11	240.14	0.01	0.00
Fugitive Dust					0.4914	0.103194			
Pedestrian Bridges									
Heavy Construction Equipment	1.23	4.84	8.95	0.02	0.43	0.38	1375.20	0.11	0.85
Worker Vehicles	0.049365	0.93	0.13	0.00	0.01	0.01	141.53	0.00	0.00
Truck Trips	0.00	0.02	0.09	0.00	1.23	0.23	480.26	0.01	0.00
Fugitive Dust					0.4914	0.103194			
Total 2021	41.93	172.65	368.78	0.50	35.84	16.88	35568.67	2.46	18.07

Year 7 (2022)	ROG tons (total)	CO tons (total)	NOX tons (total)	SOX tons (total)	PM10 tons (total)	PM2.5 tons (total)	CO2 tons (total)	CH4 tons (total)	N2O tons (total)
Contract 4 - River Relocation Middle									
Heavy Construction Equipment	30.28	112.79	283.94	0.33	10.21	9.09	17986.33	1.48	11.87
Worker Vehicles	0.44	8.87	1.19	0.02	0.26	0.09	1335.13	0.01	0.01
Truck Trips	0.18	0.96	3.60	0.01	8.32	1.76	1765.75	0.03	0.00
Fugitive Dust					0.4914	0.103194			
Contract 7 - West Dallas Lake (Assume All Lakes)									
Heavy Construction Equipment	10.89	43.93	88.37	0.12	3.65	3.25	10047.47	0.83	6.52
Worker Vehicles	0.46	9.31	1.18	0.02	0.29	0.10	1441.53	0.01	0.01
Truck Trips	0.28	1.42	5.48	0.03	28.22	5.18	4403.57	0.10	0.00
Fugitive Dust					3.467723	0.728222			
Recreation									
Play Fields									
Heavy Construction Equipment	1.29	5.21	9.53	0.02	0.43	0.38	1460.60	0.12	0.91
Worker Vehicles	0.045489	0.91	0.12	0.00	0.01	0.01	137.06	0.00	0.00
Truck Trips	0.00	0.02	0.07	0.00	1.22	0.23	480.27	0.01	0.00
Fugitive Dust					0.4914	0.103194			
General Elements									
Trails									
Heavy Construction Equipment	1.23	4.84	8.95	0.02	0.43	0.38	1375.20	0.11	0.85
Worker Vehicles	0.049365	0.93	0.13	0.00	0.01	0.01	141.53	0.00	0.00
Truck Trips	0.00	0.02	0.09	0.00	1.23	0.23	480.26	0.01	0.00
Fugitive Dust					0.4914	0.103194			
Equestrian Trail									
Heavy Construction Equipment	0.73	3.36	5.02	0.01	0.30	0.26	709.02	0.07	0.48
Worker Vehicles	0.049365	0.93	0.13	0.00	0.01	0.01	141.53	0.00	0.00
Truck Trips	0.00	0.02	0.09	0.00	1.23	0.23	480.26	0.01	0.00
Fugitive Dust					0.4914	0.103194			
Sidewalks									
Heavy Construction Equipment	1.23	4.84	8.95	0.02	0.43	0.38	1375.20	0.11	0.85
Worker Vehicles	0.049365	0.93	0.13	0.00	0.01	0.01	141.53	0.00	0.00
Truck Trips	0.00	0.02	0.09	0.00	1.23	0.23	480.26	0.01	0.00
Fugitive Dust					0.4914	0.103194			
Boardwalks									
Heavy Construction Equipment	1.23	4.84	8.95	0.02	0.43	0.38	1375.20	0.11	0.85
Worker Vehicles	0.049365	0.93	0.13	0.00	0.01	0.01	141.53	0.00	0.00
Truck Trips	0.00	0.02	0.09	0.00	1.23	0.23	480.26	0.01	0.00
Fugitive Dust					0.4914	0.103194			
Pedestrian Bridges									
Heavy Construction Equipment	1.23	4.84	8.95	0.02	0.43	0.38	1375.20	0.11	0.85
Worker Vehicles	0.049365	0.93	0.13	0.00	0.01	0.01	141.53	0.00	0.00
Truck Trips	0.00	0.02	0.09	0.00	1.23	0.23	480.26	0.01	0.00
Fugitive Dust					0.4914	0.103194			
Total 2022	49.78	210.92	435.41	0.63	67.69	24.49	48376.48	3.16	23.21

Year 8 (2023)	ROG tons (total)	CO tons (total)	NOX tons (total)	SOX tons (total)	PM10 tons (total)	PM2.5 tons (total)	CO2 tons (total)	CH4 tons (total)	N2O tons (total)
Contract 4 - River Relocation Middle									
Heavy Construction Equipment	26.88	98.73	260.61	0.29	9.00	8.01	13858.57	1.14	9.17
Worker Vehicles	0.40	8.07	1.07	0.02	0.24	0.08	1219.99	0.01	0.01
Truck Trips	0.14	0.75	2.82	0.01	6.49	1.37	1380.58	0.03	0.00
Fugitive Dust					0.4914	0.103194			
Contract 7 - West Dallas Lake (Assume All Lakes)									
Heavy Construction Equipment	8.57	34.76	69.65	0.10	2.99	2.66	7476.07	0.62	4.74
Worker Vehicles	0.55	11.26	1.42	0.02	0.35	0.12	1743.07	0.02	0.01
Truck Trips	0.20	1.03	3.98	0.02	23.77	4.20	3199.89	0.07	0.00
Fugitive Dust					3.467723	0.728222			
Recreation									

Play Fields										
Heavy Construction Equipment	1.29	5.21	9.53	0.02	0.43	0.38	1460.60	0.12	0.91	
Worker Vehicles	0.045489	0.91	0.12	0.00	0.01	0.01	137.06	0.00	0.00	
Truck Trips	0.00	0.02	0.07	0.00	1.22	0.23	480.27	0.01	0.00	
Fugitive Dust					0.4914	0.103194				
General Elements										
Wetland Garden										
Heavy Construction Equipment	1.20	4.86	8.37	0.02	0.38	0.34	1459.51	0.11	0.79	
Worker Vehicles	0.021881	0.44	0.06	0.00	0.01	0.00	67.56	0.00	0.00	
Truck Trips	0.00	0.01	0.04	0.00	0.61	0.11	240.13	0.01	0.00	
Total 2023	39.31	166.05	357.75	0.49	49.94	18.45	32723.30	2.13	15.63	

	ROG tons (total)	CO tons (total)	NOX tons (total)	SOX tons (total)	PM10 tons (total)	PM2.5 tons (total)	CO2 tons (total)	CH4 tons (total)	N2O tons (total)	
Year 9 (2024)										
Contract 4 - River Relocation Middle										
Heavy Construction Equipment	28.45	103.73	283.05	0.30	9.52	8.47	12769.46	1.06	8.60	
Worker Vehicles	0.36	7.22	0.93	0.01	0.22	0.08	1108.71	0.01	0.01	
Truck Trips	0.10	0.54	2.03	0.01	5.05	1.06	1073.74	0.02	0.00	
Fugitive Dust					0.4914	0.103194				
Contract 7 - West Dallas Lake (Assume All Lakes)										
Heavy Construction Equipment	0.19	0.75	1.45	0.00	0.06	0.05	205.66	0.02	0.14	
Worker Vehicles	0.01	0.11	0.01	0.00	0.00	0.00	15.84	0.00	0.00	
Truck Trips	0.00	0.00	0.02	0.00	0.08	0.01	10.40	0.00	0.00	
Fugitive Dust					3.467723	0.728222				
Recreation										
Play Fields										
Heavy Construction Equipment	1.29	5.21	9.53	0.02	0.43	0.38	1460.60	0.12	0.91	
Worker Vehicles	0.045489	0.91	0.12	0.00	0.01	0.01	137.06	0.00	0.00	
Truck Trips	0.00	0.02	0.07	0.00	1.22	0.23	480.27	0.01	0.00	
Fugitive Dust					0.4914	0.103194				
General Elements										
Observation Decks/Blinds										
Heavy Construction Equipment	1.23	4.84	8.95	0.02	0.43	0.38	1375.20	0.11	0.85	
Worker Vehicles	0.021205	0.43	0.05	0.00	0.01	0.00	66.67	0.00	0.00	
Truck Trips	0.00	0.01	0.03	0.00	0.61	0.11	240.14	0.01	0.00	
Fugitive Dust					0.4914	0.103194				
Total 2024	31.69	123.77	306.25	0.36	22.57	11.83	18943.74	1.35	10.50	

	ROG tons (total)	CO tons (total)	NOX tons (total)	SOX tons (total)	PM10 tons (total)	PM2.5 tons (total)	CO2 tons (total)	CH4 tons (total)	N2O tons (total)	
Year 10 (2025)										
Contract 4 - River Relocation Middle										
Heavy Construction Equipment	2.82	11.44	24.85	0.03	0.95	0.84	2163.08	0.19	1.64	
Worker Vehicles	0.07	1.45	0.18	0.00	0.04	0.02	224.26	0.00	0.00	
Truck Trips	0.02	0.09	0.32	0.00	0.71	0.15	147.27	0.00	0.00	
Fugitive Dust					0.4914	0.103194				
Contract 6 - River Relocation Bottom										
Heavy Construction Equipment	1.40	5.57	10.57	0.02	0.45	0.40	1541.49	0.13	1.00	
Worker Vehicles	0.03	0.71	0.09	0.00	0.02	0.01	109.83	0.00	0.00	
Truck Trips	0.01	0.05	0.20	0.00	0.73	0.15	157.11	0.00	0.00	
Fugitive Dust					0.4914	0.103194				
Contract 7 - West Dallas Lake (Assume All Lakes)										
Heavy Construction Equipment	2.40	9.80	18.72	0.03	0.76	0.68	2566.14	0.22	1.78	
Worker Vehicles	0.08	1.61	0.21	0.00	0.05	0.02	243.62	0.00	0.00	
Truck Trips	0.01	0.05	0.21	0.00	1.06	0.19	143.04	0.00	0.00	
Fugitive Dust					1.139042	0.239199				
Total 2025	6.84	30.76	55.35	0.08	6.90	2.90	7295.83	0.55	4.42	

Year 11 (2026)	ROG tons (total)	CO tons (total)	NOX tons (total)	SOX tons (total)	PM10 tons (total)	PM2.5 tons (total)	CO2 tons (total)	CH4 tons (total)	N2O tons (total)
Contract 6 - River Relocation Bottom									
Heavy Construction Equipment	31.29	117.42	285.23	0.35	10.47	9.32	21063.24	1.72	13.70
Worker Vehicles	0.52	10.47	1.32	0.02	0.32	0.11	1620.73	0.01	0.01
Truck Trips	0.13	0.68	2.62	0.01	9.78	1.99	2106.85	0.05	0.00
Fugitive Dust					0.4914	0.103194			
Contract 7 - West Dallas Lake (Assume All Lakes)									
Heavy Construction Equipment	2.26	9.60	17.96	0.02	0.75	0.66	2277.94	0.20	1.71
Worker Vehicles	0.10	2.04	0.27	0.00	0.06	0.02	318.91	0.00	0.00
Truck Trips	0.01	0.05	0.21	0.00	1.14	0.20	153.85	0.00	0.00
Fugitive Dust					3.467723	0.728222			
Total 2026	34.31	140.26	307.61	0.41	26.48	13.14	27541.52	1.99	15.42

Year 12 (2027)	ROG tons (total)	CO tons (total)	NOX tons (total)	SOX tons (total)	PM10 tons (total)	PM2.5 tons (total)	CO2 tons (total)	CH4 tons (total)	N2O tons (total)
Contract 6 - River Relocation Bottom									
Heavy Construction Equipment	35.46	131.87	339.31	0.38	11.84	10.54	19638.57	1.63	13.19
Worker Vehicles	0.48	9.68	1.22	0.02	0.30	0.10	1498.56	0.01	0.01
Truck Trips	0.10	0.54	2.07	0.01	7.74	1.57	1666.28	0.04	0.00
Fugitive Dust					0.4914	0.103194			
Total 2027	36.04	142.09	342.61	0.41	20.36	12.31	22803.40	1.68	13.20

Year 13 (2028)	ROG tons (total)	CO tons (total)	NOX tons (total)	SOX tons (total)	PM10 tons (total)	PM2.5 tons (total)	CO2 tons (total)	CH4 tons (total)	N2O tons (total)
Contract 6 - River Relocation Bottom									
Heavy Construction Equipment	4.25	18.12	33.41	0.04	1.40	1.25	4373.83	0.38	3.17
Worker Vehicles	0.09	1.91	0.24	0.00	0.06	0.02	295.50	0.00	0.00
Truck Trips	0.02	0.10	0.38	0.00	1.41	0.29	303.76	0.01	0.00
Fugitive Dust					0.4914	0.103194			
Total 2028	4.36	20.13	34.03	0.05	3.36	1.66	4973.09	0.39	3.18

Year 14 (2029)	ROG tons (total)	CO tons (total)	NOX tons (total)	SOX tons (total)	PM10 tons (total)	PM2.5 tons (total)	CO2 tons (total)	CH4 tons (total)	N2O tons (total)
Contract 6 - River Relocation Bottom									
Heavy Construction Equipment	1.40	6.10	11.32	0.01	0.47	0.42	1342.29	0.13	1.08
Worker Vehicles	0.05	1.02	0.13	0.00	0.03	0.01	158.23	0.00	0.00
Truck Trips	0.01	0.03	0.11	0.00	0.40	0.08	85.49	0.00	0.00
Fugitive Dust					0.4914	0.103194			
Total 2028	1.45	7.15	11.55	0.02	1.39	0.62	1586.01	0.13	1.08